

The fontspec package

Font selection for Xe_ΛT_EX and Lua_ΛT_EX

WILL ROBERTSON and KHALED HOSNY
will.robertson@latex-project.org

2013/05/20 v2.3c

Contents

1	History	3	7.5	Different features for different font sizes	14
2	Introduction	3	8	Font independent options	15
2.1	About this manual	3	8.1	Colour	15
2.2	Acknowledgements	3	8.2	Scale	16
3	Package loading and options	4	8.3	Interword space	17
3.1	Maths fonts adjustments	4	8.4	Post-punctuation space	17
3.2	Configuration	5	8.5	The hyphenation character	18
3.3	Warnings	5	8.6	Optical font sizes	18
I	General font selection	5	II	OpenType	19
4	Font selection	5	9	Introduction	19
4.1	By font name	5	9.1	How to select font features	19
4.2	By file name	6	10	Complete listing of OpenType font features	20
5	Default font families	7	10.1	Ligatures	20
6	New commands to select font families	7	10.2	Letters	20
6.1	More control over font shape selection	8	10.3	Numbers	21
6.2	Math(s) fonts	10	10.4	Contextuals	22
6.3	Miscellaneous font selecting details	11	10.5	Vertical Position	22
7	Selecting font features	11	10.6	Fractions	24
7.1	Default settings	11	10.7	Stylistic Set variations	25
7.2	Changing the currently selected features	12	10.8	Character Variants	25
7.3	Priority of feature selection	13	10.9	Alternates	25
7.4	Different features for different font shapes	13	10.10	Style	27
			10.11	Diacritics	29
			10.12	Kerning	29
			10.13	Font transformations	30
			10.14	Annotation	30
			10.15	CJK shape	31
			10.16	Character width	31
			10.17	Vertical typesetting	32

10.18	OpenType scripts and languages	32	VI The patching/improvement of L^AT_EX 2_ε and other packages	46
III	LuaT_EX-only font features	33	19	Inner emphasis 46
11	OpenType font feature files	34	20	Unicode footnote symbols 46
IV	Fonts and features with X_YT_EX	36	21	Verbatim 46
12	X_YT_EX-only font features	36	22	Discretionary hyphenation: \- 46
12.1	Mapping	36	23	Commands for old-style and lining numbers 47
12.2	Letter spacing	37	VII	fontspec.sty and friends 48
12.3	Different font technologies: AAT and ICU	37	24	'Header' code 48
12.4	Optical font sizes	37	24.1	expl3 tools 48
13	Mac OS X's AAT fonts	38	24.2	Bits and pieces 48
13.1	Ligatures	38	24.3	Error/warning/info messages 49
13.2	Letters	38	24.4	Option processing 53
13.3	Numbers	38	24.5	Packages 53
13.4	Contextuals	38	25	The main package code 54
13.5	Vertical position	39	25.1	Encodings 54
13.6	Fractions	39	25.2	User commands 54
13.7	Variants	40	25.3	Programmer's interface . . 60
13.8	Alternates	40	25.4	expl3 interface for font loading 65
13.9	Style	41	25.5	Internal macros 65
13.10	CJK shape	41	25.6	keyval definitions 84
13.11	Character width	41	25.7	Italic small caps 107
13.12	Vertical typesetting	41	25.8	Selecting maths fonts . . . 108
13.13	Diacritics	42	25.9	Finishing up 111
13.14	Annotation	42	25.10	Compatibility 112
14	AAT & Multiple Master font axes	42	VIII	fontspec.lua 113
V	Programming interface	43	IX	fontspec-patches.sty 115
15	Defining new features	43	25.11	Unicode footnote symbols 115
16	Going behind fontspec's back	44	25.12	Emph 115
17	Renaming existing features & options	44	25.13	\- 115
18	Programming details	45	25.14	Verbatims 115
			25.15	\oldstylenums 117
			X	fontspec.cfg 119

1 History

This package began life as a \LaTeX interface to select system-installed Mac OS X fonts in Jonathan Kew's X_{\TeX} , the first widely-used Unicode extension to \TeX . Over time, X_{\TeX} was extended to support OpenType fonts and then was ported into a cross-platform program to run also on Windows and Linux.

More recently, $\text{Lua}\TeX$ is fast becoming the \TeX engine of the day; it supports Unicode encodings and OpenType fonts and opens up the internals of \TeX via the Lua programming language. Hans Hagen's $\text{Con}\TeX\text{t Mk. IV}$ is a re-write of his powerful typesetting system, taking full advantage of $\text{Lua}\TeX$'s features including font support; a kernel of his work in this area has been extracted to be useful for other \TeX macro systems as well, and this has enabled `fontspec` to be adapted for \LaTeX when run with the $\text{Lua}\TeX$ engine.

2 Introduction

The `fontspec` package allows users of either X_{\TeX} or $\text{Lua}\TeX$ to load OpenType fonts in a \LaTeX document. No font installation is necessary, and font features can be selected and used as desired throughout the document.

Without `fontspec`, it is necessary to write cumbersome font definition files for \LaTeX , since \LaTeX 's font selection scheme (known as the 'NFSS') has a lot going on behind the scenes to allow easy commands like `\emph` or `\bfseries`. With an uncountable number of fonts now available for use, however, it becomes less desirable to have to write these font definition (`.fd`) files for every font one wishes to use.

Because `fontspec` is designed to work in a variety of modes, this user documentation is split into separate sections that are designed to be relatively independent. Nonetheless, the basic functionality all behaves in the same way, so previous users of `fontspec` under X_{\TeX} should have little or no difficulty switching over to $\text{Lua}\TeX$.

This manual can get rather in-depth, as there are a lot of details to cover. See the example documents `fontspec-xetex.tex` and `fontspec-luatex.tex` for a complete minimal example with each engine.

2.1 About this manual

This document is typeset with $\text{pdf}\LaTeX$ using pre-compiled examples that have been generated by either X_{\TeX} or $\text{Lua}\TeX$. You may regenerate the examples by removing the `doc-files/` subdirectory and typesetting the manual with the following invocation:

```
pdflatex -shell-escape fontspec.dtx
```

Note that many of the examples use fonts that are not included in \TeX Live or MiKTeX , and some of them are non-free fonts that must be purchased.

I'd like to reduce the number of non-free fonts used in this manual. If you know any freely available fonts that could be used as alternative to any of the fonts in this document, please suggest them to me. Finally, if any aspect of the documentation is unclear or you would like to suggest more examples that could be made, get in touch. (Contributions especially welcome.)

2.2 Acknowledgements

This package couldn't be possible without the early and continued support the author of X_{\TeX} , Jonathan Kew. When I started this package, he steered me many times in the right direction.

I’ve had great feedback over the years on feature requests, documentation queries, bug reports, font suggestions, and so on from lots of people all around the world. Many thanks to you all.

Thanks to David Perry and Markus Böhning for numerous documentation improvements and David Perry again for contributing the text for one of the sections of this manual.

Special thanks to Khaled Hosny, who had been the driving force behind the support for Lua \TeX , ultimately leading to version 2.0 of the package.

3 Package loading and options

For basic use, no package options are required:

```
\usepackage{fontspec}
```

Package options will be introduced below; some preliminary details are discussed first:

xunicode Ross Moore’s xunicode package is now automatically loaded for users of both X \TeX and Lua \TeX . This package provides backwards compatibility with \TeX ’s methods for accessing extra characters and accents (for example, `\%`, `\$`, `\textbullet`, `\"u`, and so on), plus many more Unicode characters.

X \TeX users only The xltextra package adds some minor extra features to X \TeX , including, via the metalogo package, the `\XeTeX` macro to typeset the X \TeX logo. While this package was previously recommended, it serves a much smaller rôle nowadays and generally will not be required. Please consult its documentation to assess whether its features are warranted before loading it.

Lua \TeX users only In order to load fonts by their name rather than by their filename (e.g., ‘Latin Modern Roman’ instead of ‘ec-lmr10’), you may need to run the script `luaotfload-tool`, which is distributed with the luaotfload package. Note that if you do not execute this script beforehand, the first time you attempt to typeset the process will pause for (up to) several minutes. (But only the first time.) Please see the luaotfload documentation for more information.

babel *The babel package is not really supported!* Especially Vietnamese, Greek, and Hebrew at least might not work correctly, as far as I can tell. There’s a better chance with Cyrillic and Latin-based languages, however—fontspec ensures at least that fonts should load correctly. The polyglossia package is recommended instead as a modern replacement for babel.

3.1 Maths fonts adjustments

By default, fontspec adjusts \TeX ’s default maths setup in order to maintain the correct Computer Modern symbols when the roman font changes. However, it will attempt to avoid doing this if another maths font package is loaded (such as mathpazo or the unicode-math package).

If you find that fontspec is incorrectly changing the maths font when it should be leaving well enough alone, apply the `[no-math]` package option to manually suppress its maths font.

3.2 Configuration

If you wish to customise any part of the fontspec interface (see later in this manual, [Section 15 on page 43](#) and [Section 17](#)), this should be done by creating your own fontspec.cfg file, which will be automatically loaded if it is found by Xe_{La}TeX or Lua_{La}TeX. Either place it in the same folder as the main document for isolated cases, or in a location that Xe_{La}TeX or Lua_{La}TeX searches by default; e.g. in Mac_{TeX}: ~/Library/texmf/tex/latex/. The package option [no-config] will suppress this behaviour under all circumstances.

3.3 Warnings

This package can give many warnings that can be harmless if you know what you’re doing. Use the [quiet] package option to write these warnings to the transcript (.log) file instead.

Use the [silent] package option to completely suppress these warnings if you don’t even want the .log file cluttered up.

Part I

General font selection

This section concerns the variety of commands that can be used to select fonts.

```
\fontspec [<font features>] {<font name>}  
\setmainfont [<font features>] {<font name>}  
\setsansfont [<font features>] {<font name>}  
\setmonofont [<font features>] {<font name>}  
\newfontfamily <cmd> [<font features>] {<font name>}
```

These are the main font-selecting commands of this package. The \fontspec command selects a font for one-time use; all others should be used to define the standard fonts used in a document. They will be described later in this section.

The font features argument accepts comma separated =<option> lists; these are described in later:

- For general font features, see [Section 8 on page 15](#)
- For OpenType fonts, see [Part II on page 19](#)
- For Xe_{La}TeX-only general font features, see [Part IV on page 36](#)
- For Lua_{La}TeX-only general font features, see [Part III on page 34](#)
- For features for AAT fonts in Xe_{La}TeX, see [Section 13 on page 38](#)

4 Font selection

In both Lua_{La}TeX and Xe_{La}TeX, fonts can be selected either by ‘font name’ or by ‘file name’.

4.1 By font name

Fonts known to Lua_{La}TeX or Xe_{La}TeX may be loaded by their standard names as you’d speak them out loud, such as *Times New Roman* or *Adobe Garamond*. ‘Known to’ in this case generally means ‘exists in a standard fonts location’ such as ~/Library/Fonts on Mac OS X, or C:\Windows\Fonts on Windows.

The simplest example might be something like

```
\fontspec[ ... ]{Cambria}
```

in which the bold and italic fonts will be found automatically (if they exist) and are immediately accessible with the usual `\textit` and `\textbf` commands.

TODO: add explanation for how to find out what the ‘font name’ is.

4.2 By file name

X_YTeX and LuaTeX also allow fonts to be loaded by file name instead of font name. When you have a very large collection of fonts, you will sometimes not wish to have them all installed in your system’s font directories. In this case, it is more convenient to load them from a different location on your disk. This technique is also necessary in X_YTeX when loading OpenType fonts that are present within your TeX distribution, such as `/usr/local/texlive/2013/texmf-dist/fonts/opentype/public`. Fonts in such locations are visible to X_YTeX but cannot be loaded by font name, only file name; LuaTeX does not have this restriction.

When selecting fonts by file name, any font that can be found in the default search paths may be used directly (including in the current directory) without having to explicitly define the location of the font file on disk.

***X_YTeX & Mac users only:** Note that X_YTeX can only select fonts in this way with the `xdvipdfmx` driver, but X_YTeX with the `xdv2pdf` driver can only select system-installed fonts by font name and not file name. The `xdvipdfmx` driver is default for X_YTeX, so this is only a problem if you wish to explicitly use the `xdv2pdf` driver.*

Fonts selected by filename must include bold and italic variants explicitly.

```
\fontspec
[ BoldFont      = texgyrepagella-bold.otf ,
  ItalicFont    = texgyrepagella-italic.otf ,
  BoldItalicFont = texgyrepagella-bolditalic.otf ]
{texgyrepagella-regular.otf}
```

`fontspec` knows that the font is to be selected by file name by the presence of the ‘.otf’ extension. An alternative is to specify the extension separately, as shown following:

```
\fontspec
[ Extension      = .otf ,
  BoldFont       = texgyrepagella-bold ,
  ... ]
{texgyrepagella-regular}
```

If desired, an abbreviation can be applied to the font names based on the mandatory ‘font name’ argument:

```
\fontspec
[ Extension      = .otf ,
  UprightFont    = *-regular ,
  BoldFont       = *-bold ,
  ... ]
{texgyrepagella}
```

In this case ‘texgyrepagella’ is no longer the name of an actual font, but is used to construct the font names for each shape; the * is replaced by ‘texgyrepagella’. Note in this case that `UprightFont` is required for constructing the font name of the normal font to use.

To load a font that is not in one of the default search paths, its location in the filesystem must be specified with the `Path` feature:

Example 1: Loading the default, sans serif, and monospaced fonts.

```
\setmainfont{TeX Gyre Bonum}
\setsansfont[Scale=MatchLowercase]{Latin Modern Sans}
\setmonofont[Scale=MatchLowercase]{Inconsolata}

Pack my box with five dozen liquor jugs \rmfamily Pack my box with five dozen liquor jugs\par
Pack my box with five dozen liquor jugs \sffamily Pack my box with five dozen liquor jugs\par
Pack my box with five dozen liquor jugs \ttfamily Pack my box with five dozen liquor jugs
```

```
\fontspec
[ Path          = /Users/will/Fonts/ ,
  UprightFont    = *-regular ,
  BoldFont       = *-bold ,
  ... ]
{texgyrepagella}
```

Note that Xe_{La}TeX and Lua_{La}TeX are able to load the font without giving an extension, but `\fontspec` must know to search for the file; this can be indicated by declaring the font exists in an ‘ExternalLocation’:

```
\fontspec
[ ExternalLocation ,
  BoldFont          = texgyrepagella-bold ,
  ... ]
{texgyrepagella-regular}
```

To be honest, `Path` and `ExternalLocation` are actually the same feature with different names. The former can be given without an argument and the latter can be given with one; the different names are just for clarity.

5 Default font families

```
\setmainfont [⟨font features⟩] {⟨font name⟩}
\setsansfont [⟨font features⟩] {⟨font name⟩}
\setmonofont [⟨font features⟩] {⟨font name⟩}
```

These commands are used to select the default font families for the entire document. They take the same arguments as `\fontspec`. See Example 1. Here, the scales of the fonts have been chosen to equalise their lowercase letter heights. The `Scale` font feature will be discussed further in [Section 8 on page 15](#), including methods for automatic scaling.

6 New commands to select font families

```
\newfontfamily \⟨font-switch⟩ [⟨font features⟩] {⟨font name⟩}
\newfontface \⟨font-switch⟩ [⟨font features⟩] {⟨font name⟩}
```

For cases when a specific font with a specific feature set is going to be re-used many times in a document, it is inefficient to keep calling `\fontspec` for every use. While the `\fontspec`

Example 2: Defining new font families.	
This is a <i>note</i> .	<code>\newfontfamily\notefont{Kurier}</code> <code>\notefont This is a \emph{note}.</code>
Example 3: Defining a single font face.	
<i>where is all the vegemite</i>	<code>\newfontface\fancy</code> <code>[Contextuals={WordInitial,WordFinal}]</code> <code>{Hoefler Text Italic}</code> <code>\fancy where is all the vegemite</code> <code>% \emph, \textbf, etc., all don't work</code>

command does not define a new font instance after the first call, the feature options must still be parsed and processed.

`\newfontfamily` For this reason, new commands can be created for loading a particular font family with the `\newfontfamily` command, demonstrated in Example 2. This macro should be used to create commands that would be used in the same way as `\rmfamily`, for example. If you would like to create a command that only changes the font inside its argument (i.e., the same behaviour as `\emph`) define it using regular \LaTeX commands:

```
\newcommand\textnote[1]{\notefont #1}
\textnote{This is a note.}
```

Note that the double braces are intentional; the inner pair are used to to delimit the scope of the font change.

`\newfontface` Sometimes only a specific font face is desired, without accompanying italic or bold variants being automatically selected. This is common when selecting a fancy italic font, say, that has swash features unavailable in the upright forms. `\newfontface` is used for this purpose, shown in Example 3, which is repeated in [Section 13.4 on page 38](#).

Comment for advanced users: The commands defined by `\newfontface` and `\newfontfamily` include their encoding information, so even if the document is set to use a legacy \TeX encoding, such commands will still work correctly. For example,

```
\documentclass{article}
\usepackage{fontspec}
\newfontfamily\unicodefont{Lucida Grande}
\usepackage{mathpazo}
\usepackage[T1]{fontenc}
\begin{document}
A legacy \TeX\ font. {\unicodefont A unicode font.}
\end{document}
```

6.1 More control over font shape selection

<code>BoldFont = \langlefont name\rangle</code>
<code>ItalicFont = \langlefont name\rangle</code>
<code>BoldItalicFont = \langlefont name\rangle</code>
<code>SlantedFont = \langlefont name\rangle</code>
<code>BoldSlantedFont = \langlefont name\rangle</code>
<code>SmallCapsFont = \langlefont name\rangle</code>

Example 4: Explicit selection of the bold font.

	<code>\fontspec[BoldFont={Helvetica Neue}]</code>
Helvetica Neue UltraLight	<code>{Helvetica Neue UltraLight}</code>
<i>Helvetica Neue UltraLight Italic</i>	<code>Helvetica Neue UltraLight \\\</code>
Helvetica Neue	<code>{\itshape Helvetica Neue UltraLight Italic} \\\</code>
<i>Helvetica Neue Italic</i>	<code>{\bfseries Helvetica Neue } \\\</code>
	<code>{\bfseries\itshape Helvetica Neue Italic} \\\</code>

The automatic bold, italic, and bold italic font selections will not be adequate for the needs of every font: while some fonts may not even have bold or italic shapes, in which case a skilled (or lucky) designer may be able to choose well-matching accompanying shapes from a different font altogether, others can have a range of bold and italic fonts to choose among. The `BoldFont` and `ItalicFont` features are provided for these situations. If only one of these is used, the bold italic font is requested as the default from the *new* font. See Example 4.

If a bold italic shape is not defined, or you want to specify *both* custom bold and italic shapes, the `BoldItalicFont` feature is provided.

6.1.1 Input shorthands

For those cases that the base font name is repeated, you can replace it with an asterisk. (This has been shown previously in [Section 4.2 on page 6](#).) For example, some space can be saved instead of writing ‘Baskerville SemiBold’:

```
\fontspec[BoldFont={* SemiBold}]{Baskerville}
```

As a matter of fact, this feature can also be used for the upright font too:

```
\fontspec[UprightFont={* SemiBold},
          BoldFont={* Bold}]{Baskerville}
```

6.1.2 Small caps and slanted font shapes

For the rare situations where a font family will have slanted *and* italic shapes, these may be specified separately using the analogous features `SlantedFont` and `BoldSlantedFont`. Without these, however, the \LaTeX font switches for slanted (`\textsl`, `\slshape`) will default to the italic shape.

Old-fashioned font families used to distribute their small caps glyphs in separate fonts due to the limitations on the number of glyphs allowed in the PostScript Type 1 format. Such fonts may be used by declaring the `SmallCapsFont` of the family you are specifying:

```
\fontspec[
  SmallCapsFont={Minion MM Small Caps & Oldstyle Figures}
]{Minion MM Roman}
Roman 123 \\\textsc{Small caps 456}
```

In fact, you may specify the small caps font for each individual bold and italic shape as in

```
\fontspec[
  UprightFeatures = { SmallCapsFont={ <sc> } } ,
  BoldFeatures    = { SmallCapsFont={ <bf sc> } } ,
  ItalicFeatures   = { SmallCapsFont={ <it sc> } } ,
  BoldItalicFeatures = { SmallCapsFont={ <bf it sc> } } ,
```

```

] { <upright> }
Roman 123 \textsc{Small caps 456}

```

For most modern fonts that have small caps as a font feature, this level of control isn't generally necessary, but you may still occasionally find font families in which the small caps are in a separate font.

All of the bold, italic, and small caps fonts can be loaded with different font features from the main font. See [Section 7.4](#) for details. When an OpenType font is selected for `SmallCapsFont`, the small caps font feature is *not* automatically enabled. In this case, users should write instead

```

\fontspec[
  SmallCapsFont={...},
  SmallCapsFeatures={Letters=SmallCaps},
]{...}

```

6.2 Math(s) fonts

When `\setmainfont`, `\setsansfont` and `\setmonofont` are used in the preamble, they also define the fonts to be used in maths mode inside the `\mathrm`-type commands. This only occurs in the preamble because \TeX freezes the maths fonts after this stage of the processing. The `fontspec` package must also be loaded after any maths font packages (*e.g.*, `euler`) to be successful. (Actually, it is *only* `euler` that is the problem.¹)

Note that `fontspec` will not change the font for general mathematics; only the upright and bold shapes will be affected. To change the font used for the mathematical symbols, see either the `mathspec` package or the `unicode-math` package.

Note that you may find that loading some maths packages won't be as smooth as you expect since `fontspec` (and \XeTeX in general) breaks many of the assumptions of \TeX as to where maths characters and accents can be found. Contact me if you have troubles, but I can't guarantee to be able to fix any incompatibilities. The `Lucida` and `Euler` maths fonts should be fine; for all others keep an eye out for problems.

```

\setmathrm [font features] {font name}
\setmathsf [font features] {font name}
\setmathtt [font features] {font name}
\setboldmathrm [font features] {font name}

```

However, the default text fonts may not necessarily be the ones you wish to use when typesetting maths (especially with the use of fancy ligatures and so on). For this reason, you may optionally use the commands above (in the same way as our other `\fontspec`-like commands) to explicitly state which fonts to use inside such commands as `\mathrm`. Additionally, the `\setboldmathrm` command allows you define the font used for `\mathrm` when in bold maths mode (which is activated with, among others, `\boldmath`).

For example, if you were using `Optima` with the `Euler` maths font, you might have this in your preamble:

```

\usepackage{mathpazo}
\usepackage{fontspec,xunicode}
\setmainfont{Optima}
\setmathrm{Optima}
\setboldmathrm[BoldFont={Optima ExtraBlack}]{Optima Bold}

```

¹Speaking of `euler`, if you want to use its `[mathbf]` option, it won't work, and you'll need to put this after `fontspec` is loaded instead: `\AtBeginDocument{\DeclareMathAlphabet\mathbf{U}{eur}{b}{n}}`

Example 5: A demonstration of the `\defaultfontfeatures` command.

	<code>\fontspec{TeX Gyre Adventor}</code>
	Some default text 0123456789 \
	<code>\defaultfontfeatures{</code>
	Numbers=OldStyle, Color=888888
	<code>}</code>
	<code>\fontspec{TeX Gyre Adventor}</code>
Some default text 0123456789	Now grey, with old-style figures:
Now grey, with old-style figures: 0123456789	0123456789

6.3 Miscellaneous font selecting details

Spaces `\fontspec` and `\addfontfeatures` ignore trailing spaces as if it were a ‘naked’ control sequence; e.g., ‘M. `\fontspec{...}` N’ and ‘M. `\fontspec{...}`N’ are the same.

Italic small caps Note that this package redefines the `\itshape` and `\scshape` commands in order to allow them to select italic small caps in conjunction.

Emphasis and nested emphasis You may specify the behaviour of the `\emph` command by setting the `\emshape` command. E.g., for bold emphasis:

```
\renewcommand\emshape{\bfseries}
```

Nested emphasis is controlled by the `\eminnershape` command. For example, for `\emph{\emph{...}}` to produce small caps:

```
\renewcommand\eminnershape{\scshape}
```

7 Selecting font features

The commands discussed so far such as `\fontspec` each take an optional argument for accessing the font features of the requested font. Commands are provided to set default features to be applied for all fonts, and even to change the features that a font is presently loaded with. Different font shapes can be loaded with separate features, and different features can even be selected for different sizes that the font appears in. This section discusses these options.

7.1 Default settings

`\defaultfontfeatures{}`

It is desirable to define options that are applied to every subsequent font selection command: a default feature set, so to speak. This may be defined with the `\defaultfontfeatures` command, shown in Example 5. New calls of `\defaultfontfeatures` overwrite previous ones.

`\defaultfontfeatures[] {}`

New in v2.3. Default font features can be specified on a per-font and per-face basis by using the optional argument to `\defaultfontfeatures` as shown.²

²Internally, `` has all spaces removed and is converted to lowercase.

```
\defaultfontfeatures[TeX Gyre Adventor]{Color=blue}
\setmainfont{TeX Gyre Adventor}% will be blue
```

Additionally, when a font is first loaded, a configuration file is searched for with the name ‘*(fontname)*.fontspec’.³ The contents of this file can be used to specify default font features without having to have this information present within each document. *(fontname)* is stripped of spaces and file extensions are omitted; for example, the line above for T_EX Gyre Adventor could be placed in a file called TeXGyreAdventor.fontspec, or for specifying options for texgyreadventor-regular.otf (when loading by filename), the configuration file would be texgyreadventor-regular.fontspec.

This mechanism can be used to define custom names or aliases for your font collections. If you create a file my-charis.fontspec containing, say,

```
\defaultfontfeatures[my-charis]
{
  Extension = .ttf ,
  UprightFont = CharisSILR,
  BoldFont = CharisSILB,
  ItalicFont = CharisSILI,
  BoldItalicFont = CharisSILBI,
  % <any other desired options>
}
```

you can load that family with \fontspec{my-charis} and similar. The optional argument to \defaultfontfeatures must match the filename else the options won’t take effect.

Finally, note that options for font faces can also be defined in this way. To continue the example above, here we colour the different faces:

```
\defaultfontfeatures[CharisSILR]{Color=blue}
\defaultfontfeatures[CharisSILB]{Color=red}
```

And such configuration lines can be stored within their own .fontspec files; in this way, fontspec is designed to handle ‘nested’ configuration options as well.

7.2 Changing the currently selected features

`\addfontfeatures{}`

This command allows font features to be changed without knowing what features are currently selected or even what font is being used. A good example of this could be to add a hook to all tabular material to use monospaced numbers, as shown in Example 6. Note however that the behaviour in this regard will be unreliable (subject to the font itself) if you attempt to *change* an already selected feature. *E.g.*, this sort of thing can cause troubles:

```
\addfontfeature{Numbers=OldStyle}...
\addfontfeature{Numbers=Lining}...
123
```

With both features active, how will the font render ‘123’? Depends on the font. In the distant future this functionality will be re-written to avoid this issue (giving ‘Numbers=OldStyle’ the smarts to know to explicitly de-activate any previous instances of ‘Numbers=Lining’, and vice-versa, but as I hope you can imagine this requires a fair degree of elbow grease which I haven’t had available for some time now.

\addfontfeature This command may also be executed under the alias \addfontfeature.

³Located in the current folder or within a standard texmf location.

Example 6: A demonstration of the `\addfontfeatures` command. Note the caveat listed in the text regarding such usage.

'In 1842, 999 people sailed 97 miles in 13 boats. In 1923, 111 people sailed 54 miles in 56 boats.'

Year	People	Miles	Boats
1842	999	75	13
1923	111	54	56

```

\fontspec[Numbers={Proportional,OldStyle}]
{TeX Gyre Adventor}
'In 1842, 999 people sailed 97 miles in
13 boats. In 1923, 111 people sailed 54
miles in 56 boats.' \bigskip

{\addfontfeatures{Numbers={Monospaced,Lining}}
\begin{tabular}{@{} cccc @{}}
Year & People & Miles & Boats & \\
\hline
1842 & 999 & 75 & 13 & \\
1923 & 111 & 54 & 56 & 
\end{tabular}

```

Example 7: Features for, say, just italics.

ATTENTION ALL MARTINI DRINKERS

ATTENTION ALL MARTINI DRINKERS

```

\fontspec{Hoefler Text} \itshape \scshape
Attention All Martini Drinkers \\
\addfontfeature{ItalicFeatures={Alternate = 1}}
Attention All Martini Drinkers \\

```

7.3 Priority of feature selection

Features defined with `\addfontfeatures` override features specified by `\fontspec`, which in turn override features specified by `\defaultfontfeatures`. If in doubt, whenever a new font is chosen for the first time, an entry is made in the transcript (`.log`) file displaying the font name and the features requested.

7.4 Different features for different font shapes

```

BoldFeatures{<features>}
ItalicFeatures{<features>}
BoldItalicFeatures{<features>}
SlantedFeatures{<features>}
BoldSlantedFeatures{<features>}
SmallCapsFeatures{<features>}

```

It is entirely possible that separate fonts in a family will require separate options; *e.g.*, Hoefler Text Italic contains various swash feature options that are completely unavailable in the upright shapes.

The font features defined at the top level of the optional `\fontspec` argument are applied to *all* shapes of the family. Using `Upright-`, `SmallCaps-`, `Bold-`, `Italic-`, and `BoldItalicFeatures`, separate font features may be defined to their respective shapes *in addition* to, and with precedence over, the ‘global’ font features. See Example 7.

Combined with the options for selecting arbitrary *fonts* for the different shapes, these

Example 8: Multiple Master-like features in AAT fonts.

Skia	<code>\fontspec[BoldFont={Skia},</code>
Skia 'Bold'	<code>BoldFeatures={Weight=2}]{Skia}</code>
	<code>Skia \\\bfseries Skia 'Bold'</code>

Example 9: An example of setting the SmallCapsFeatures separately for each font shape.

	<code>\fontspec[</code>
	<code>UprightFeatures={Color = 220022,</code>
	<code>SmallCapsFeatures = {Color=115511}},</code>
	<code>ItalicFeatures={Color = 2244FF,</code>
	<code>SmallCapsFeatures = {Color=112299}},</code>
	<code>BoldFeatures={Color = FF4422,</code>
	<code>SmallCapsFeatures = {Color=992211}},</code>
	<code>BoldItalicFeatures={Color = 888844,</code>
	<code>SmallCapsFeatures = {Color=444422}},</code>
	<code>]{TeX Gyre Termes}</code>
Upright SMALL CAPS	<code>Upright {\scshape Small Caps}\\\</code>
<i>Italic</i> <i>ITALIC SMALL CAPS</i>	<code>\itshape Italic {\scshape Italic Small Caps}\\\</code>
Bold BOLD SMALL CAPS	<code>\upshape\bfseries Bold {\scshape Bold Small Caps}\\\</code>
<i>Bold Italic</i> <i>BOLD ITALIC SMALL CAPS</i>	<code>\itshape Bold Italic {\scshape Bold Italic Small Caps}</code>

separate feature options allow the selection of arbitrary weights in the Skia typeface, as shown in Example 8.

Note that because most fonts include their small caps glyphs within the main font, features specified with `SmallCapsFeatures` are applied *in addition* to any other shape-specific features as defined above, and hence `SmallCapsFeatures` can be nested within `ItalicFeatures` and friends. Every combination of upright, italic, bold and small caps can thus be assigned individual features, as shown in the somewhat ludicrous Example 9.

7.5 Different features for different font sizes

```
SizeFeatures = {
  ...
  { Size = <size range>, <font features> },
  { Size = <size range>, Font = <font name>, <font features> },
  ...
}
```

The `SizeFeature` feature is a little more complicated than the previous features discussed. It allows different fonts and different font features to be selected for a given font family as the point size varies.

It takes a comma separated list of braced, comma separated lists of features for each size range. Each sub-list must contain the `Size` option to declare the size range, and optionally `Font` to change the font based on size. Other (regular) `fontspec` features that are added are used on top of the font features that would be used anyway. A demonstration to clarify these details is shown in Example 10. A less trivial example is shown in the context of optical font

Example 10: An example of specifying different font features for different sizes of font with SizeFeatures.

	<code>\fontspec[SizeFeatures={</code>
	<code>{Size={-8}, Font=TeX Gyre Bonum Italic, Color=AA0000},</code>
<i>Small</i>	<code>{Size={8-14}, Color=00AA00},</code>
<i>Normal size</i>	<code>{Size={14-}, Color=0000AA}}]{TeX Gyre Chorus}</code>
<i>Large</i>	<code>{\scriptsize Small\par} Normal size\par {\Large Large\par}</code>

Table 1: Syntax for specifying the size to apply custom font features.

Input	Font size, s
Size = X-	$s \geq X$
Size = -Y	$s < Y$
Size = X-Y	$X \leq s < Y$
Size = X	$s = X$

sizes in [Section 8.6 on page 18](#).

To be precise, the Size sub-feature accepts arguments in the form shown in [Table 1](#). Braces around the size range are optional. For an exact font size (Size=X) font sizes chosen near that size will ‘snap’. For example, for size definitions at exactly 11pt and 14pt, if a 12pt font is requested *actually* the 11pt font will be selected. This is a remnant of the past when fonts were designed in metal (at obviously rigid sizes) and later when bitmap fonts were similarly designed for fixed sizes.

If additional features are only required for a single size, the other sizes must still be specified. As in:

```
SizeFeatures={
  {Size=-10,Numbers=Uppercase},
  {Size=10-}}
```

Otherwise, the font sizes greater than 10 won’t be defined!

8 Font independent options

Features introduced in this section may be used with any font.

8.1 Colour

Color (or Colour), also shown in [Section 7.1 on page 11](#) and elsewhere, uses font specifications to set the colour of the text. The colour is defined as a triplet of two-digit Hex RGB values, with optionally another value for the transparency (where 00 is completely transparent and FF is opaque.) Transparency is supported by Lua^LTeX and by X₃^LTeX with the xdv2pdf driver (Mac OS X only); X₃^LTeX with the xdvipdfmx driver does not support this feature.

If you load the xcolor package, you may use any named colour instead of writing the colours in hexadecimal.

Example 11: Selecting colour with transparency.



```
\fontsize{48}{48}
\fontspec{TeX Gyre Bonum Bold}
{\addfontfeature{Color=FF000099}W}\kern-1ex
{\addfontfeature{Color=0000FF99}S}\kern-0.8ex
{\addfontfeature{Color=DDBB2299}P}\kern-0.8ex
{\addfontfeature{Color=00BB3399}R}
```

Example 12: Automatically calculated scale values.

The perfect match is hard to find.
LOGO FONT

```
\setmainfont{Georgia}
\newfontfamily\lc[Scale=MatchLowercase]{Verdana}
The perfect match {\lc is hard to find.}\
\newfontfamily\uc[Scale=MatchUppercase]{Arial}
L O G O \uc F O N T
```

```
\usepackage{xcolor}
...
\fontspec[Color=red]{Verdana} ...
\definecolor{Foo}{rgb}{0.3,0.4,0.5}
\fontspec[Color=Foo]{Verdana} ...
```

The color package is *not* supported; use xcolor instead.

You may specify the transparency with a named colour using the `Opacity` feature which takes an decimal from zero to one corresponding to transparent to opaque respectively:

```
\fontspec[Color=red,Opacity=0.7]{Verdana} ...
```

It is still possible to specify a colour in six-char hexadecimal form while defining opacity in this way, if you like.

8.2 Scale

```
Scale = <number>
Scale = MatchLowercase
Scale = MatchUppercase
```

In its explicit form, `Scale` takes a single numeric argument for linearly scaling the font, as demonstrated in [Section 5 on page 7](#). It is now possible to measure the correct dimensions of the fonts loaded and calculate values to scale them automatically.

As well as a numerical argument, the `Scale` feature also accepts options `MatchLowercase` and `MatchUppercase`, which will scale the font being selected to match the current default roman font to either the height of the lowercase or uppercase letters, respectively; these features are shown in [Example 12](#).

The amount of scaling used in each instance is reported in the `.log` file. Since there is some subjectivity about the exact scaling to be used, these values should be used to fine-tune the results.

Example 13: Scaling the default interword space. An exaggerated value has been chosen to emphasise the effects here.

<p>Some text for our example to take up some space, and to demonstrate the default interword space.</p>	<pre>\fontspec{TeX Gyre Termes} Some text for our example to take up some space, and to demonstrate the default interword space. \bigskip</pre>
<p>Sometextforourexampletotakeupsomespace,andtodemonstrate the default interword space.</p>	<pre>\addfontfeature{ WordSpace = 0.3 } Some text for our example to take up some space, and to demonstrate the default interword space.</pre>

Example 14: Scaling the default post-punctuation space.

	<pre>\nonfrenchspacing</pre>	
	<pre>\fontspec{TeX Gyre Schola}</pre>	
	<pre>Letters, Words. Sentences.</pre>	<pre>\par</pre>
Letters, Words. Sentences.	<pre>\fontspec[PunctuationSpace=2]{TeX Gyre Schola}</pre>	
Letters, Words. Sentences.	<pre>Letters, Words. Sentences.</pre>	<pre>\par</pre>
Letters, Words. Sentences.	<pre>\fontspec[PunctuationSpace=0]{TeX Gyre Schola}</pre>	
	<pre>Letters, Words. Sentences.</pre>	

8.3 Interword space

While the space between words can be varied on an individual basis with the \TeX primitive `\spaceskip` command, it is more convenient to specify this information when the font is first defined.

The space in between words in a paragraph will be chosen automatically, and generally will not need to be adjusted. For those times when the precise details are important, the `WordSpace` feature is provided, which takes either a single scaling factor to scale the default value, or a triplet of comma-separated values to scale the nominal value, the stretch, and the shrink of the interword space by, respectively. (`WordSpace={x}` is the same as `WordSpace={x,x,x}`.)

8.4 Post-punctuation space

If `\frenchspacing` is *not* in effect, \TeX will allow extra space after some punctuation in its goal of justifying the lines of text. Generally, this is considered old-fashioned, but occasionally in small amounts the effect can be justified, pardon the pun.

The `PunctuationSpace` feature takes a scaling factor by which to adjust the nominal value chosen for the font; this is demonstrated in Example 14. Note that `PunctuationSpace=0` is *not* equivalent to `\frenchspacing`, although the difference will only be apparent when a line of text is under-full.

Example 15: Explicitly choosing the hyphenation character.		
		<pre> \def\text{\fbox{\parbox{1.55cm}{% EXAMPLE HYPHENATION% }}\quad\quad\null\par\bigskip} \fontspec{Linux Libertine} \addfontfeature{HyphenChar=None} \text \addfontfeature{HyphenChar={+}} \text </pre>
<div>EXAMPLE HYPHENATION</div>		
<div>EXAMPLE HYPHEN+ ATION</div>		

Example 16: A demonstration of automatic optical size selection.		
	<pre> \fontspec{Latin Modern Roman} Automatic optical size \scalebox{0.4}{\Huge Automatic optical size} </pre>	<pre> \\ </pre>
Automatic optical size		
Automatic optical size		

8.5 The hyphenation character

The letter used for hyphenation may be chosen with the `HyphenChar` feature. It takes three types of input, which are chosen according to some simple rules. If the input is the string `None`, then hyphenation is suppressed for this font. If the input is a single character, then this character is used. Finally, if the input is longer than a single character it must be the UTF-8 slot number of the hyphen character you desire.

This package redefines \LaTeX 's `\-` macro such that it adjusts along with the above changes.

8.6 Optical font sizes

Optically scaled fonts thicken out as the font size decreases in order to make the glyph shapes more robust (less prone to losing detail), which improves legibility. Conversely, at large optical sizes the serifs and other small details may be more delicately rendered.

OpenType fonts with optical scaling will exist in several discrete sizes, and these will be selected by X_{\LaTeX} and $\text{Lua}\TeX$ *automatically* determined by the current font size as in Example 16, in which we've scaled down some large text in order to be able to compare the difference for equivalent font sizes.

The `OpticalSize` option may be used to specify a different optical size. With `OpticalSize` set to zero, no optical size font substitution is performed, as shown in Example 17.

The `SizeFeatures` feature (Section 7.5 on page 14) can be used to specify exactly which optical sizes will be used for ranges of font size. For example, something like:

```

\fontspec[
  SizeFeatures={
    {Size=-10,   OpticalSize=8 },
    {Size= 10-14, OpticalSize=10},
    {Size= 14-18, OpticalSize=14},
    {Size= 18-,  OpticalSize=18}}
]{Latin Modern Roman}

```

Example 17: Optical size substitution is suppressed when set to zero.

	<code>\fontspec[OpticalSize=0]{Latin Modern Roman 5 Regular}</code>
	Latin Modern optical sizes
	<code>\fontspec[OpticalSize=0]{Latin Modern Roman 8 Regular}</code>
	Latin Modern optical sizes
Latin Modern optical sizes	<code>\fontspec[OpticalSize=0]{Latin Modern Roman 12 Regular}</code>
Latin Modern optical sizes	Latin Modern optical sizes
Latin Modern optical sizes	<code>\fontspec[OpticalSize=0]{Latin Modern Roman 17 Regular}</code>
Latin Modern optical sizes	Latin Modern optical sizes

Part II

OpenType

9 Introduction

OpenType fonts (and other ‘smart’ font technologies such as AAT and Graphite) can change the appearance of text in many different ways. These changes are referred to as features. When the user applies a feature — for example, small capitals — to a run of text, the code inside the font makes appropriate adjustments and small capitals appear in place of lowercase letters. However, the use of such features does not affect the underlying text. In our small caps example, the lowercase letters are still stored in the document; only the appearance has been changed by the OpenType feature. This makes it possible to search and copy text without difficulty. If the user selected a different font that does not support small caps, the ‘plain’ lowercase letters would appear instead.

Some OpenType features are required to support particular scripts, and these features are often applied automatically. The scripts used in India, for example, often require that characters be reshaped and reordered after they are typed by the user, in order to display them in the traditional ways that readers expect. Other features can be applied to support a particular language. The Junicode font for medievalists uses by default the Old English shape of the letter thorn, while in modern Icelandic thorn has a more rounded shape. If a user tags some text as being in Icelandic, Junicode will automatically change to the Icelandic shape through an OpenType feature that localizes the shapes of letters.

A very large group of OpenType features is designed to support high quality typography in Latin, Greek, Cyrillic and other standard scripts. Examples of some font features have already been shown in previous sections; the complete set of OpenType font features supported by fontspec is described below in [Section 10](#).

The OpenType specification provides four-letter codes (e.g., `smcp` for small capitals) for each feature. The four-letter codes are given below along with the fontspec names for various features, for the benefit of people who are already familiar with OpenType. You can ignore the codes if they don’t mean anything to you.

9.1 How to select font features

Font features are selected by a series of $\langle feature \rangle = \langle option \rangle$ selections. Features are (usually) grouped logically; for example, all font features relating to ligatures are accessed by writing

Table 2: Options for the OpenType font feature ‘Ligatures’.

Feature	Option	Tag
Ligatures =	Required	* rlig
	NoRequired	rlig (<i>deactivate</i>)
	Common	* liga
	NoCommon	liga (<i>deactivate</i>)
	Contextual	* clig
	NoContextual	clig (<i>deactivate</i>)
	Rare/Discretionary	dlig
	Historic	hlig
	TeX	tlig/trep

* This feature is activated by default.

Ligatures={...} with the appropriate argument(s), which could be TeX, Rare, etc., as shown below in [Section 10.1](#).

Multiple options may be given to any feature that accepts non-numerical input, although doing so will not always work. Some options will override others in generally obvious ways; Numbers={OldStyle,Lining} doesn’t make much sense because the two options are mutually exclusive, and XeTeX will simply use the last option that is specified (in this case using Lining over OldStyle).

If a feature or an option is requested that the font does not have, a warning is given in the console output. As mentioned in [Section 3.3 on page 5](#) these warnings can be suppressed by selecting the [quiet] package option.

10 Complete listing of OpenType font features

10.1 Ligatures

Ligatures refer to the replacement of two separate characters with a specially drawn glyph for functional or aesthetic reasons. The list of options, of which multiple may be selected at one time, is shown in [Table 2](#). A demonstration with the Linux Libertine fonts⁴ is shown in [Example 18](#).

Note the additional features accessed with Ligatures=TeX. These are not actually real OpenType features, but additions provided by luaotfload (i.e., LuaTeX only) to emulate TeX’s behaviour for ASCII input of curly quotes and punctuation. In XeTeX this is achieved with the Mapping feature (see [Section 12.1 on page 36](#)) but for consistency Ligatures=TeX will perform the same function as Mapping=TeX-text.

10.2 Letters

The Letters feature specifies how the letters in the current font will look. OpenType fonts may contain the following options: Uppercase, SmallCaps, PetiteCaps, UppercaseSmallCaps, UppercasePetiteCaps, and Unicaise.

Petite caps are smaller than small caps. SmallCaps and PetiteCaps turn lowercase letters into the smaller caps letters, whereas the Uppercase... options turn the *capital* letters into the smaller caps (good, e.g., for applying to already uppercase acronyms like ‘NASA’). This

⁴<http://www.linuxlibertine.org/>

Example 18: An example of the Ligatures feature.

strict	→	strict	<pre> \def\test#1#2{% #2 \$\to\$ {\addfontfeature{#1} #2}\} \fontspec{Linux Libertine} \test{Ligatures=Historic}{strict} \test{Ligatures=Rare}{wurtzite} \test{Ligatures=NoCommon}{firefly} </pre>
wurtzite	→	wurtzite	
firefly	→	firefly	

Table 3: Options for the OpenType font feature ‘Letters’.

Feature	Option	Tag
Letters =	Uppercase	case
	SmallCaps	smcp
	PetiteCaps	pcap
	UppercaseSmallCaps	c2sc
	UppercasePetiteCaps	c2pc
	Unicase	unic

difference is shown in Example 19. ‘Unicase’ is a weird hybrid of upper and lower case letters.

Note that the Uppercase option will (probably) not actually map letters to uppercase.⁵ It is designed to select various uppercase forms for glyphs such as accents and dashes, such as shown in Example 20; note the raised position of the hyphen to better match the surrounding letters.

The Kerning feature also contains an Uppercase option, which adds a small amount of spacing in between letters (see Section 10.12 on page 29).

10.3 Numbers

The Numbers feature defines how numbers will look in the selected font, accepting options shown in Table 4.

The synonyms Uppercase and Lowercase are equivalent to Lining and OldStyle, respectively. The differences have been shown previously in Section 7.2 on page 12. The Monospaced

⁵If you want automatic uppercase letters, look to L^AT_EX’s \MakeUppercase command.

Example 19: Small caps from lowercase or uppercase letters.

	<pre> \fontspec[Letters=SmallCaps]{TeX Gyre Adventor} THIS SENTENCE no verb </pre>	\\
THIS SENTENCE NO VERB	<pre> \fontspec[Letters=UppercaseSmallCaps]{TeX Gyre Adventor} THIS SENTENCE no verb </pre>	

Example 20: An example of the Uppercase option of the Letters feature.

	<code>\fontspec{Linux Libertine}</code>
UPPER-CASE example	UPPER-CASE example <code>\</code>
UPPER-CASE example	<code>\addfontfeature{Letters=Uppercase}</code>
	UPPER-CASE example

Table 4: Options for the OpenType font feature ‘Numbers’.

Feature	Option	Tag
Numbers =	Uppercase/Lining	lnum
	Lowercase/OldStyle	onum
	Proportional	pnum
	Monospaced	tnum
	SlashedZero	zero
	Arabic	anum

option is useful for tabular material when digits need to be vertically aligned.

The SlashedZero option replaces the default zero with a slashed version to prevent confusion with an uppercase ‘O’, shown in Example 21.

The Arabic option (with tag anum) maps regular numerals to their Arabic script or Persian equivalents based on the current Language setting (see [Section 10.18 on page 32](#)), shown in Example 22 using the Persian Modern font, which is included in T_EX Live and MiK_TE_X. This option is based on a Lua_TE_X feature of the luaotfload package, not an OpenType feature. (Thus, this feature is unavailable in X_YL_AT_EX.)

10.4 Contextuals

This feature refers to substitutions of glyphs that vary ‘contextually’ by their relative position in a word or string of characters; features such as contextual swashes are accessed via the options shown in [Table 5](#). See Example 23 for an, er, example.

Historic forms are accessed in OpenType fonts via the feature Style=Historic; this is generally *not* contextual in OpenType, which is why it is not included here.

10.5 Vertical Position

The VerticalPosition feature is used to access things like subscript (Inferior) and superscript (Superior) numbers and letters (and a small amount of punctuation, sometimes). The Ordinal option will only raise characters that are used in some languages directly after a

Example 21: The effect of the SlashedZero option.

	<code>\fontspec[Numbers=Lining]{TeX Gyre Bonum}</code>
	0123456789
0123456789 0123456789	<code>\fontspec[Numbers=SlashedZero]{TeX Gyre Bonum}</code>
	0123456789

Example 22: An example of number remapping to Arabic or Persian. (LuaTeX only.)

<p>• ١٢٣٤٥٦٧٨٩</p> <p>◦ ١٢٣٤٥٦٧٨٩</p>	<pre>\fontspec[Script=Arabic,Numbers=Arabic] {persian-modern-regular.ttf} {\addfontfeature{Language=Arabic} 0123456789} \\\ {\addfontfeature{Language=Parsi} 0123456789}</pre>
---------------------------------------	--

Table 5: Options for the OpenType font feature ‘Contextuals’.

Feature	Option	Tag
Contextuals =	Swash	csw
	Alternate	calt
	WordInitial	init
	WordFinal	fina
	LineFinal	falt
	Inner	medi

Example 23: An example of the Swashes option of the Contextuals feature.

<p><i>Without Contextual Swashes</i></p> <p><i>With Contextual Swashes; cf. W C S</i></p>	<pre>\fontspec{Warnock Pro} \itshape Without Contextual Swashes \\\ \fontspec[Contextuals=Swash]{Warnock Pro} With Contextual Swashes; cf. W C S</pre>
---	--

Table 6: Options for the OpenType font feature ‘VerticalPosition’.

Feature	Option	Tag
VerticalPosition =	Superior	sup
	Inferior	sub
	Numerator	numr
	Denominator	dn
	ScientificInferior	sinf
	Ordinal	ordn

Example 24: The VerticalPosition feature. Note that the Ordinal option can be quite unreliable, as the results here demonstrate.

	<code>\fontspec[VerticalPosition=Superior]{Warnock Pro}</code>	
	Sup: abdehilmnorst (-\12,345.67)	<code>\</code>
	<code>\fontspec[VerticalPosition=Numerator]{Warnock Pro}</code>	
	Numerator: 12345	<code>\</code>
	<code>\fontspec[VerticalPosition=Denominator]{Warnock Pro}</code>	
	Denominator: 12345	<code>\</code>
Sup: abdehilmnorst (-\12,345.67)	<code>\fontspec[VerticalPosition=ScientificInferior]{Warnock Pro}</code>	
Numerator: 12345	Scientific Inferior: 12345	<code>\</code>
Denominator: 12345	<code>\fontspec[VerticalPosition=Ordinal]{Warnock Pro}</code>	
Scientific Inferior: 12345	'Ordinals': 1 st 2 nd 3 rd 4 th 0 th	
'Ordinals': 1 st 2 nd 3 rd 4 th 0 th		

Table 7: Options for the OpenType font feature ‘Fractions’.

Feature	Option	Tag
Fractions	= On	frac
	Alternate	afrc

number. The ScientificInferior feature will move glyphs further below the baseline than the Inferior feature. These are shown in Example 24

Numerator and Denominator should only be used for creating arbitrary fractions (see next section).

The realscripts package (which is also loaded by xltextra for Xe_{La}TeX) redefines the \textsubscript and \textsuperscript commands to use the above font features automatically, including for use in footnote labels. If this is the only feature of xltextra you wish to use, consider loading realscripts on its own instead.

10.6 Fractions

For OpenType fonts use a regular text slash to create fractions, but the Fraction feature must be explicitly activated. Some (Asian fonts predominantly) also provide for the Alternate feature. These are both shown in Example 25.

Example 25: The Fractions feature.

	<code>\fontspec{Hiragino Maru Gothic Pro W4}</code>	
	1/2 \quad 1/4 \quad 5/6 \quad 13579/24680	<code>\</code>
	<code>\addfontfeature{Fractions=On}</code>	
	1/2 \quad 1/4 \quad 5/6 \quad 13579/24680	<code>\</code>
	<code>\addfontfeature{Fractions=Alternate}</code>	
	1/2 \quad 1/4 \quad 5/6 \quad 13579/24680	<code>\</code>

Example 26: Insular letterforms, as used in medieval Northern Europe, for the Junicode font accessed with the StylisticSet feature.

Insular forms.	<code>\fontspec{Junicode}</code>
Inſulap pſopmſ.	Insular forms. <code>\</code>
	<code>\addfontfeature{StylisticSet=2}</code>
	Insular forms. <code>\</code>

Example 27: Enlarged minuscules (capital letters remain unchanged) for the Junicode font, accessed with the StylisticSet feature.

ENLARGED Minuscules.	<code>\fontspec{Junicode}</code>
ENLARGED Minuscules.	ENLARGED Minuscules. <code>\</code>
	<code>\addfontfeature{StylisticSet=6}</code>
	ENLARGED Minuscules. <code>\</code>

10.7 Stylistic Set variations

This feature selects a ‘Stylistic Set’ variation, which usually corresponds to an alternate glyph style for a range of characters (usually an alphabet or subset thereof). This feature is specified numerically. These correspond to OpenType features `ss01`, `ss02`, etc.

Two demonstrations from the Junicode font⁶ are shown in Example 26 and Example 27; thanks to Adam Buchbinder for the suggestion.

Multiple stylistic sets may be selected simultaneously by writing, e.g., `StylisticSet={1,2,3}`.

The StylisticSet feature is a synonym of the Variant feature for `AAT` fonts. See [Section 15 on page 43](#) for a way to assign names to stylistic sets, which should be done on a per-font basis.

10.8 Character Variants

Similar to the ‘Stylistic Sets’ above, ‘Character Variations’ are selected numerically to adjust the output of (usually) a single character for the particular font. These correspond to the OpenType features `cv01` to `cv99`.

For each character that can be varied, it is possible to select among possible options for that particular glyph. For example, in Example 28 a variety of glyphs for the character ‘v’ are selected, in which 5 corresponds to the character ‘v’ for this font feature, and the trailing `:<n>` corresponds to which variety to choose. Georg Duffner’s open source Garamond revival font⁷ is used in this example. Character variants are specifically designed not to conflict with each other, so you can enable them individually per character as shown in Example 29. (Unlike stylistic alternates, say.)

Note that the indexing starts from zero, which is compatible with \LaTeX but *incompatible* with `luaotfload`, which starts from one.

10.9 Alternates

The Alternate feature (for the raw OpenType feature `alt`) is used to access alternate font glyphs when variations exist in the font, such as in Example 30. It uses a numerical selection,

⁶<http://junicode.sf.net>

⁷<http://www.georgduffner.at/ebgaramond/>

Example 28: The CharacterVariant feature showing off Georg Duffner’s open source Garamond revival font.

very

very

very

very

very

very

```
\fontspec{EB Garamond Italic}          very \\
\fontspec[CharacterVariant=5]{EB Garamond Italic}  very \\
\fontspec[CharacterVariant=5:0]{EB Garamond Italic}  very \\
\fontspec[CharacterVariant=5:1]{EB Garamond Italic}  very \\
\fontspec[CharacterVariant=5:2]{EB Garamond Italic}  very \\
\fontspec[CharacterVariant=5:3]{EB Garamond Italic}  very
```

Example 29: The CharacterVariant feature selecting multiple variants simultaneously.

É violet

É violet

É violet

É violet

```
\fontspec{EB Garamond Italic}          \& violet \\
\fontspec[CharacterVariant={4}]{EB Garamond Italic}  \& violet \\
\fontspec[CharacterVariant={5:2}]{EB Garamond Italic}  \& violet \\
\fontspec[CharacterVariant={4,5:2}]{EB Garamond Italic} \& violet
```

Example 30: The Alternate feature.	
A & h	<code>\fontspec{Linux Libertine}</code>
A & h	<code>\textsc{a} \& h \\\</code>
A & h	<code>\addfontfeature{Alternate=0}</code>
	<code>\textsc{a} \& h</code>

Table 8: Options for the OpenType font feature ‘Style’.

Feature Option	Tag
Style = Alternate	salt
Italic	ital
Ruby	ruby
Swash	swsh
Historic	hist
TitlingCaps	titl
HorizontalKana	hkna
VerticalKana	vkna

starting from zero, that will be different for each font. Note that the `Style=Alternate` option is equivalent to `Alternate=0` to access the default case.

Note that the indexing starts from zero, which is compatible with plain \LaTeX but *incompatible* with `luaotfload`, which starts from one.

See [Section 15 on page 43](#) for a way to assign names to alternates, which must be done on a per-font basis.

10.10 Style

‘Ruby’ refers to a small optical size, used in Japanese typography for annotations. For fonts with multiple `salt` OpenType features, use the `fontspec Alternate` feature instead.

Example 31 and Example 32 both contain glyph substitutions with similar characteristics. Note the occasional inconsistency with which font features are labelled; a long-tailed ‘Q’ could turn up anywhere!

In other features, larger breadths of changes can be seen, covering the style of an entire alphabet. See Example 33 and Example 34; in the latter, the `Italic` option affects the Latin text and the `Ruby` option the Japanese.

Note the difference here between the default and the horizontal style kana in Example 35: the horizontal style is slightly wider.

Example 31: Example of the Alternate option of the Style feature.	
K Q R k v w y	<code>\fontspec{Warnock Pro}</code>
K Q R k v w y	<code>K Q R k v w y \\\</code>
K Q R k v w y	<code>\addfontfeature{Style=Alternate}</code>
	<code>K Q R k v w y</code>

Example 32: Example of the Historic option of the Style feature.

M Q Z	<code>\fontspec{Adobe Jenson Pro}</code>
M Q Z	<code>M Q Z</code>
M Q Z	<code>\addfontfeature{Style=Historic}</code>
	<code>M Q Z</code>

Example 33: Example of the TitlingCaps option of the Style feature.

TITLING CAPS	<code>\fontspec{Adobe Garamond Pro}</code>
TITLING CAPS	<code>TITLING CAPS</code>
TITLING CAPS	<code>\addfontfeature{Style=TitlingCaps}</code>
	<code>TITLING CAPS</code>

Example 34: Example of the Italic and Ruby options of the Style feature.

Latin ようこそ ワカヨタレソ	<code>\fontspec{Hiragino Mincho Pro}</code>
Latin ようこそ ワカヨタレソ	<code>Latin \kana</code>
	<code>\addfontfeature{Style={Italic, Ruby}}</code>
	<code>Latin \kana</code>

Example 35: Example of the HorizontalKana and VerticalKana options of the Style feature.

ようこそ ワカヨタレソ	<code>\fontspec{Hiragino Mincho Pro}</code>
ようこそ ワカヨタレソ	<code>\kana</code>
ようこそ ワカヨタレソ	<code>{\addfontfeature{Style=HorizontalKana}}</code>
	<code>\kana }</code>
ようこそ ワカヨタレソ	<code>{\addfontfeature{Style=VerticalKana}}</code>
	<code>\kana }</code>

Table 9: Options for the OpenType font feature ‘Diacritics’.

Feature	Option	Tag
Diacritics =	MarkToBase	* mark
	NoMarkToBase	mark <i>(deactivate)</i>
	MarkToMark	* mkmk
	NoMarkToMark	mkmk <i>(deactivate)</i>
	AboveBase	* abvm
	NoAboveBase	abvm <i>(deactivate)</i>
	BelowBase	* blwm
	NoBelowBase	blwm <i>(deactivate)</i>

* This feature is activated by default.

Table 10: Options for the OpenType font feature ‘Kerning’.

Feature	Option	Tag
Kerning =	Uppercase	csp
	On	* kern
	Off	kern <i>(deactivate)</i>

* This feature is activated by default.

10.11 Diacritics

Specifies how combining diacritics should be placed. These will usually be controlled automatically according to the Script setting.

10.12 Kerning

Specifies how inter-glyph spacing should behave. Well-made fonts include information for how differing amounts of space should be inserted between separate character pairs. This kerning space is inserted automatically but in rare circumstances you may wish to turn it off.

As briefly mentioned previously at the end of [Section 10.2 on page 20](#), the Uppercase option will add a small amount of tracking between uppercase letters, seen in [Example 36](#), which uses the Romande fonts⁸ (thanks to Clea F. Rees for the suggestion). The Uppercase option acts separately to the regular kerning controlled by the On/Off options.

⁸<http://arkandis.tuxfamily.org/adffonts.html>

Example 36: Adding extra kerning for uppercase letters. (The difference is usually very small.)

UPPERCASE EXAMPLE
UPPERCASE EXAMPLE

```
\fontspec{Romande ADF Std Bold}
UPPERCASE EXAMPLE \\
\addfontfeature{Kerning=Uppercase}
UPPERCASE EXAMPLE
```

Example 37: Artificial font transformations.		
		<code>\fontspec{Charis SIL} \emph{ABCxyz} \quad</code> <code>\fontspec[FakeSlant=0.2]{Charis SIL} ABCxyz</code>
		<code>\fontspec{Charis SIL} ABCxyz \quad</code> <code>\fontspec[FakeStretch=1.2]{Charis SIL} ABCxyz</code>
<i>ABCxyz</i>	<i>ABCxyz</i>	
ABCxyz	ABCxyz	<code>\fontspec{Charis SIL} \textbf{ABCxyz} \quad</code>
ABCxyz	ABCxyz	<code>\fontspec[FakeBold=1.5]{Charis SIL} ABCxyz</code>

Example 38: Annotation forms for OpenType fonts.		
1 2 3 4 5 6 7 8 9		
(1) (2) (3) (4) (5) (6) (7) (8) (9)		
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
⓪ ① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨		
1. 2. 3. 4. 5. 6. 7. 8. 9.		
	<code>\fontspec{Hiragino Maru Gothic Pro}</code>	
	1 2 3 4 5 6 7 8 9	
	<code>\def\x#1{\{\{\addfontfeature{Annotation=#1}</code>	
	1 2 3 4 5 6 7 8 9 \}}	
	<code>\x0\x1\x2\x3\x4\x5\x6\x7\x8\x9</code>	

10.13 Font transformations

In rare situations users may want to mechanically distort the shapes of the glyphs in the current font such as shown in Example 37. Please don't overuse these features; they are *not* a good alternative to having the real shapes.

If values are omitted, their defaults are as shown above.
 If you want the bold shape to be faked automatically, or the italic shape to be slanted automatically, use the `AutoFakeBold` and `AutoFakeSlant` features. For example, the following two invocations are equivalent:

```
\fontspec[AutoFakeBold=1.5]{Charis SIL}
\fontspec[BoldFeatures={FakeBold=1.5}]{Charis SIL}
```

If both of the `AutoFake...` features are used, then the bold italic font will also be faked.
 The `FakeBold` and `AutoFakeBold` features are only available with the \XeTeX engine and will be ignored in \LuaTeX .

10.14 Annotation

Some fonts are equipped with an extensive range of numbers and numerals in different forms. These are accessed with the Annotation feature (OpenType feature `nal`), selected numerically as shown in Example 38.
 Note that the indexing starts from zero, which is compatible with \XeTeX but *incompatible* with `luaotfload`, which starts from one.

Table 11: Options for the OpenType font feature ‘CJKShape’.

Feature	Option	Tag
CJKShape =	Traditional	trad
	Simplified	smp1
	JIS1978	jp78
	JIS1983	jp83
	JIS1990	jp90
	Expert	expt
	NLC	nlck

Example 39: Different standards for CJK ideograph presentation.

啞嚙軀 妍并訝	<code>\fontspec{Hiragino Mincho Pro}</code>
	<code>{\addfontfeature{CJKShape=Traditional}}</code>
啞嚙軀 妍并訝	<code>\text }</code> <code>\\</code>
	<code>{\addfontfeature{CJKShape=NLC}}</code>
啞嚙軀 妍并訝	<code>\text }</code> <code>\\</code>
	<code>{\addfontfeature{CJKShape=Expert}}</code>
	<code>\text }</code>

10.15 CJK shape

There have been many standards for how CJK ideographic glyphs are ‘supposed’ to look. Some fonts will contain many alternate glyphs available in order to be able to display these glyphs correctly in whichever form is appropriate. Both `LaTeX` and OpenType fonts support the following CJKShape options: Traditional, Simplified, JIS1978, JIS1983, JIS1990, and Expert. OpenType also supports the NLC option.

10.16 Character width

Many Asian fonts are equipped with variously spaced characters for shoe-horning into their generally monospaced text. These are accessed through the CharacterWidth feature.

Japanese alphabetic glyphs (in Hiragana or Katakana) may be typeset proportionally, to better fit horizontal measures, or monospaced, to fit into the rigid grid imposed by

Table 12: Options for the OpenType font feature ‘CharacterWidth’.

Feature	Option	Tag
CharacterWidth =	Proportional	pwid
	Full	fwid
	Half	hwid
	Third	twid
	Quarter	qwid
	AlternateProportional	palt
	AlternateHalf	halt

Example 40: Proportional or fixed width forms.

			<code>\def\test{\makebox[2cm][l]{\texta}%</code>
			<code>\makebox[2.5cm][l]{\textb}%</code>
			<code>\makebox[2.5cm][l]{abcdef}}</code>
			<code>\fontspec{Hiragino Mincho Pro}</code>
ようこそ	ワカヨタレソ	abcdef	<code>{\addfontfeature{CharacterWidth=Proportional}\test}\</code>
ようこそ	ワカヨタレソ	a b c d e f	<code>{\addfontfeature{CharacterWidth=Full}\test}\</code>
ようこそ	ワカヨタレソ	abcdef	<code>{\addfontfeature{CharacterWidth=Half}\test}</code>

Example 41: Numbers can be compressed significantly.

	<code>\fontspec[Renderer=AAT]{Hiragino Mincho Pro}</code>
	<code>{\addfontfeature{CharacterWidth=Full}}</code>
	<code>---12321---}\</code>
	<code>{\addfontfeature{CharacterWidth=Half}}</code>
	<code>---1234554321---}\</code>
— 1 2 3 2 1 —	<code>{\addfontfeature{CharacterWidth=Third}}</code>
-1234554321-	<code>---123456787654321---}\</code>
-123456787654321-	<code>{\addfontfeature{CharacterWidth=Quarter}}</code>
-12345678900987654321-	<code>---12345678900987654321---</code>

ideographic typesetting. In this latter case, there are also half-width forms for squeezing more kana glyphs (which are less complex than the kanji they are amongst) into a given block of space. The same features are given to roman letters in Japanese fonts, for typesetting foreign words in the same style as the surrounding text.

The same situation occurs with numbers, which are provided in increasingly illegible compressed forms seen in Example 41.

10.17 Vertical typesetting

TODO!

10.18 OpenType scripts and languages

Fonts that include glyphs for various scripts and languages may contain different font features for the different character sets and languages they support, and different font features may behave differently depending on the script or language chosen. When multilingual fonts are used, it is important to select which language they are being used for, and more importantly what script is being used.

The ‘script’ refers to the alphabet in use; for example, both English and French use the Latin script. Similarly, the Arabic script can be used to write in both the Arabic and Persian languages.

The Script and Language features are used to designate this information. The possible options are tabulated in [Table 13 on page 34](#) and [Table 14 on page 35](#), respectively. When a script or language is requested that is not supported by the current font, a warning is printed in the console output.

Example 42: An example of various Scripts and Languages.

العربي	العربي	
हिन्दी	हिन्दी	
লেখ	লেখ	
મર્યાદા-સૂચક નિવેદન	મર્યાદા-સૂચક નિવેદન	<code>\testfeature{Script=Arabic}{\arabictext}</code>
மம்துடசு பாரவரய	மம்துடசு பாரவரய	<code>\testfeature{Script=Devanagari}{\devanagaritext}</code>
આદિ સચુ જુગાદિ સચુ	આદિ સચુ જુગાદિ સચુ	<code>\testfeature{Script=Bengali}{\bengalitext}</code>
தமிழ் துடே	தமிழ் துடே	<code>\testfeature{Script=Gujarati}{\gujaratitext}</code>
תּוֹרָה	תּוֹרָה	<code>\testfeature{Script=Malayalam}{\malayalamtext}</code>
cáp số mõi	cáp số mõi	<code>\testfeature{Script=Gurmukhi}{\gurmukhitext}</code>
		<code>\testfeature{Script=Tamil}{\tamiltext}</code>
		<code>\testfeature{Script=Hebrew}{\hebrewtext}</code>
		<code>\def\examplefont{Doulos SIL}</code>
		<code>\testfeature{Language=Vietnamese}{\vietnamesetext}</code>

Because these font features can change which features are able to be selected for the font, they are automatically selected by fontspec before all others and, if Xe_{La}TeX is being used, will specifically select the ICU renderer for this font, as described in [Section 12.3 on page 37](#).

10.18.1 Script and Language examples

In the examples shown in [Example 42](#), the Code2000 font⁹ is used to typeset various input texts with and without the OpenType Script applied for various alphabets. The text is only rendered correctly in the second case; many examples of incorrect diacritic spacing as well as a lack of contextual ligatures and rearrangement can be seen. Thanks to Jonathan Kew, Yves Codet and Gildas Hamel for their contributions towards these examples.

10.18.2 Defining new scripts and languages

`\newfontscript` While the scripts and languages listed in [Table 13](#) and [Table 14](#) are intended to be comprehensive, there may be some missing; alternatively, you might wish to use different names to access scripts/languages that are already listed. Adding scripts and languages can be performed with the `\newfontscript` and `\newfontlanguage` commands. For example,

```
\newfontscript{Arabic}{arab}
\newfontlanguage{Zulu}{ZUL}
```

The first argument is the fontspec name, the second the OpenType tag. The advantage to using these commands rather than `\newfontfeature` (see [Section 15 on page 43](#)) is the error-checking that is performed when the script or language is requested.

⁹<http://www.code2000.net/>

Part III

LuaT_{EX}-only font features

11 OpenType font feature files

An OpenType font feature file is a plain text file describing OpenType layout feature of a font in a human-readable format. The syntax of OpenType feature files is defined by Adobe¹⁰.

Feature files can be used to add or customize OpenType features of a font on the fly without editing the font file itself.

Adding a new OpenType feature is as creating a plain text file defining the new feature and then loading it by passing its name or path to `FeatureFile`, then OpenType features defined in the file can be activated as usual.

For example, when adding one of the default features like `kern` or `liga`, no special activation is needed. On the other hand, an optional feature like `onum` or `smcp` will be activated when old style numbers or small capitals are activated, respectively. However, OpenType feature in the feature file can have any and that can be used to selectively activate the feature; for example defining a ligature feature called `mlig` and then activating it using `RawFeature` option without activating other ligatures in the font.

Figure 1 shows an example feature file. The first two lines set the script and language under which the defined features will be available, which the default language in both default and Latin scripts, respectively.

Then it defines a `liga` feature, which is a glyph substitution feature. The names starting with backslash are glyph names that is to be substituted and while the leading backslash is optional, it is used to escape glyph names when they interfere with preserved keywords. It should also be noted that glyph names are font specific and the same glyph can be named differently in different fonts.

Glyph positioning features like kerning can be defined in a similar way, but instead

¹⁰http://www.adobe.com/devnet/opentype/afdko/topic_feature_file_syntax.html

Table 13: Defined Scripts for OpenType fonts. Aliased names are shown in adjacent positions marked with red pilcrow (¶).

Arabic	Ethiopic	Limbu	Sumero-Akkadian
Armenian	Georgian	Linear B	Cuneiform
Balinese	Glagolitic	Malayalam	Syloti Nagri
Bengali	Gothic	¶Math	Syriac
Bopomofo	Greek	¶Maths	Tagalog
Braille	Gujarati	Mongolian	Tagbanwa
Buginese	Gurmukhi	Musical Symbols	Tai Le
Buhid	Hangul Jamo	Myanmar	Tai Lu
Byzantine Music	Hangul	N'ko	Tamil
Canadian Syllabics	Hanunoo	Ogham	Telugu
Cherokee	Hebrew	Old Italic	Thaana
¶CJK	¶Hiragana and Katakana	Old Persian Cuneiform	Thai
¶CJK Ideographic	¶Kana	Oriya	Tibetan
Coptic	Javanese	Osmanya	Tifinagh
Cypriot Syllabary	Kannada	Phags-pa	Ugaritic Cuneiform
Cyrillic	Kharosthi	Phoenician	Yi
Default	Khmer	Runic	
Deseret	Lao	Shavian	
Devanagari	Latin	Sinhala	

Table 14: Defined Languages for OpenType fonts. Aliased names are shown in adjacent positions marked with red pilcrows (⌵).

Abaza	Default	Igbo	Koryak	Norway House Cree	Serer
Abkhazian	Dogri	Ijo	Ladin	Nisi	South Slavey
Adyghe	Divehi	Ilokano	Lahuli	Niuean	Southern Sami
Afrikaans	Djerma	Indonesian	Lak	Nkole	Suri
Afar	Dangme	Ingush	Lambani	N'ko	Svan
Agaw	Dinka	Inuktitut	Lao	Dutch	Swedish
Altai	Dungan	Irish	Latin	Nogai	Swadaya Aramaic
Amharic	Dzongkha	Irish Traditional	Laz	Norwegian	Swahili
Arabic	Ebira	Icelandic	L-Cree	Northern Sami	Swazi
Aari	Eastern Cree	Inari Sami	Ladakhi	Northern Tai	Sutu
Arakanese	Edo	Italian	Lezgi	Esperanto	Syriac
Assamese	Efik	Hebrew	Lingala	Nynorsk	Tabasaran
Athapaskan	Greek	Javanese	Low Mari	Oji-Cree	Tajiki
Avar	English	Yiddish	Limbu	Ojibway	Tamil
Awadhi	Erzya	Japanese	Lomwe	Oriya	Tatar
Aymara	Spanish	Judezmo	Lower Sorbian	Oromo	TH-Cree
Azeri	Estonian	Jula	Lule Sami	Ossetian	Telugu
Badaga	Basque	Kabardian	Lithuanian	Palestinian Aramaic	Tongan
Baghelkhandi	Evenki	Kachchi	Luba	Pali	Tigre
Balkar	Even	Kalenjin	Luganda	Punjabi	Tigrinya
Baule	Ewe	Kannada	Luhya	Palpa	Thai
Berber	French Antillean	Karachay	Luo	Pashto	Tahitian
Bench	⌵Farsi	Georgian	Latvian	Polytonic Greek	Tibetan
Bible Cree	⌵Parsi	Kazakh	Majang	Pilipino	Turkmen
Belarussian	⌵Persian	Kevena	Makua	Palaung	Temne
Bemba	Finnish	Khutsuri Georgian	Malayalam	Polish	Tswana
Bengali	Fijian	Khakass	Traditional	Provençal	Tundra Nenets
Bulgarian	Flemish	Khanty-Kazim	Mansi	Portuguese	Tonga
Bhili	Forest Nenets	Khmer	Marathi	Chin	Todo
Bhojpuri	Fon	Khanty-Shurishkar	Marwari	Rajasthani	Turkish
Bikol	Faroese	Khanty-Vakhi	Mbundu	R-Cree	Tsonga
Bilen	French	Khowar	Manchu	Russian Buriat	Turoyo Aramaic
Blackfoot	Frisian	Kikuyu	Moose Cree	Riang	Tulu
Balochi	Friulian	Kirghiz	Mende	Rhaeto-Romanic	Tuvin
Balante	Futa	Kisii	Me'en	Romanian	Twi
Balti	Fulani	Kokni	Mizo	Romany	Udmurt
Bambara	Ga	Kalmyk	Macedonian	Rusyn	Ukrainian
Bamileke	Gaelic	Kamba	Male	Ruanda	Urdu
Breton	Gagauz	Kumaoni	Malagasy	Russian	Upper Sorbian
Brahui	Galician	Komo	Malinke	Sadri	Uyghur
Braj Bhasha	Garshuni	Komso	Malayalam	Sanskrit	Uzbek
Burmese	Garhwali	Kanuri	Reformed	Santali	Venda
Bashkir	Ge'ez	Kodagu	Malay	Sayisi	Vietnamese
Beti	Gilyak	Korean Old Hangul	Mandinka	Sekota	Wa
Catalan	Gumuz	Konkani	Mongolian	Selkup	Wagdi
Cebuano	Gondi	Kikongo	Manipuri	Sango	West-Cree
Chechen	Greenlandic	Komi-Permyak	Maninka	Shan	Welsh
Chaha Gurage	Garo	Korean	Manx Gaelic	Sibe	Wolof
Chattisgarhi	Guarani	Komi-Zyrian	Moksha	Sidamo	Tai Lue
Chichewa	Gujarati	Kpelle	Moldavian	Silte Gurage	Xhosa
Chukchi	Haitian	Krio	Mon	Skolt Sami	Yakut
Chipewyan	Halam	Karakalpak	Moroccan	Slovak	Yoruba
Cherokee	Harauti	Karelian	Maori	Slavey	Y-Cree
Chuvash	Hausa	Karaim	Maithili	Slovenian	Yi Classic
Comorian	Hawaiian	Karen	Maltese	Somali	Yi Modern
Coptic	Hammer-Banna	Koorete	Mundari	Samoan	Chinese Hong Kong
Cree	Hiligaynon	Kashmiri	Naga-Assamese	Sena	Chinese Phonetic
Carrier	Hindi	Khasi	Nanai	Sindhi	Chinese Simplified
Crimean Tatar	High Mari	Kildin Sami	Naskapi	Sinhalese	Chinese Traditional
Church Slavonic	Hindko	Kui	N-Cree	Soninke	Zande
Czech	Ho	Kulvi	Ndebele	Sodo Gurage	Zulu
Danish	Harari	Kumyk	Ndonga	Sotho	
Dargwa	Croatian	Kurdish	Nepali	Albanian	
Woods Cree	Hungarian	Kurukh	Newari	Serbian	
German	Armenian	Kuy	Nagari	Saraiki	

Figure 1: An example font feature file.

```
languagesystem DFLT dflt;
languagesystem latn dflt;

# Ligatures
feature liga {
  sub \f \i by \fi;
  sub \f \l by \fl;
} liga;

# Kerning
feature kern {
  pos \A \Y -200;
  pos \a \y -80;
} kern;
```

Example 43: X_YTeX's Mapping feature.

"¡A small amount of—text!"	\fontspec[Mapping=tex-text]{Cochin} “‘!‘A small amount of---text!’”
----------------------------	--

of the keyword `sub(stitute)` the keyword `pos(ition)` is used instead. Figure 1 shows an example of adding kerning between `AY` and `ay`¹¹.

Lines starting with `#` are comments and will be ignored.

An OpenType feature file can have any number of features and can have a mix of substitution and positioning features, please refer to the full feature file specification for further documentation.

Part IV

Fonts and features with X_YTeX

12 X_YTeX-only font features

The features described here are available for any font selected by `fontspec`.

12.1 Mapping

Mapping enables a X_YTeX text-mapping scheme, shown in Example 43.

Using the `tex-text` mapping is also equivalent to writing `Ligatures=TeX`. The use of the latter syntax is recommended for better compatibility with Lua_YTeX documents.

¹¹ The kerning is expressed in font design units which are fractions of em depending on the *units per em* value of the font, usually 1000 for PostScript fonts and 2048 for TrueType fonts.

Example 44: The LetterSpace feature.

	<code>\fontspec{Didot}</code>
	<code>\addfontfeature{LetterSpace=0.0}</code>
USE TRACKING FOR DISPLAY CAPS TEXT	USE TRACKING FOR DISPLAY CAPS TEXT <code>\</code>
	<code>\addfontfeature{LetterSpace=2.0}</code>
USE TRACKING FOR DISPLAY CAPS TEXT	USE TRACKING FOR DISPLAY CAPS TEXT

12.2 Letter spacing

Letter spacing, or tracking, is the term given to adding (or subtracting) a small amount of horizontal space in between adjacent characters. It is specified with the `LetterSpace`, which takes a numeric argument, shown in Example 44.

The letter spacing parameter is a normalised additive factor (not a scaling factor); it is defined as a percentage of the font size. That is, for a 10 pt font, a letter spacing parameter of ‘1.0’ will add 0.1 pt between each letter.

This functionality *should not be used for lowercase text*, which is spacing correctly to begin with, but it can be very useful, in small amounts, when setting small caps or all caps titles. Also see the OpenType Uppercase option of the Letters feature ([Section 10.2 on page 20](#)).

12.3 Different font technologies: AAT and ICU

X_YTeX supports two rendering technologies for typesetting, selected with the `Renderer` font feature. The first, AAT, is that provided (only) by Mac OS X itself. The second, ICU, is an open source OpenType interpreter. It provides much greater support for OpenType features, notably contextual arrangement, over AAT.

In general, this feature will not need to be explicitly called: for OpenType fonts, the ICU renderer is used automatically, and for AAT fonts, AAT is chosen by default. Some fonts, however, will contain font tables for *both* rendering technologies, such as the Hiragino Japanese fonts distributed with Mac OS X, and in these cases the choice may be required.

Among some other font features only available through a specific renderer, ICU provides for the Script and Language features, which allow different font behaviour for different alphabets and languages; see [Section 10.18 on page 32](#) for the description of these features. *Because these font features can change which features are able to be selected for the font instance, they are selected by fontspec before all others and will automatically and without warning select the ICU renderer.*

12.4 Optical font sizes

Multiple Master fonts are parameterised over orthogonal font axes, allowing continuous selection along such features as weight, width, and optical size (see [Section 14 on page 42](#) for further details). Whereas an OpenType font will have only a few separate optical sizes, a Multiple Master font’s optical size can be specified over a continuous range. Unfortunately, this flexibility makes it harder to create an automatic interface through L^AT_EX, and the optical size for a Multiple Master font must always be specified explicitly.

```
\fontspec[OpticalSize=11]{Minion MM Roman}
MM optical size test          \
\fontspec[OpticalSize=47]{Minion MM Roman}
MM optical size test          \
```

```
\fontspec[OpticalSize=71]{Minion MM Roman}
MM optical size test
```

13 Mac OS X’s AAT fonts

Warning! X_YTeX’s implementation on Mac OS X is currently in a state of flux and the information contained below may well be wrong from 2013 onwards. There is a good chance that the features described in this section will not be available any more as X_YTeX’s completes its transition to a cross-platform-only application.

Mac OS X’s font technology began life before the ubiquitous-OpenType era and revolved around the Apple-invented ‘AAT’ font format. This format had some advantages (and other disadvantages) but it never became widely popular in the font world.

Nonetheless, this is the font format that was first supported by X_YTeX (due to its pedigree on Mac OS X in the first place) and was the first font format supported by fontspec. A number of fonts distributed with Mac OS X are still in the AAT format, such as ‘Skia’. Documents that use these fonts should be compiled with X_YTeX using the xdv2pdf driver, as opposed to the default xdvipdfmx. E.g.,

```
xelatex -output-driver="xdv2pdf" filename.tex
```

Mac OS X also supports Multiple Master fonts, which are discussed in [Section 14](#).

13.1 Ligatures

Ligatures refer to the replacement of two separate characters with a specially drawn glyph for functional or aesthetic reasons. For AAT fonts, you may choose from any combination of Required, Common, Rare (or Discretionary), Logos, Rebus, Diphthong, Squared, AbbrevSquared, and Icelandic.

Some other Apple AAT fonts have those ‘Rare’ ligatures contained in the Icelandic feature. Notice also that the old T_EX trick of splitting up a ligature with an empty brace pair does not work in X_YTeX; you must use a 0 pt kern or \hbox (e.g., \null) to split the characters up if you do not want a ligature to be performed (the usual examples for when this might be desired are words like ‘shelffull’).

13.2 Letters

The Letters feature specifies how the letters in the current font will look. For AAT fonts, you may choose from Normal, Uppercase, Lowercase, SmallCaps, and InitialCaps.

13.3 Numbers

The Numbers feature defines how numbers will look in the selected font. For AAT fonts, they may be a combination of Lining or OldStyle and Proportional or Monospaced (the latter is good for tabular material). The synonyms Uppercase and Lowercase are equivalent to Lining and OldStyle, respectively. The differences have been shown previously in [Section 7.2 on page 12](#).

13.4 Contextuals

This feature refers to glyph substitution that vary by their position; things like contextual swashes are implemented here. The options for AAT fonts are WordInitial, WordFinal (Example 45), LineInitial, LineFinal, and Inner (Example 46, also called ‘non-final’ sometimes).

Example 45: Contextual glyph for the beginnings and ends of words.	
	<code>\newfontface\fancy</code>
	<code>[Contextuals={WordInitial,WordFinal}]</code>
	<code>{Hoefler Text Italic}</code>
<i>where is all the vegemite</i>	<code>\fancy where is all the vegemite</code>

Example 46: A contextual feature for the ‘long s’ can be convenient as the character does not need to be marked up explicitly.

‘Inner’ fwashes can <i>fometimes</i>	<code>\fontspec[Contextuals=Inner]{Hoefler Text}</code>
contain the archaic long s.	‘Inner’ swashes can <code>\emph{sometimes}</code> <code>\\</code>
	contain the archaic long~s.

As non-exclusive selectors, like the ligatures, you can turn them off by prefixing their name with No.

13.5 Vertical position

The VerticalPosition feature is used to access things like subscript (Inferior) and superscript (Superior) numbers and letters (and a small amount of punctuation, sometimes). The Ordinal option is (supposed to be) contextually sensitive to only raise characters that appear directly after a number. These are shown in Example 47.

The realscripts package (also loaded by xltextra) redefines the \textsubscript and \textsuperscript commands to use the above font features, including for use in footnote labels.

13.6 Fractions

Many fonts come with the capability to typeset various forms of fractional material. This is accessed in fontspec with the Fractions feature, which may be turned On or Off in both AAT and OpenType fonts.

In AAT fonts, the ‘fraction slash’ or solidus character, is to be used to create fractions. When Fractions are turned On, then only pre-drawn fractions will be used. See Example 48.

Using the Diagonal option (AAT only), the font will attempt to create the fraction from superscript and subscript characters.

Example 47: Vertical position for AAT fonts.	
	<code>\fontspec{Skia}</code>
	Normal
	<code>\fontspec[VerticalPosition=Superior]{Skia}</code>
	Superior
	<code>\fontspec[VerticalPosition=Inferior]{Skia}</code>
	Inferior <code>\\</code>
Normal ^{superior} _{inferior}	<code>\fontspec[VerticalPosition=Ordinal]{Skia}</code>
1 st 2 nd 3 rd 4 th 0 th 8abcde	1st 2nd 3rd 4th 0th 8abcde

Example 48: Fractions in AAT fonts. The $\frac{1}{2}$ glyph is the ‘fraction slash’ that may be typed in Mac OS X with `OPT+SHIFT+1`; not shown literally here due to font constraints.

	<code>\fontspec[Fractions=On]{Skia}</code>
	<code>1{^^^^2044}2 \quad 5{^^^^2044}6 \\\ % fraction slash</code>
$\frac{1}{2}$ $\frac{5}{6}$	<code>1/2 \quad 5/6 \quad \ % regular slash</code>
$\frac{1}{2}$ $\frac{5}{6}$	<code>\fontspec[Fractions=Diagonal]{Skia}</code>
$\frac{13579}{24680}$	<code>13579{^^^^2044}24680 \\\ % fraction slash</code>
$\frac{13579}{24680}$	<code>\quad 13579/24680 \quad \ % regular slash</code>

Example 49: Alternate design of pre-composed fractions.

	<code>\fontspec{Hiragino Maru Gothic Pro}</code>
	<code>1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 \\\</code>
$\frac{1}{2}$ $\frac{1}{4}$ $\frac{5}{6}$ $\frac{13579}{24680}$	<code>\addfontfeature{Fractions=Alternate}</code>
$\frac{1}{2}$ $\frac{1}{4}$ $\frac{5}{6}$ $\frac{13579}{24680}$	<code>1/2 \quad 1/4 \quad 5/6 \quad 13579/24680</code>

Some (Asian fonts predominantly) also provide for the Alternate feature shown in Example 49.

13.7 Variants

The Variant feature takes a single numerical input for choosing different alphabetic shapes. Don’t mind my fancy Example 50 :) I’m just looping through the nine (!) variants of Zapfino.

See Section 15 on page 43 for a way to assign names to variants, which should be done on a per-font basis.

13.8 Alternates

Selection of Alternates *again* must be done numerically; see Example 51. See Section 15 on page 43 for a way to assign names to alternates, which should be done on a per-font basis.

Example 50: Nine variants of Zapfino.



```

\newcounter{var}\newcounter{trans}
\whiledo{\value{var}<9}{%
  \stepcounter{trans}%
  \edef\1{%
    \noexpand\fontspec[Variant=\thevar,
      Color=005599\thetrans\thetrans]{Zapfino}}\1%
  \makebox[0.75\width]{d}%
  \stepcounter{var}}

```

Example 51: Alternate shape selection must be numerical.

<i>Sphinx Of Black Quartz, JUDGE Mr Vow</i>	<code>\fontspec[Alternate=0]{Hoefler Text Italic}</code> Sphinx Of Black Quartz, {\scshape Judge My Vow} \
<i>Sphinx Of Black Quartz, JUDGE Mr Vow</i>	<code>\fontspec[Alternate=1]{Hoefler Text Italic}</code> Sphinx Of Black Quartz, {\scshape Judge My Vow}

Example 52: Vertical typesetting.

共產主義者は

共產主義者は	<code>\fontspec{Hiragino Mincho Pro}</code> <code>\verttext</code>
	<code>\fontspec[Renderer=AAT,Vertical=RotatedGlyphs]{Hiragino Mincho Pro}</code> <code>\rotatebox{-90}{\verttext}% requires the graphicx package</code>

13.9 Style

The options of the Style feature are defined in AAT as one of the following: Display, Engraved, IlluminatedCaps, Italic, Ruby,¹² TallCaps, or TitlingCaps.

Typical examples for these features are shown in [Section 10.10](#).

13.10 CJK shape

There have been many standards for how CJK ideographic glyphs are ‘supposed’ to look. Some fonts will contain many alternate glyphs in order to be able to display these glyphs correctly in whichever form is appropriate. Both AAT and OpenType fonts support the following CJKShape options: Traditional, Simplified, JIS1978, JIS1983, JIS1990, and Expert. OpenType also supports the NLC option.

13.11 Character width

See [Section 10.16 on page 31](#) for relevant examples; the features are the same between OpenType and AAT fonts. AAT also allows CharacterWidth=Default to return to the original font settings.

13.12 Vertical typesetting

TODO: improve!

X_YTeX provides for vertical typesetting simply with the ability to rotate the individual glyphs as a font is used for typesetting, as shown in [Example 52](#).

No actual provision is made for typesetting top-to-bottom languages; for an example of how to do this, see the vertical Chinese example provided in the X_YTeX documentation.

¹²‘Ruby’ refers to a small optical size, used in Japanese typography for annotations.

Example 53: Various annotation forms.		
	<code>\fontspec{Hei Regular}</code>	
	1 2 3 4 5 6 7 8 9	<code>\\</code>
	<code>\fontspec[Annotation=Circle]{Hei Regular}</code>	
	1 2 3 4 5 6 7 8 9	<code>\\</code>
1 2 3 4 5 6 7 8 9	<code>\fontspec[Annotation=Parenthesis]{Hei Regular}</code>	
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨	1 2 3 4 5 6 7 8 9	<code>\\</code>
(1) (2) (3) (4) (5) (6) (7) (8) (9)	<code>\fontspec[Annotation=Period]{Hei Regular}</code>	
1. 2. 3. 4. 5. 6. 7. 8. 9.	1 2 3 4 5 6 7 8 9	

Example 54: Continuously variable font parameters. These fonts are unfortunately quite rare.

	<code>\fontspec[Weight=0.5,Width=3]{Skia}</code>	
Really light and extended Skia	Really light and extended Skia	<code>\\</code>
Really fat and condensed Skia	<code>\fontspec[Weight=2,Width=0.5]{Skia}</code>	
	Really fat and condensed Skia	

13.13 Diacritics

Diacritics are marks, such as the acute accent or the tilde, applied to letters; they usually indicate a change in pronunciation. In Arabic scripts, diacritics are used to indicate vowels. You may either choose to Show, Hide or Decompose them in AAT fonts. The Hide option is for scripts such as Arabic which may be displayed either with or without vowel markings. E.g., `\fontspec[Diacritics=Hide]{...}`

Some older fonts distributed with Mac OS X included ‘Ø/’ *etc.* as shorthand for writing ‘Ø’ under the label of the Diacritics feature. If you come across such fonts, you’ll want to turn this feature off (imagine typing hello/goodbye and getting ‘helløgoodbye’ instead!) by decomposing the two characters in the diacritic into the ones you actually want. I recommend using the proper L^AT_EX input conventions for obtaining such characters instead.

13.14 Annotation

Various Asian fonts are equipped with a more extensive range of numbers and numerals in different forms. These are accessed through the Annotation feature (see Example 53) with the following options: Off, Box, RoundedBox, Circle, BlackCircle, Parenthesis, Period, RomanNumerals, Diamond, BlackSquare, BlackRoundSquare, and DoubleCircle.

14 AAT & Multiple Master font axes

Multiple Master and AAT font specifications both provide continuous variation along font parameters. For example, they don’t have just regular and bold weights, they can have any bold weight you like between the two extremes. Note these features can only be used when your document is compiled using the xdv2pdf driver for Mac OS X.

Weight, Width, and OpticalSize are supported by this package. Skia, which is distributed with Mac OS X, has two of these variable parameters, allowing for the demonstration in Example 54. Variations along a multiple master font’s optical size axis has been shown previously in Section 8.6 on page 18.

Example 55: Assigning new AAT features.

<i>This is XeTeX by Jonathan Kew.</i>	<pre>\newAATfeature{Alternate}{HoeflerSwash}{17}{1} \fontspec[Alternate=HoeflerSwash]{Hoefler Text Italic} This is XeTeX by Jonathan Kew.</pre>
---------------------------------------	---

Example 56: Assigning new arbitrary features.

<i>sockdolager rubdown</i> <i>sockdolager rubdown</i>	<pre>\newfontfeature{AvoidD}{Special=Avoid d-collisions} \newfontfeature{NoAvoidD}{Special=!Avoid d-collisions} \fontspec[AvoidD,Variant=1]{Zapfino} sockdolager rubdown \fontspec[NoAvoidD,Variant=1]{Zapfino} sockdolager rubdown</pre>
--	---

Part V

Programming interface

This is the beginning of some work to provide some hooks that use fontspec for various macro programming purposes.

15 Defining new features

This package cannot hope to contain every possible font feature. Three commands are provided for selecting font features that are not provided for out of the box. If you are using them a lot, chances are I've left something out, so please let me know.

`\newAATfeature` New AAT features may be created with this command:

```
\newAATfeature{<feature>}{<option>}{<feature code>}{<selector code>}
```

Use the X_YTeX file AAT-info.tex to obtain the code numbers. See Example 55.

`\newICUfeature` New OpenType features may be created with this command:

`\newopentypefeature` `\newICUfeature{<feature>}{<option>}{<feature tag>}`

The synonym `\newopentypefeature` is provided for Lua^ATeX users.

Here's what it would look like in practise:

```
\newopentypefeature{Style}{NoLocalForms}{-loc1}
```

`\newfontfeature` In case the above commands do not accommodate the desired font feature (perhaps a new X_YTeX feature that fontspec hasn't been updated to support), a command is provided to pass arbitrary input into the font selection string:

```
\newfontfeature{<name>}{<input string>}
```

For example, Zapfino contains the feature 'Avoid d-collisions'. To access it with this package, you could do some like that shown in Example 56

The advantage to using the `\newAATfeature` and `\newICUfeature` commands instead of `\newfontfeature` is that they check if the selected font actually contains the desired font feature at load time. By contrast, `\newfontfeature` will not give a warning for improper input.

Example 57: Using raw font features directly.	
PAGELLA SMALL CAPS	<code>\fontspec[RawFeature=+smcp]{TeX Gyre Pagella}</code> Pagella small caps

Example 58: Renaming font features.	
Roman Letters <i>And Swash</i>	<code>\aliasfontfeature{ItalicFeatures}{IF}</code> <code>\fontspec[IF = {Alternate=1}]{Hoefler Text}</code> Roman Letters \itshape And Swash

16 Going behind fontspec’s back

Expert users may wish not to use fontspec’s feature handling at all, while still taking advantage of its L^AT_EX font selection conveniences. The `RawFeature` font feature allows literal X_YL^AT_EX font feature selection when you happen to have the OpenType feature tag memorised.

Multiple features can either be included in a single declaration:

`[RawFeature=+smcp;+onum]`

or with multiple declarations:

`[RawFeature=+smcp, RawFeature=+onum]`

17 Renaming existing features & options

`\aliasfontfeature` If you don’t like the name of a particular font feature, it may be aliased to another with the `\aliasfontfeature{<existing name>}{<new name>}` command, such as shown in Example 58.

Spaces in feature (and option names, see below) *are* allowed. (You may have noticed this already in the lists of OpenType scripts and languages).

`\aliasfontfeatureoption` If you wish to change the name of a font feature option, it can be aliased to another with the command `\aliasfontfeatureoption{}{<existing name>}{<new name>}`, such as shown in Example 59.

This example demonstrates an important point: when aliasing the feature options, the *original* feature name must be used when declaring to which feature the option belongs.

Only feature options that exist as sets of fixed strings may be altered in this way. That is, Proportional can be aliased to Prop in the Letters feature, but 550099BB cannot be substituted for Purple in a Color specification. For this type of thing, the `\newfontfeature` command should be used to declare a new, *e.g.*, PurpleColor feature:

`\newfontfeature{PurpleColor}{color=550099BB}`

Example 59: Renaming font feature options.	
	<code>\aliasfontfeature{VerticalPosition}{Vert Pos}</code> <code>\aliasfontfeatureoption{VerticalPosition}{ScientificInferior}{Sci Inf}</code> <code>\fontspec[Vert Pos=Sci Inf]{Linux Libertine}</code>
Scientific Inferior: 12345	Scientific Inferior: 12345

Except that this example was written before support for named colours was implemented. But you get the idea.

18 Programming details

In some cases, it is useful to know what the \LaTeX font family of a specific fontspec font is. After a `\fontspec`-like command, this is stored inside the `\l_fontspec_family_tl` macro. Otherwise, \LaTeX 's own `\f@family` macro can be useful here, too. The raw \TeX font that is defined is stored temporarily in `\l_fontspec_font`.

The following commands in `expl3` syntax may be used for writing codes that interface with fontspec-loaded fonts. All of the following conditionals also exist with T and F as well as TF suffixes.

<code>\fontspec_if_fontspec_font:TF</code>	Test whether the currently selected font has been loaded by fontspec.
<code>\fontspec_if_aat_feature:nnTF</code>	Test whether the currently selected font contains the AAT feature (#1,#2).
<code>\fontspec_if_opentype:TF</code>	Test whether the currently selected font is an OpenType font. Always true for \LuaTeX fonts.
<code>\fontspec_if_feature:nTF</code>	Test whether the currently selected font contains the raw OpenType feature #1. E.g.: <code>\fontspec_if_feature:nTF {pnum} {True} {False}</code> . Returns false if the font is not loaded by fontspec or is not an OpenType font.
<code>\fontspec_if_feature:nnnTF</code>	Test whether the currently selected font with raw OpenType script tag #1 and raw OpenType language tag #2 contains the raw OpenType feature tag #3. E.g.: <code>\fontspec_if_feature:nTF {latn} {ROM} {pnum} {True} {False}</code> . Returns false if the font is not loaded by fontspec or is not an OpenType font.
<code>\fontspec_if_script:nTF</code>	Test whether the currently selected font contains the raw OpenType script #1. E.g.: <code>\fontspec_if_script:nTF {latn} {True} {False}</code> . Returns false if the font is not loaded by fontspec or is not an OpenType font.
<code>\fontspec_if_language:nTF</code>	Test whether the currently selected font contains the raw OpenType language tag #1. E.g.: <code>\fontspec_if_language:nTF {ROM} {True} {False}</code> . Returns false if the font is not loaded by fontspec or is not an OpenType font.
<code>\fontspec_if_language:nnTF</code>	Test whether the currently selected font contains the raw OpenType language tag #2 in script #1. E.g.: <code>\fontspec_if_language:nnTF {cyr1} {SRB} {True} {False}</code> . Returns false if the font is not loaded by fontspec or is not an OpenType font.
<code>\fontspec_if_current_script:nTF</code>	Test whether the currently loaded font is using the specified raw OpenType script tag #1.
<code>\fontspec_if_current_language:nTF</code>	Test whether the currently loaded font is using the specified raw OpenType language tag #1.
<code>\fontspec_set_family:Nnn</code>	<div>#1 : \LaTeX family</div> <div>#2 : fontspec features</div> <div>#3 : font name</div> <p>Defines a new NFSS family from given <i>features</i> and <i>font</i>, and stores the family name in the variable <i>family</i>. This font family can then be selected with standard \LaTeX commands <code>\fontfamily{family}\selectfont</code>. See the standard fontspec user commands for applications of this function.</p>

`\fontspec_set_fontface:NNnn` #1 : primitive font
#2 : \LaTeX family
#3 : fontspec features
#4 : font name

Variant of the above in which the primitive \TeX font command is stored in the variable $\langle primitive font \rangle$. If a family is loaded (with bold and italic shapes) the primitive font command will only select the regular face. This feature is designed for \LaTeX programmers who need to perform subsequent font-related tests on the $\langle primitive font \rangle$.

Part VI

The patching/improvement of $\LaTeX 2_\epsilon$ and other packages

Derived originally from `xltxtra`, this package contains patches to various \LaTeX components and third-party packages to improve the default behaviour.

19 Inner emphasis

`fixltx2e`'s method for checking for “inner” emphasis is a little fragile in \XeTeX , because font slant information might be missing from the font. Therefore, we use \LaTeX 's NFSS information, which is more likely to be correct.

20 Unicode footnote symbols

By default \LaTeX defines symbolic footnote characters in terms of commands that don't resolve well; better results can be achieved by using specific Unicode characters or proper LICRs with the `xunicode` package.

This problem has been solved by loading the `fixltx2e` package.

21 Verbatim

Many verbatim mechanisms assume the existence of a ‘visible space’ character that exists in the `ASCII` space slot of the typewriter font. This character is known in Unicode as `U+2434: BOX OPEN`, which looks like this: ‘`␣`’.

When a Unicode typewriter font is used, \LaTeX no longer prints visible spaces for the `verbatim*` environment and `\verb*` command. This problem is fixed by using the correct Unicode glyph, and the following packages are patched to do the same: `listings`, `fancyvrb`, `moreverb`, and `verbatim`.

In the case that the typewriter font does not contain ‘`␣`’, the Latin Modern Mono font is used as a fallback.

22 Discretionary hyphenation: `\-`

\LaTeX defines the macro `\-` to insert discretionary hyphenation points. However, it is hard-coded in \LaTeX to use the hyphen `-` character. Since `fontspec` makes it easy to change the

hyphenation character on a per font basis, it would be nice if \- adjusted automatically — and now it does.

23 Commands for old-style and lining numbers

`\oldstylenums` L^AT_EX's definition of `\oldstylenums` relies on strange font encodings. We provide a fontspec-compatible alternative and while we're at it also throw in the reverse option as well. Use `\oldstylenums{⟨text⟩}` to explicitly use old-style (or lowercase) numbers in *⟨text⟩*, and the reverse for `\liningnums{⟨text⟩}`.

`\liningnums`

Part VII

fontspec.sty and friends

Herein lie the implementation details of this package. Welcome! It was my first.

24 ‘Header’ code

We will eventually load the correct version of the code according to which engine we’re running. As we’ll see later, there are some minor differences between what we have to do in Xe_{La}TeX and Lua_{La}TeX.

The expl3 module is fontspec.

```
1 <@@=fontspec>
2 <{*fontspec&!xetex&!luatex}>
```

But for now, this is the shared code.

```
3 \RequirePackage{expl3}[2011/09/05]
4 \RequirePackage{xparse}
5 \ExplSyntaxOn
```

Check engine and load specific modules. For LuaTeX, load only luaotfload which loads luatexbase and lualibs too.

```
6 \msg_new:nnn {fontspec} {cannot-use-pdftex}
7 {
8   The~ fontspec~ package~ requires~ either~ XeTeX~ or~ LuaTeX~ to~ function.
9   \\\
10  You~ must~ change~ your~ typesetting~ engine~ to,~
11    e.g.,~ "xelatex"~ or~ "luaLatex"~\
12  instead~ of~ plain~ "latex"~ or~ "pdflatex".
13 }
14 \xetex_if_engine:F
15 {
16   \luatex_if_engine:TF
17   {
18     \RequirePackage{luaotfload}[2013/05/20]
19     \RequireLuaModule{fontspec}
20   }
21   {
22     \msg_fatal:nn {fontspec} {cannot-use-pdftex}
23   }
24 }
```

24.1 expl3 tools

24.2 Bits and pieces

Conditionals

```
25 \bool_new:N \l_fontspec_firsttime_bool
26 \bool_new:N \l_fontspec_nobf_bool
27 \bool_new:N \l_fontspec_noit_bool
28 \bool_new:N \l_fontspec_nosc_bool
```



```

29 \bool_new:N \l_fontspec_tfm_bool
30 \bool_new:N \l_fontspec_atsui_bool
31 \bool_new:N \l_fontspec_icu_bool
32 \bool_new:N \l_fontspec_mm_bool
33 \bool_new:N \l_fontspec_graphite_bool

```

For dealing with legacy maths

```

34 \bool_new:N \g_fontspec_math_euler_bool
35 \bool_new:N \g_fontspec_math_lucida_bool
36 \bool_new:N \g_fontspec_package_euler_loaded_bool

```

For package options:

```

37 \bool_new:N \g_fontspec_cfg_bool
38 \bool_new:N \g_fontspec_math_bool

```

Counters

```

39 \int_new:N \l_fontspec_script_int
40 \int_new:N \l_fontspec_language_int
41 \int_new:N \l_fontspec_strnum_int

```

Other variables

```

42 \fp_new:N \l_fontspec_tmpa_fp
43 \fp_new:N \l_fontspec_tmppb_fp
44 \dim_new:N \l_fontspec_tmpa_dim
45 \dim_new:N \l_fontspec_tmppb_dim
46 \dim_new:N \l_fontspec_tmppc_dim

47 \tl_set:Nx \c_colon_str { \tl_to_str:N : }
48 \cs_set:Npn \use_v:nnnnn #1#2#3#4#5 {#5}
49 \cs_set:Npn \use_iv:nnnnn #1#2#3#4#5 {#4}

```

Need these:

```

50 \cs_generate_variant:Nn \str_if_eq:nnTF {nv}
51 \cs_generate_variant:Nn \int_set:Nn {Nv}
52 \cs_generate_variant:Nn \tl_gset:Nn {cV}
53 \cs_generate_variant:Nn \keys_set:nn {nx}
54 \cs_generate_variant:Nn \keys_set_known:nnN {nx}

```

_int_mult_truncate:Nn Missing in expl3, IMO.

```

55 \cs_new:Nn \_int_mult_truncate:Nn
56 {
57   \int_set:Nn #1 { \dim_eval:w #2 #1 \dim_eval_end: }
58 }

```

24.3 Error/warning/info messages

Shorthands for messages:

```

59 \cs_new:Npn \fontspec_error:n { \msg_error:nn {fontspec} }
60 \cs_new:Npn \fontspec_error:nx { \msg_error:nnx {fontspec} }
61 \cs_new:Npn \fontspec_warning:n { \msg_warning:nn {fontspec} }
62 \cs_new:Npn \fontspec_warning:nx { \msg_warning:nnx {fontspec} }
63 \cs_new:Npn \fontspec_warning:nxx { \msg_warning:nnxx {fontspec} }

```

```

64 \cs_new:Npn \fontspec_info:n { \msg_info:nn {fontspec} }
65 \cs_new:Npn \fontspec_info:nx { \msg_info:nnx {fontspec} }
66 \cs_new:Npn \fontspec_info:nxx { \msg_info:nnxx {fontspec} }
67 \cs_new:Npn \fontspec_trace:n { \msg_trace:nn {fontspec} }

Errors:
68 \msg_new:nnn {fontspec} {no-size-info}
69 {
70   Size~ information~ must~ be~ supplied.\\
71   For~ example,~ SizeFeatures={Size={8-12},...}.
72 }
73 \msg_new:nnnn {fontspec} {font-not-found}
74 {
75   The~ font~ "#1"~ cannot~ be~ found.
76 }
77 {
78   A~font~might~not~be~found~for~many~reasons.\\
79   Check~the~spelling,~where~the~font~is~installed~etc.~etc.\\
80   When~in~doubt,~ask~someone~for~help!
81 }
82 \msg_new:nnnn {fontspec} {rename-feature-not-exist}
83 {
84   The~ feature~ #1~ doesn't~ appear~ to~ be~ defined.
85 }
86 {
87   It~ looks~ like~ you're~ trying~ to~ rename~ a~ feature~ that~ doesn't~ exist.
88 }
89 \msg_new:nnn {fontspec} {no-glyph}
90 {
91   '\l_fontspec_fontname_tl'~ does~ not~ contain~ glyph~ #1.
92 }
93 \msg_new:nnnn {fontspec} {euler-too-late}
94 {
95   The~ euler~ package~ must~ be~ loaded~ BEFORE~ fontspec.
96 }
97 {
98   fontspec~ only~ overwrites~ euler's~ attempt~ to~
99   define~ the~ maths~ text~ fonts~ if~ fontspec~ is~
100   loaded~ after~ euler.~ Type~ <return>~ to~ proceed~
101   with~ incorrect~ \string\mathit,~ \string\mathbf,~ etc.
102 }
103 \msg_new:nnnn {fontspec} {no-xcolor}
104 {
105   Cannot~ load~ named~ colours~ without~ the~ xcolor~ package.
106 }
107 {
108   Sorry,~ I~ can't~ do~ anything~ to~ help.~ Instead~ of~ loading~
109   the~ color~ package,~ use~ xcolor~ instead.~ It's~ better.
110 }
111 \msg_new:nnnn {fontspec} {unknown-color-model}
112 {
113   Error~ loading~ colour~ '#1';~ unknown~ colour~ model.

```

```

114 }
115 {
116     Sorry, I can't do anything to help. Please report this error
117     to my developer with a minimal example that causes the problem.
118 }

Warnings:

119 \msg_new:nnn {fontspec} {addfontfeatures-ignored}
120 {
121     \string\addfontfeature (s) ignored;
122     it cannot be used with a font that wasn't selected by fontspec.
123 }
124 \msg_new:nnn {fontspec} {feature-option-overwrite}
125 {
126     Option '#2' of font feature '#1' overwritten.
127 }
128 \msg_new:nnn {fontspec} {script-not-exist-latn}
129 {
130     Font '\l_fontspec_fontname_tl' does not contain script '#1'.\l
131     'Latin' script used instead.
132 }
133 \msg_new:nnn {fontspec} {script-not-exist}
134 {
135     Font '\l_fontspec_fontname_tl' does not contain script '#1'.
136 }
137 \msg_new:nnn {fontspec} {aat-feature-not-exist}
138 {
139     '\l_keys_key_tl=\l_keys_value_tl' feature not supported
140     for AAT font '\l_fontspec_fontname_tl'.
141 }
142 \msg_new:nnn {fontspec} {aat-feature-not-exist-in-font}
143 {
144     AAT feature '\l_keys_key_tl=\l_keys_value_tl' (#1) not available
145     in font '\l_fontspec_fontname_tl'.
146 }
147 \msg_new:nnn {fontspec} {icu-feature-not-exist}
148 {
149     '\l_keys_key_tl=\l_keys_value_tl' feature not supported
150     for ICU font '\l_fontspec_fontname_tl'
151 }
152 \msg_new:nnn {fontspec} {icu-feature-not-exist-in-font}
153 {
154     OpenType feature '\l_keys_key_tl=\l_keys_value_tl' (#1) not available
155     for font '\l_fontspec_fontname_tl'
156     with script '\l_fontspec_script_name_tl' and language '\l_fontspec_lang_name_tl'.
157 }
158 \msg_new:nnn {fontspec} {no-opticals}
159 {
160     '\l_fontspec_fontname_tl' doesn't appear to have an Optical Size axis.
161 }
162 \msg_new:nnn {fontspec} {language-not-exist}
163 {

```

```

164 Language~ '#1'~ not~ available~
165 for~ font~ '\l_fontspec_fontname_tl'~
166 with~ script~ '\l_fontspec_script_name_tl'.\\
167 'Default'~ language~ used~ instead.
168 }
169 \msg_new:nnn {fontspec} {only-xetex-feature}
170 {
171 Ignored~ XeTeX~ only~ feature:~ '#1'.
172 }
173 \msg_new:nnn {fontspec} {only-luatex-feature}
174 {
175 Ignored~ LuaTeX~ only~ feature:~ '#1'.
176 }
177 \msg_new:nnn {fontspec} {no-mapping}
178 {
179 Input~ mapping~ not~ (yet?)~ supported~ in~ LuaTeX.
180 }
181 \msg_new:nnn {fontspec} {no-mapping-ligtext}
182 {
183 Input~ mapping~ not~ (yet?)~ supported~ in~ LuaTeX.\\
184 Use~ "Ligatures=TeX"~ instead~ of~ "Mapping=tex-text".
185 }
186 \msg_new:nnn {fontspec} {cm-default-obsolete}
187 {
188 The~ "cm-default"~ package~ option~ is~ obsolete.
189 }
190 \msg_new:nnn {fontspec} {fakebold-only-xetex}
191 {
192 The~ "FakeBold"~ and~ "AutoFakeBold"~ options~ are~ only~ available~ with~ XeLaTeX.\\
193 Option~ ignored.
194 }

Info messages:
195 \msg_new:nnn {fontspec} {defining-font}
196 {
197 Font~ family~'\l_fontspec_family_tl'~ created~ for~ font~ '#2'~
198 with~ options~ [\g_fontspec_default_fontopts_tl #1].\\
199 \\
200 This~ font~ family~ consists~ of~ the~ following~ shapes:
201 \l_fontspec_defined_shapes_tl
202 }
203 \msg_new:nnn {fontspec} {no-font-shape}
204 {
205 Could~ not~ resolve~ font~ #1~ (it~ probably~ doesn't~ exist).
206 }
207 \msg_new:nnn {fontspec} {set-scale}
208 {
209 \l_fontspec_fontname_tl\space scale ~~= \l_fontspec_scale_tl.
210 }
211 \msg_new:nnn {fontspec} {setup-math}
212 {
213 Adjusting~ the~ maths~ setup~ (use~ [no-math]~ to~ avoid~ this).

```

```

214 }
215 \msg_new:nnn {fontspec} {no-scripts}
216 {
217   Font~ \l_fontspec_fontname_tl\space does~ not~ contain~ any~ OpenType~ ‘Script’~ information.
218 }
219 \msg_new:nnn {fontspec} {opa-twice}
220 {
221   Opacity~ set~ twice,~ in~ both~ Colour~ and~ Opacity.\\
222   Using~ specification~ "Opacity=#1".
223 }
224 \msg_new:nnn {fontspec} {opa-twice-col}
225 {
226   Opacity~ set~ twice,~ in~ both~ Opacity~ and~ Colour.\\
227   Using~ an~ opacity~ specification~ in~ hex~ of~ "#1/FF".
228 }
229 \msg_new:nnn {fontspec} {bad-colour}
230 {
231   Bad~ colour~ declaration~ "#1".~
232   Colour~ must~ be~ one~ of:\\
233   *~ a~ named~ xcolor~ colour\\
234   *~ a~ six-digit~ hex~ colour~ RRGGBB\\
235   *~ an~ eight-digit~ hex~ colour~ RRGGBBTT~ with~ opacity
236 }

```

24.4 Option processing

```

237 \DeclareOption{cm-default}
238 { \fontspec_warning:n {cm-default-obsolete} }
239 \DeclareOption{math}{\bool_set_true:N \g_fontspec_math_bool}
240 \DeclareOption{no-math}{\bool_set_false:N \g_fontspec_math_bool}
241 \DeclareOption{config}{\bool_set_true:N \g_fontspec_cfg_bool}
242 \DeclareOption{no-config}{\bool_set_false:N \g_fontspec_cfg_bool}
243 \DeclareOption{quiet}
244 {
245   \msg_redirect_module:nnn { fontspec } { warning } { info }
246   \msg_redirect_module:nnn { fontspec } { info } { none }
247 }
248 \DeclareOption{silent}
249 {
250   \msg_redirect_module:nnn { fontspec } { warning } { none }
251   \msg_redirect_module:nnn { fontspec } { info } { none }
252 }
253 \ExecuteOptions{config,math}
254 \ProcessOptions*

```

24.5 Packages

New for Lua_{TeX}, we load a new package called ‘fontspec-patches’ designed to incorporate the hidden but useful parts of the old xltextra package.

```

255 \RequirePackage{fontspec-patches}

256 \luatex_if_engine:T { \RequirePackage{fontspec-luatex} \endinput }
257 \xetex_if_engine:T { \RequirePackage{fontspec-xetex} \endinput }

```

```
258 </fontspec&!xetex&!luatex>
```

25 The main package code

That was the driver, and now the fun starts.

```
259 <*fontspec & (xetex | luatex)>
260 \ExplSyntaxOn
```

25.1 Encodings

Frank Mittelbach has recommended using the ‘EUx’ family of font encodings to experiment with Unicode. Now that Xe_{La}TeX can find fonts in the texmf tree, the Latin Modern OpenType fonts can be used as the defaults. See the euenc collection of files for how this is implemented.

```
261 <xetex>\tl_set:Nn \g_fontspec_encoding_tl {EU1}
262 <luatex>\tl_set:Nn \g_fontspec_encoding_tl {EU2}
263 \tl_set:Nn \rmdefault {lmr}
264 \tl_set:Nn \sfdefault {lmss}
265 \tl_set:Nn \ttdefault {lmtt}
266 \RequirePackage[\g_fontspec_encoding_tl]{fontenc}
267 \tl_set_eq:NN \UTFencname \g_fontspec_encoding_tl % for xunicode
```

Dealing with a couple of the problems introduced by babel:

```
268 \tl_set_eq:NN \cyrillicencoding \g_fontspec_encoding_tl
269 \tl_set_eq:NN \latinencoding \g_fontspec_encoding_tl
270 \tl_put_right:Nn \document
271 {
272   \tl_set_eq:NN \cyrillicencoding \g_fontspec_encoding_tl
273   \tl_set_eq:NN \latinencoding \g_fontspec_encoding_tl
274 }
```

That latin encoding definition is repeated to suppress font warnings. Something to do with \select@language ending up in the .aux file which is read at the beginning of the document.

xunicode Now we load xunicode, working around its internal Xe_{La}TeX check when under Lua_{TeX}.

```
275 <xetex>\RequirePackage{xunicode}
276 <*luatex>
277 \cs_set_eq:NN \fontspec_tmp: \XeTeXpicfile
278 \cs_set:Npn \XeTeXpicfile {}
279 \RequirePackage{xunicode}
280 \cs_set_eq:NN \XeTeXpicfile \fontspec_tmp:
281 </luatex>
```

25.2 User commands

This section contains the definitions of the commands detailed in the user documentation. Only the ‘top level’ definitions of the commands are contained herein; they all use or define macros which are defined or used later on in [Section 25.5 on page 65](#).

25.2.1 Font selection

<code>\fontspec</code>	This is the main command of the package that selects fonts with various features. It takes two arguments: the font name and the optional requested features of that font. Then this new font family is selected.
	<pre> 282 \DeclareDocumentCommand \fontspec { O{} m } 283 { 284 \fontencoding {\g_fontspec_encoding_tl} 285 \fontspec_set_family:Nnn \f@family {#1}{#2} 286 \selectfont 287 \ignorespaces 288 } </pre>
<code>\setmainfont</code>	The following three macros perform equivalent operations setting the default font for a particular family: ‘roman’, sans serif, or typewriter (monospaced). I end them with <code>\normalfont</code> so that if they’re used in the document, the change registers immediately.
<code>\setsansfont</code>	
<code>\setmonofont</code>	
	<pre> 289 \DeclareDocumentCommand \setmainfont { O{} m } 290 { 291 \fontspec_set_family:Nnn \rmdefault {#1}{#2} 292 \normalfont 293 } 294 \DeclareDocumentCommand \setsansfont { O{} m } 295 { 296 \fontspec_set_family:Nnn \sfdefault {#1}{#2} 297 \normalfont 298 } 299 \DeclareDocumentCommand \setmonofont { O{} m } 300 { 301 \fontspec_set_family:Nnn \ttdefault {#1}{#2} 302 \normalfont 303 } </pre>
<code>\setromanfont</code>	This is the old name for <code>\setmainfont</code> , retained for backwards compatibility.
	<pre> 304 \cs_set_eq:NN \setromanfont \setmainfont </pre>
<code>\setmathrm</code>	These commands are analogous to <code>\setromanfont</code> and others, but for selecting the font used for <code>\mathrm</code> , <i>etc.</i> They can only be used in the preamble of the document. <code>\setboldmathrm</code> is used for specifying which fonts should be used in <code>\boldmath</code> .
<code>\setmathsf</code>	
<code>\setboldmathrm</code>	
<code>\setmathtt</code>	
	<pre> 305 \tl_new:N \g_fontspec_mathrm_tl 306 \tl_new:N \g_fontspec_bfmathrm_tl 307 \tl_new:N \g_fontspec_mathsf_tl 308 \tl_new:N \g_fontspec_mathtt_tl 309 \DeclareDocumentCommand \setmathrm { O{} m } 310 { 311 \fontspec_set_family:Nnn \g_fontspec_mathrm_tl {#1}{#2} 312 } 313 \DeclareDocumentCommand \setboldmathrm { O{} m } 314 { 315 \fontspec_set_family:Nnn \g_fontspec_bfmathrm_tl {#1}{#2} 316 } 317 \DeclareDocumentCommand \setmathsf { O{} m } 318 { </pre>

```

319 \fontspec_set_family:Nnn \g_fontspec_mathsf_tl {#1}{#2}
320 }
321 \DeclareDocumentCommand \setmathtt { O{ } m }
322 {
323   \fontspec_set_family:Nnn \g_fontspec_mathtt_tl {#1}{#2}
324 }
325 \@onlypreamble\setmathrm
326 \@onlypreamble\setboldmathrm
327 \@onlypreamble\setmathsf
328 \@onlypreamble\setmathtt

```

If the commands above are not executed, then `\rmdefault` (*etc.*) will be used.

```

329 \tl_set:Nn \g_fontspec_mathrm_tl {\rmdefault}
330 \tl_set:Nn \g_fontspec_mathsf_tl {\sfdefault}
331 \tl_set:Nn \g_fontspec_mathtt_tl {\ttdefault}

```

`\newfontfamily` This macro takes the arguments of `\fontspec` with a prepended (*instance cmd*) (code for middle optional argument generated by Scott Pakin's `newcommand.py`). This command is used when a specific font instance needs to be referred to repetitively (*e.g.*, in a section heading) since continuously calling `\fontspec_select:nn` is inefficient because it must parse the option arguments every time.

`\fontspec_select:nn` defines a font family and saves its name in `\l_fontspec_family_tl`. This family is then used in a typical NFSS `\fontfamily` declaration, saved in the macro name specified.

```

332 \DeclareDocumentCommand \newfontfamily { m O{ } m }
333 {
334   \fontspec_select:nn{#2}{#3}
335   \use:x
336   {
337     \exp_not:N \DeclareRobustCommand \exp_not:N #1
338     {
339       \exp_not:N \fontencoding {\g_fontspec_encoding_tl}
340       \exp_not:N \fontfamily {\l_fontspec_family_tl} \exp_not:N \selectfont
341     }
342   }
343 }

```

`\newfontface` uses an undocumented feature of the `BoldFont` feature; if its argument is empty (*i.e.*, `BoldFont={}`), then no bold font is searched for.

```

344 \DeclareDocumentCommand \newfontface { m O{ } m }
345 {
346   \newfontfamily #1 [ BoldFont={},ItalicFont={},SmallCapsFont={},#2 ] {#3}
347 }

```

25.2.2 Font feature selection

`\defaultfontfeatures` This macro takes one argument that consists of all of feature options that will be applied by default to all subsequent `\fontspec`, *et al.*, commands. It stores its value in `\g_fontspec_default_fontopts_tl` (initialised empty), which is concatenated with the individual macro choices in the `[...]` macro.

```

348 \tl_new:N \g_fontspec_default_fontopts_tl
349 \prop_new:N \g_@_fontopts_prop

```



```

350 \DeclareDocumentCommand \defaultfontfeatures { o m }
351 {
352   \IfNoValueTF {#1}
353   { \@@_set_default_features:n {#2} }
354   { \@@_set_font_default_features:nn {#1} {#2} }
355 }
356 \cs_new:Nn \@@_set_default_features:n
357 {
358   \tl_set:Nn \g_fontspec_default_fontopts_tl {#1,}
359 }

```

The optional argument specifies a font identifier. Strip spaces and file extensions and lower-case to ensure consistency.

```

360 \cs_new:Nn \@@_set_font_default_features:nn
361 {
362   \@@_sanitise_fontname:Nn \l_@@_tmp_tl {#1}
363   \tl_if_empty:nTF {#2}
364   { \prop_gremove:NV \g_@@_fontopts_prop \l_@@_tmp_tl }
365   { \prop_gput:NVn \g_@@_fontopts_prop \l_@@_tmp_tl {#2} }
366 }
367 \cs_new:Nn \@@_sanitise_fontname:Nn
368 {
369   \use:x { \tl_to_lowercase:n { \tl_set:Nx \exp_not:N #1 {#2} } }
370   \tl_remove_all:Nn #1 {~}
371   \clist_map_inline:Nn \l_fontspec_extensions_clist
372   { \tl_remove_once:Nn #1 {##1} }
373 }

```

`\addfontfeatures` In order to be able to extend the feature selection of a given font, two things need to be known: the currently selected features, and the currently selected font. Every time a font family is created, this information is saved inside a control sequence with the name of the font family itself.

This macro extracts this information, then appends the requested font features to add to the already existing ones, and calls the font again with the top level `\fontspec` command.

The default options are *not* applied (which is why `\g_fontspec_default_fontopts_tl` is emptied inside the group; this is allowed as `\l_fontspec_family_tl` is globally defined in `\fontspec_select:nn`), so this means that the only added features to the font are strictly those specified by this command.

`\addfontfeature` is defined as an alias, as I found that I often typed this instead when adding only a single font feature.

```

374 \DeclareDocumentCommand \addfontfeatures {m}
375 {
376   \ifcsname zf@family@fontdef\f@family\endcsname
377   \group_begin:
378     \tl_clear:N \g_fontspec_default_fontopts_tl
379     \use:x
380     {
381       \exp_not:N\fontspec_select:nn
382       {\csname zf@family@options\f@family\endcsname,#1}
383       {\csname zf@family@fontname\f@family\endcsname}
384     }
385   \group_end:

```

```

386 \fontfamily\l_fontspec_family_tl\selectfont
387 \else
388 \fontspec_warning:n {addfontfeatures-ignored}
389 \fi
390 \ignorespaces
391 }
392 \cs_set_eq:NN \addfontfeature \addfontfeatures

```

25.2.3 Defining new font features

`\newfontfeature` `\newfontfeature` takes two arguments: the name of the feature tag by which to reference it, and the string that is used to select the font feature.

```

393 \DeclareDocumentCommand \newfontfeature {mm}
394 {
395 \keys_define:nn { fontspec }
396 {
397 #1 .code:n =
398 {
399 \fontspec_update_fontid:n {+zf-#1}
400 \fontspec_update_featstr:n {#2}
401 }
402 }
403 }

```

`\newAATfeature` This command assigns a new AAT feature by its code (#2,#3) to a new name (#1). Better than `\newfontfeature` because it checks if the feature exists in the font it's being used for.

```

404 \DeclareDocumentCommand \newAATfeature {mmm}
405 {
406 \keys_if_exist:nnF { fontspec } {#1}
407 { \fontspec_define_font_feature:n {#1} }
408 \keys_if_choice_exist:nnnT {fontspec} {#1} {#2}
409 { \fontspec_warning:nxx {feature-option-overwrite}{#1}{#2} }
410 \fontspec_define_feature_option:nnnn{#1}{#2}{#3}{#4}{ }
411 }

```

`\newICUfeature` This command assigns a new OpenType feature by its abbreviation (#2) to a new name (#1).
`\newopentypefeature` Better than `\newfontfeature` because it checks if the feature exists in the font it's being used for.

```

412 \DeclareDocumentCommand \newICUfeature {mmm}
413 {
414 \keys_if_exist:nnF { fontspec / options } {#1}
415 { \fontspec_define_font_feature:n {#1} }
416 \keys_if_choice_exist:nnnT {fontspec} {#1} {#2}
417 { \fontspec_warning:nxx {feature-option-overwrite}{#1}{#2} }
418 \fontspec_define_feature_option:nnnn{#1}{#2}{ } {#3}
419 }
420 \cs_set_eq:NN \newopentypefeature \newICUfeature

```

`\aliasfontfeature` User commands for renaming font features and font feature options.

```

\aliasfontfeatureoption 421 \DeclareDocumentCommand \aliasfontfeature {mm}
422 {
423 \keys_if_exist:nnTF {fontspec} {#1}

```

```

424 {
425   \keys_define:nn {fontspec}
426   { #2 .code:n = { \keys_set:nn {fontspec} { #1 = {##1} } } }
427 }
428 {
429   \keys_if_exist:nnTF {fontspec-preparse} {#1}
430   {
431     \keys_define:nn {fontspec-preparse}
432     { #2 .code:n = { \keys_set:nn {fontspec-preparse} { #1 = {##1} } } }
433   }
434   {
435     \keys_if_exist:nnTF {fontspec-preparse-external} {#1}
436     {
437       \keys_define:nn {fontspec-preparse-external}
438       {
439         #2 .code:n =
440         { \keys_set:nn {fontspec-preparse-external} { #1 = {##1} } }
441       }
442     }
443     {
444       \fontspec_warning:nx {rename-feature-not-exist} {#1}
445     }
446   }
447 }
448 }
449 \DeclareDocumentCommand \aliasfontfeatureoption {mmm}
450 { \keys_define:nn { fontspec / #1 } { #3 .meta:n = {#2} } }

```

`\newfontscript` Mostly used internally, but also possibly useful for users, to define new OpenType ‘scripts’, mapping logical names to OpenType script tags. Iterates though the scripts in the selected font to check that it’s a valid feature choice, and then prepends the (X₃TeX) `\font` feature string with the appropriate script selection tag.

```

451 \DeclareDocumentCommand \newfontscript {mm}
452 {
453   \fontspec_new_script:nn {#1} {#2}
454   \fontspec_new_script:nn {#2} {#2}
455 }
456 \keys_define:nn { fontspec } { Script .choice: }
457 \cs_new:Nn \fontspec_new_script:nn
458 {
459   \keys_define:nn { fontspec } { Script / #1 .code:n =
460     \fontspec_check_script:nTF {#2}
461     {
462       \fontspec_update_fontid:n {+script=#1}
463       \tl_set:Nn \l_fontspec_script_tl {#2}
464       \int_set:Nn \l_fontspec_script_int {\l_fontspec_strnum_int}
465     }
466     {
467       \fontspec_check_script:nTF {latn}
468       {
469         \fontspec_warning:nx {script-not-exist-latn} {#1}

```

```

470     \keys_set:nn {fontspec} {Script=Latin}
471   }
472   {
473     \fontspec_warning:nx {script-not-exist} {#1}
474   }
475 }
476 }
477 }

```

`\newfontlanguage` Mostly used internally, but also possibly useful for users, to define new OpenType ‘languages’, mapping logical names to OpenType language tags. Iterates through the languages in the selected font to check that it’s a valid feature choice, and then prepends the (X_YY_X) `\font` feature string with the appropriate language selection tag.

```

478 \DeclareDocumentCommand \newfontlanguage {mm}
479 {
480   \fontspec_new_lang:nn {#1} {#2}
481   \fontspec_new_lang:nn {#2} {#2}
482 }

483 \keys_define:nn { fontspec } { Language .choice: }
484 \cs_new:Nn \fontspec_new_lang:nn
485 {
486   \keys_define:nn { fontspec } { Language / #1 .code:n =
487     \fontspec_check_lang:nTF {#2}
488     {
489       \fontspec_update_fontid:n {+lang=#1}
490       \tl_set:Nn \l_fontspec_lang_tl {#2}
491       \int_set:Nn \l_fontspec_language_int {\l_fontspec_strnum_int}
492     }
493     {
494       \fontspec_warning:nx {language-not-exist} {#1}
495       \keys_set:nn { fontspec } { Language = Default }
496     }
497   }
498 }

```

`\DeclareFontsExtensions` dfont would never be uppercase, right?

```

499 \DeclareDocumentCommand \DeclareFontsExtensions {m}
500 {
501   \tl_set:Nn \l_fontspec_extensions_clist { #1 }
502   \tl_remove_all:Nn \l_fontspec_extensions_clist {~}
503 }
504 \DeclareFontsExtensions{.otf,.ttf,.OTF,.TTF,.ttc,.TTC,.dfont}

```

25.3 Programmer’s interface

These functions are not used directly by fontspec when defining fonts; they are designed to be used by other packages who wish to do font-related things on top of fontspec itself.

Because I haven’t fully explored how these functions will behave in practise, I am not giving them user-level names. As it becomes more clear which of these should be accessible by document writers, I’ll open them up a little more.

All functions are defined assuming that the font to be queried is currently selected as a fontspec font. (I.e., via `\fontspec` or from a `\newfontfamily` macro or from `\setmainfont` and so on.)

```

\fontspec_if_fontspec_font:TF  Test whether the currently selected font has been loaded by fontspec.
505 \prg_new_conditional:Nnn \fontspec_if_fontspec_font: {TF,T,F}
506 {
507   \cs_if_exist:cTF {g_fontspec_ \f@family _prop} \prg_return_true: \prg_return_false:
508 }

\fontspec_if_aat_feature:nnTF  Conditional to test if the currently selected font contains the AAT feature (#1,#2).
509 \prg_new_conditional:Nnn \fontspec_if_aat_feature:nn {TF,T,F}
510 {
511   \fontspec_if_fontspec_font:TF
512   {
513     \fontspec_font_set:Nnn \l_fontspec_font {\use:c{zf@family@fontdef\f@family}} {\f@size pt}
514     \bool_if:NTF \l_fontspec_atsui_bool
515     {
516       \fontspec_make_AAT_feature_string:nnTF {#1}{#2}
517       \prg_return_true: \prg_return_false:
518     }
519     {
520       \prg_return_false:
521     }
522   }
523   {
524     \prg_return_false:
525   }
526 }

\fontspec_if_opentype:TF  Test whether the currently selected font is an OpenType font. Always true for LuaTeX fonts.
527 \prg_new_conditional:Nnn \fontspec_if_opentype: {TF,T,F}
528 {
529   \fontspec_if_fontspec_font:TF
530   {
531     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\f@family\endcsname} {\f@size pt}
532     \fontspec_set_font_type:
533     \bool_if:NTF \l_fontspec_icu_bool \prg_return_true: \prg_return_false:
534   }
535   {
536     \prg_return_false:
537   }
538 }

\fontspec_if_feature:nTF  Test whether the currently selected font contains the raw OpenType feature #1. E.g.:
\fontspec_if_feature:nTF {pnum} {True} {False} Returns false if the font is not loaded
by fontspec or is not an OpenType font.
539 \prg_new_conditional:Nnn \fontspec_if_feature:n {TF,T,F}
540 {
541   \fontspec_if_fontspec_font:TF
542   {
543     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\f@family\endcsname} {\f@size pt}

```

```

544 \fontspec_set_font_type:
545 \bool_if:NTF \l_fontspec_icu_bool
546 {
547   \int_set:Nv \l_fontspec_script_int {g_fontspec_script_num_(\f@family)_tl}
548   \int_set:Nv \l_fontspec_language_int {g_fontspec_lang_num_(\f@family)_tl}
549   \tl_set:Nv \l_fontspec_script_tl {g_fontspec_script_(\f@family)_tl}
550   \tl_set:Nv \l_fontspec_lang_tl {g_fontspec_lang_(\f@family)_tl}
551   \fontspec_check_ot_feat:nTF {#1} {\prg_return_true:} {\prg_return_false:}
552 }
553 {
554   \prg_return_false:
555 }
556 }
557 {
558   \prg_return_false:
559 }
560 }

```

`\fontspec_if_feature:nnnTF` Test whether the currently selected font with raw OpenType script tag #1 and raw OpenType language tag #2 contains the raw OpenType feature tag #3. E.g.: `\fontspec_if_feature:nTF {latn} {ROM} {pnum} {True}` Returns false if the font is not loaded by fontspec or is not an OpenType font.

```

561 \prg_new_conditional:Nnn \fontspec_if_feature:nnn {TF,T,F}
562 {
563   \fontspec_if_fontspec_font:TF
564   {
565     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\f@family\endcsname} {\f@size}
566     \fontspec_set_font_type:
567     \bool_if:NTF \l_fontspec_icu_bool
568     {
569       \fontspec_iv_str_to_num:Nn \l_fontspec_script_int {#1}
570       \fontspec_iv_str_to_num:Nn \l_fontspec_language_int {#2}
571       \fontspec_check_ot_feat:nTF {#3} \prg_return_true: \prg_return_false:
572     }
573     { \prg_return_false: }
574   }
575   { \prg_return_false: }
576 }

```

`\fontspec_if_script:nTF` Test whether the currently selected font contains the raw OpenType script #1. E.g.: `\fontspec_if_script:nTF {latn} {True} {False}` Returns false if the font is not loaded by fontspec or is not an OpenType font.

```

577 \prg_new_conditional:Nnn \fontspec_if_script:n {TF,T,F}
578 {
579   \fontspec_if_fontspec_font:TF
580   {
581     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\f@family\endcsname} {\f@size}
582     \fontspec_set_font_type:
583     \bool_if:NTF \l_fontspec_icu_bool
584     {
585       \fontspec_check_script:nTF {#1} \prg_return_true: \prg_return_false:
586     }
587     { \prg_return_false: }

```

```

588     }
589     { \prg_return_false: }
590 }

\fontspec_if_language:nTF Test whether the currently selected font contains the raw OpenType language tag #1. E.g.:
\fontspec_if_language:nTF {ROM} {True} {False}. Returns false if the font is not loaded
by fontspec or is not an OpenType font.
591 \prg_new_conditional:Nnn \fontspec_if_language:n {TF,T,F}
592 {
593   \fontspec_if_fontspec_font:TF
594   {
595     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\family\endcsname} {\f@size}
596     \fontspec_set_font_type:
597     \bool_if:NTF \l_fontspec_icu_bool
598     {
599       \tl_set:Nv \l_fontspec_script_tl {g_fontspec_script_(\family)_tl}
600       \int_set:Nv \l_fontspec_script_int {g_fontspec_script_num_(\family)_tl}
601       \fontspec_check_lang:nTF {#1} \prg_return_true: \prg_return_false:
602     }
603     { \prg_return_false: }
604   }
605   { \prg_return_false: }
606 }

\fontspec_if_language:nnTF Test whether the currently selected font contains the raw OpenType language tag #2 in
script #1. E.g.: \fontspec_if_language:nnTF {cyr1} {SRB} {True} {False}. Returns false
if the font is not loaded by fontspec or is not an OpenType font.
607 \prg_new_conditional:Nnn \fontspec_if_language:nn {TF,T,F}
608 {
609   \fontspec_if_fontspec_font:TF
610   {
611     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\family\endcsname} {\f@size}
612     \fontspec_set_font_type:
613     \bool_if:NTF \l_fontspec_icu_bool
614     {
615       \tl_set:Nn \l_fontspec_script_tl {#1}
616       \fontspec_iv_str_to_num:Nn \l_fontspec_script_int {#1}
617       \fontspec_check_lang:nTF {#2} \prg_return_true: \prg_return_false:
618     }
619     { \prg_return_false: }
620   }
621   { \prg_return_false: }
622 }

fontspec_if_current_script:nTF Test whether the currently loaded font is using the specified raw OpenType script tag #1.
623 \prg_new_conditional:Nnn \fontspec_if_current_script:n {TF,T,F}
624 {
625   \fontspec_if_fontspec_font:TF
626   {
627     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\family\endcsname} {\f@size}
628     \fontspec_set_font_type:
629     \bool_if:NTF \l_fontspec_icu_bool

```

```

630 {
631   \str_if_eq:nvTF {#1} {g_fontspec_script_(\f@family)_t1}
632   {\prg_return_true:} {\prg_return_false:}
633 }
634 { \prg_return_false: }
635 }
636 { \prg_return_false: }
637 }

```

fontspec_if_current_language:nTF Test whether the currently loaded font is using the specified raw OpenType language tag #1.

```

638 \prg_new_conditional:Nnn \fontspec_if_current_language:n {TF,T,F}
639 {
640   \fontspec_if_fontspec_font:TF
641   {
642     \fontspec_font_set:Nnn \l_fontspec_font {\csname zf@family@fontdef\f@family\endcsname} {\f@size}
643     \fontspec_set_font_type:
644     \bool_if:NTF \l_fontspec_icu_bool
645     {
646       \str_if_eq:nvTF {#1} {g_fontspec_lang_(\f@family)_t1}
647       {\prg_return_true:} {\prg_return_false:}
648     }
649     { \prg_return_false: }
650   }
651   { \prg_return_false: }
652 }

```

\fontspec_set_family:Nnn #1 : family
 #2 : fontspec features
 #3 : font name

Defines a new font family from given *features* and *font*, and stores the name in the variable *family*. See the standard fontspec user commands for applications of this function.

We want to store the actual name of the font family within the *family* variable because the actual L^AT_EX family name is automatically generated by fontspec and it's easier to keep it that way.

Please use \fontspec_set_family:Nnn instead of \fontspec_select:nn, which may change in the future.

```

653 \cs_new:Nn \fontspec_set_family:Nnn
654 {
655   \fontspec_select:nn {#2}{#3}
656   \tl_set_eq:NN #1 \l_fontspec_family_tl
657 }

```

\fontspec_set_fontface:NNnn

```

658 \cs_new:Nn \fontspec_set_fontface:NNnn
659 {
660   \fontspec_select:nn {#3}{#4}
661   \tl_set_eq:NN #1 \l_fontspec_font
662   \tl_set_eq:NN #2 \l_fontspec_family_tl
663 }

```


25.4 expl3 interface for font loading

```
664 \cs_set:Nn \fontspec_fontwrap:n { "#1" }
```

Beginnings of an 'l3font', I guess:

```
665 \cs_if_free:NT \font_set_eq:NN
666 {
667   \cs_set_eq:NN \font_set_eq:NN \tex_let:D
668   \cs_set:Npn \font_set:Nnn #1#2#3
669   {
670     \font #1 = #2 ~at~ #3\scan_stop:
671   }
672   \cs_set:Npn \font_gset:Nnn #1#2#3
673   {
674     \global \font #1 = #2 ~at~ #3 \scan_stop:
675   }
676   \cs_set:Npn \font_suppress_not_found_error:
677   { \xetex } { \suppressfontnotfounderror=1 }
678   { \luatex } { \luatexsuppressfontnotfounderror=1 }
679   \prg_set_conditional:Nnn \font_if_null:N {p,TF,T,F}
680   {
681     \ifx #1 \nullfont
682       \prg_return_true:
683     \else
684       \prg_return_false:
685     \fi
686   }
687 }
```

`\fontspec_set:Nnn, \fontspec_gset:Nnn` Wrapper around `\font_set:Nnn` and `\font_gset:Nnn`.

```
688 \cs_new:Nn \fontspec_font_set:Nnn
689 {
690   \font_set:Nnn #1 { \fontspec_fontwrap:n {#2} } {#3}
691 }
692 \cs_new:Nn \fontspec_font_gset:Nnn
693 {
694   \font_gset:Nnn #1 { \fontspec_fontwrap:n {#2} } {#3}
695 }
```

`\font_glyph_if_exist:NnTF`

```
696 \prg_new_conditional:Nnn \font_glyph_if_exist:Nn {p,TF,T,F}
697 {
698   \etex_iffontchar:D #1 #2 \scan_stop:
699   \prg_return_true:
700 \else:
701   \prg_return_false:
702 \fi:
703 }
```

25.5 Internal macros

The macros from here in are used internally by all those defined above. They are not designed to remain consistent between versions.

`\fontspec_select:nn` This is the command that defines font families for use, the underlying procedure of all `\fontspec`-like commands. Given a list of font features (#1) for a requested font (#2), it will define an NFSS family for that font and put the family name (globally) into `\l_fontspec_family_tl`. The TeX `'\font'` command is (globally) stored in `\l_fontspec_font`.

This macro does its processing inside a group to attempt to restrict the scope of its internal processing. This works to some degree to insulate the internal commands from having to be manually cleared.

```
704 \cs_set:Nn \fontspec_select:nn
```

```
705 {
```

```
706   \group_begin:
```

```
707   \font_suppress_not_found_error:
```

```
708   \fontspec_init:
```

`\l_fontspec_fontname_tl` is used as the generic name of the font being defined. `\l_fontspec_fontid_tl` is the unique identifier of the font with all its features. `\l_fontspec_fontname_up_tl` is the font specifically to be used as the upright font.

```
709   \tl_set:Nx \l_fontspec_fontname_tl {#2}
```

```
710 \luatex \tl_remove_all:Nn \l_fontspec_fontname_tl {~}
```

```
711   \tl_set_eq:NN \l_fontspec_fontid_tl \l_fontspec_fontname_tl
```

```
712   \tl_set_eq:NN \l_fontspec_fontname_up_tl \l_fontspec_fontname_tl
```

Load a possible `.fontspec` font configuration file. This file could set font-specific options for the font about to be loaded.

```
713   \@@_load_external_fontoptions:N \l_fontspec_fontname_tl
```

Convert the requested features to font definition strings. First the features are parsed for information about font loading (whether it's a named font or external font, etc.), and then information is extracted for the names of the other shape fonts.

```
714   \fontspec_preparse_features:nN {#1} \l_fontspec_fontname_tl
```

Finally save the 'confirmed' font definition.

```
715   \fontspec_font_set:Nnn \l_fontspec_font {\fontspec_fullname:n {\l_fontspec_fontname_up_tl}} {\font
```

```
716   \font_if_null:NT \l_fontspec_font { \fontspec_error:nx {font-not-found} {\l_fontspec_fontname_up
```

```
717   \fontspec_set_font_type:
```

```
718   \fontspec_font_gset:Nnn \l_fontspec_font {\fontspec_fullname:n {\l_fontspec_fontname_up_tl}} {\font
```

```
719   \l_fontspec_font % this is necessary for LuaLaTeX to check the scripts properly
```

Then the mapping from user features to low-level features occurs. This is performed with `\fontspec_get_features:n`, in which `\keys_set:nn` retrieves the requested font features and processes them. As `\keys_set:nn` is run multiple times, some of its information storing only occurs once while we decide if the font family has been defined or not. When the later processing is occurring per-shape this no longer needs to happen; this is indicated by the 'firsttime' conditional.

```
720   \fontspec_set_scriptlang:
```

```
721   \fontspec_get_features:n {}
```

```
722   \bool_set_false:N \l_fontspec_firsttime_bool
```

Check if the family is unique and, if so, save its information. (`\addfontfeature` and other macros use this data.) Then the font family and its shapes are defined in the NFSS.

All NFSS specifications take their default values, so if any of them are redefined, the shapes will be selected to fit in with the current state. For example, if `\bfdefault` is redefined to `b`, all bold shapes defined by this package will also be assigned to `b`.

```
723   \fontspec_save_family:nT {#2}
```

```
724   {
```

```

725 \fontspec_save_fontinfo:nn {#1} {#2}
726 \DeclareFontFamily{\g_fontspec_encoding_tl}{\l_fontspec_family_tl}{}
727 \fontspec_set_upright:
728 \fontspec_set_bold:
729 \fontspec_set_italic:
730 \fontspec_set_slanted:
731 \fontspec_set_bold_italic:
732 \fontspec_set_bold_slanted:
733 }
734 \fontspec_info:nxx {defining-font} {#1} {#2}
735 \group_end:
736 }

```

@@_load_external_fontoptions:N

```

737 \cs_new:Nn @@_load_external_fontoptions:N
738 {
739   \@@_sanitise_fontname:Nn \l_@@_tmp_tl {#1}
740   \prop_if_in:NVF \g_@@_fontopts_prop {\l_@@_tmp_tl}
741   {
742     \exp_args:No \file_if_exist:nT {\l_@@_tmp_tl.fontspec}
743     { \file_input:n {\l_@@_tmp_tl.fontspec} }
744   }
745 }

```

\fontspec_preparse_features:nN

```

#1 : feature options
#2 : font name
Perform the (multi-step) feature parsing process.
746 \cs_new:Nn \fontspec_preparse_features:nN
747 {
Detect if external fonts are to be used, possibly automatically, and parse fontspec features
for bold/italic fonts and their features.
748 \exp_args:NV \fontspec_if_detect_external:nT #2
749 { \keys_set:nn {fontspec-preparse-external} {ExternalLocation} }
750
751 \@@_sanitise_fontname:Nn \l_@@_tmp_tl {\l_fontspec_fontname_tl}
752 \prop_get:NVN \g_@@_fontopts_prop \l_@@_tmp_tl \l_@@_fontopts_clist
753 \keys_set:known:nxN {fontspec-preparse-external}
754 {
755   \g_fontspec_default_fontopts_tl
756   \quark_if_no_value:NF \l_@@_fontopts_clist {\l_@@_fontopts_clist,}
757   #1
758 }
759 \l_fontspec_keys_leftover_clist
When \l_fontspec_fontname_tl is augmented with a prefix or whatever to create the name
of the upright font (\l_fontspec_fontname_up_tl), this latter is the new ‘general font name’
to use.
760 \tl_set_eq:NN \l_fontspec_fontname_tl \l_fontspec_fontname_up_tl
761 \keys_set:known:nxN {fontspec-renderer} {\l_fontspec_keys_leftover_clist}
762 \l_fontspec_keys_leftover_clist
763 \keys_set:known:nxN {fontspec-preparse} {\l_fontspec_keys_leftover_clist}
764 \l_fontspec_fontfeat_clist

```

```

765 }

fontspec_if_detect_external:nT Check if either the fontname ends with a known font extension.
766 \prg_new_conditional:Nnn \fontspec_if_detect_external:n {T}
767 {
768   \clist_map_inline:Nn \l_fontspec_extensions_clist
769   {
770     \bool_set_false:N \l_tmpa_bool
771     \tl_if_in:nnT {#1 <= end_of_string} {##1 <= end_of_string}
772     { \bool_set_true:N \l_tmpa_bool \clist_map_break: }
773   }
774   \bool_if:NTF \l_tmpa_bool \prg_return_true: \prg_return_false:
775 }

\fontspec_fullname:n Constructs the complete font name based on a common piece of info.
776 \cs_set:Nn \fontspec_fullname:n
777 {
778   \fontspec_namewrap:n { #1 \l_fontspec_extension_tl }
779   \l_fontspec_renderer_tl
780   \l_fontspec_optical_size_tl
781 }

\fontspec_save_family:nT Now we have a unique (in fact, too unique!) string that contains the family name and every
                          option in abbreviated form. This is used with a counter to create a simple NFSS family name
                          for the font we're selecting.
                          The font name is fully expanded, in case it's defined in terms of macros, before having
                          its spaces zapped.
782 \prg_new_conditional:Nnn \fontspec_save_family:n {T}
783 {
784   \cs_if_exist:cF {g_fontspec_UID_\l_fontspec_fontid_tl}
785   {
786     \cs_if_exist:cTF {g_fontspec_family_#1_int}
787     { \int_gincr:c {g_fontspec_family_#1_int} }
788     { \int_new:c {g_fontspec_family_#1_int} }
789     \tl_set:Nx \l_fontspec_tmp_tl {#1}
790     \tl_remove_all:Nn \l_fontspec_tmp_tl {~}
791     \tl_gset:cx {g_fontspec_UID_\l_fontspec_fontid_tl}
792     {
793       \l_fontspec_tmp_tl ( \int_use:c {g_fontspec_family_#1_int} )
794     }
795   }
796   \tl_gset:Nv \l_fontspec_family_tl {g_fontspec_UID_\l_fontspec_fontid_tl}
797   \cs_if_exist:cTF {g_fontspec_ \l_fontspec_family_tl _prop}
798   \prg_return_false: \prg_return_true:
799 }

\fontspec_set_scriptlang: Only necessary for OpenType fonts. First check if the font supports scripts, then apply
                          defaults if none are explicitly requested. Similarly with the language settings.
800 \cs_new:Nn \fontspec_set_scriptlang:
801 {
802   \bool_if:NT \l_fontspec_firsttime_bool
803   {

```

```

804 \tl_if_empty:NTF \l_fontspec_script_name_tl
805 {
806   \fontspec_check_script:nTF {latn}
807   {
808     \tl_set:Nn \l_fontspec_script_name_tl {Latin}
809     \tl_if_empty:NT \l_fontspec_lang_name_tl
810     {
811       \tl_set:Nn \l_fontspec_lang_name_tl {Default}
812     }
813     \keys_set:nx {fontspec} {Script=\l_fontspec_script_name_tl}
814     \keys_set:nx {fontspec} {Language=\l_fontspec_lang_name_tl}
815   }
816   {
817     \fontspec_info:n {no-scripts}
818   }
819 }
820 {
821   \tl_if_empty:NT \l_fontspec_lang_name_tl
822   {
823     \tl_set:Nn \l_fontspec_lang_name_tl {Default}
824   }
825   \keys_set:nx {fontspec} {Script=\l_fontspec_script_name_tl}
826   \keys_set:nx {fontspec} {Language=\l_fontspec_lang_name_tl}
827 }
828 }
829 }

```

\fontspec_save_fontinfo:nn Saves the relevant font information for future processing.

```

830 \cs_generate_variant:Nn \prop_gput:Nnn {cnV}
831 \cs_generate_variant:Nn \prop_gput:Nnn {cnx}
832 \cs_new:Nn \fontspec_save_fontinfo:nn
833 {
834   \prop_new:c {g_fontspec_ \l_fontspec_family_tl _prop}
835   \prop_gput:cnx {g_fontspec_ \l_fontspec_family_tl _prop} {fontname} {#2}
836   \prop_gput:cnx {g_fontspec_ \l_fontspec_family_tl _prop} {options} {\g_fontspec_default_fontopts}
837   \prop_gput:cnx {g_fontspec_ \l_fontspec_family_tl _prop} {fontdef}
838   {
839     \fontspec_fullname:n {\l_fontspec_fontname_tl} :
840     \l_fontspec_pre_feat_sclist \l_fontspec_rawfeatures_sclist
841   }
842   \prop_gput:cnV {g_fontspec_ \l_fontspec_family_tl _prop} {script-num} \l_fontspec_script_int
843   \prop_gput:cnV {g_fontspec_ \l_fontspec_family_tl _prop} {lang-num} \l_fontspec_language_int
844   \prop_gput:cnV {g_fontspec_ \l_fontspec_family_tl _prop} {script-tag} \l_fontspec_script_tl
845   \prop_gput:cnV {g_fontspec_ \l_fontspec_family_tl _prop} {lang-tag} \l_fontspec_lang_tl
846
847   \tl_gset:cx {zf@family@fontname\l_fontspec_family_tl} {#2}
848   \tl_gset:cx {zf@family@options\l_fontspec_family_tl} {\g_fontspec_default_fontopts_tl #1}
849   \tl_gset:cx {zf@family@fontdef\l_fontspec_family_tl}
850   {
851     \fontspec_fullname:n {\l_fontspec_fontname_tl} :
852     \l_fontspec_pre_feat_sclist \l_fontspec_rawfeatures_sclist
853   }

```

```

854 \tl_gset:cV {g_fontspec_script_num_(\l_fontspec_family_tl)_tl} \l_fontspec_script_int
855 \tl_gset:cV {g_fontspec_lang_num_(\l_fontspec_family_tl)_tl} \l_fontspec_language_int
856 \tl_gset:eq:cN {g_fontspec_script_(\l_fontspec_family_tl)_tl} \l_fontspec_script_tl
857 \tl_gset:eq:cN {g_fontspec_lang_(\l_fontspec_family_tl)_tl} \l_fontspec_lang_tl
858 }

```

`\fontspec_set_upright:` Sets the upright shape.

```

859 \cs_new:Nn \fontspec_set_upright:
860 {
861   \fontspec_make_font_shapes:nnnn \l_fontspec_fontname_tl
862   \mddefault \updefault \l_fontspec_fontfeat_up_clist
863 }

```

`\fontspec_set_bold:` The macros [...], et al., are used to store the name of the custom bold, et al., font, if requested as user options. If they are empty, the default fonts are used.

The extra bold options defined with `BoldFeatures` are appended to the generic font features. Then, the bold font is defined either as the ATS default ([...] optional argument is to check if there actually is one; if not, the bold NFSS series is left undefined) or with the font specified with the `BoldFont` feature.

```

864 \cs_new:Nn \fontspec_set_bold:
865 {
866   \bool_if:NF \l_fontspec_nobf_bool
867   {
868     \tl_if_empty:NTF \l_fontspec_fontname_bf_tl
869     {
870       \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_tl {/B}
871       \bfdefault \updefault \l_fontspec_fontfeat_bf_clist
872     }
873     {
874       \fontspec_make_font_shapes:nnnn \l_fontspec_fontname_bf_tl
875       \bfdefault \updefault \l_fontspec_fontfeat_bf_clist
876     }
877   }
878 }

```

`\fontspec_set_italic:` And italic in the same way:

```

879 \cs_new:Nn \fontspec_set_italic:
880 {
881   \bool_if:NF \l_fontspec_noit_bool
882   {
883     \tl_if_empty:NTF \l_fontspec_fontname_it_tl
884     { \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_tl {/I} }
885     { \fontspec_make_font_shapes:nnnn \l_fontspec_fontname_it_tl }
886     \mddefault \itdefault \l_fontspec_fontfeat_it_clist
887   }
888 }

```

`\fontspec_set_slanted:` And slanted but only if requested:

```

889 \cs_new:Nn \fontspec_set_slanted:
890 {
891   \tl_if_empty:NF \l_fontspec_fontname_sl_tl
892   {

```

```

893 \fontspec_make_font_shapes:nnnn
894 \l_fontspec_fontname_sl_tl \mddefault \sldefault
895 \l_fontspec_fontfeat_sl_clist
896 }
897 }

```

`\fontspec_set_bold_italic:` If requested, the custom fonts take precedence when choosing the bold italic font. When both italic and bold fonts are requested and the bold italic font hasn't been explicitly specified (a rare occurrence, presumably), the new bold font is used to define the new bold italic font.

```

898 \cs_new:Nn \fontspec_set_bold_italic:
899 {
900 \bool_if:nF {\l_fontspec_noit_bool || \l_fontspec_nobf_bool}
901 {
902 \tl_if_empty:NTF \l_fontspec_fontname_bfit_tl
903 {
904 \tl_if_empty:NTF \l_fontspec_fontname_bf_tl
905 {
906 \tl_if_empty:NTF \l_fontspec_fontname_it_tl
907 {
908 \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_tl {/BI}
909 }
910 {
911 \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_it_tl {/B}
912 }
913 }
914 {
915 \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_bf_tl {/I}
916 }
917 }
918 {
919 \fontspec_make_font_shapes:nnnn \l_fontspec_fontname_bfit_tl
920 }
921 \bfdefault \itdefault \l_fontspec_fontfeat_bfit_clist
922 }
923 }

```

`\fontspec_set_bold_slanted:` And bold slanted, again, only if requested:

```

924 \cs_new:Nn \fontspec_set_bold_slanted:
925 {
926 \tl_if_empty:NTF \l_fontspec_fontname_bfsl_tl
927 {
928 \tl_if_empty:NF \l_fontspec_fontname_sl_tl
929 {
930 \fontspec_make_auto_font_shapes:nnnnn \l_fontspec_fontname_sl_tl {/B}
931 \bfdefault \sldefault \l_fontspec_fontfeat_bfsl_clist
932 }
933 }
934 {
935 \fontspec_make_font_shapes:nnnn \l_fontspec_fontname_bfsl_tl
936 \bfdefault \sldefault \l_fontspec_fontfeat_bfsl_clist
937 }
938 }

```

25.5.1 Fonts

`\fontspec_set_font_type:` Now check if the font is to be rendered with `ATSUI` or `ICU`. This will either be automatic (based on the font type), or specified by the user via a font feature.

This macro sets booleans accordingly depending if the font in `\l_fontspec_font` is an `AAT` font or an `OpenType` font or a font with feature axes (either `AAT` or `Multiple Master`), respectively.

```

939 \cs_new:Nn \fontspec_set_font_type:
940 {*xetex}
941 {
942   \bool_set_false:N \l_fontspec_tfm_bool
943   \bool_set_false:N \l_fontspec_atsui_bool
944   \bool_set_false:N \l_fontspec_icu_bool
945   \bool_set_false:N \l_fontspec_mm_bool
946   \bool_set_false:N \l_fontspec_graphite_bool
947   \ifcase\XeTeXfonttype\l_fontspec_font
948     \bool_set_true:N \l_fontspec_tfm_bool
949   \or
950     \bool_set_true:N \l_fontspec_atsui_bool
951     \ifnum\XeTeXcountvariations\l_fontspec_font > \c_zero
952       \bool_set_true:N \l_fontspec_mm_bool
953     \fi
954   \or
955     \bool_set_true:N \l_fontspec_icu_bool
956   \fi

```

If automatic, the `\l_fontspec_renderer_tl` token list will still be empty (other suffices that could be added will be later in the feature processing), and if it is indeed still empty, assign it a value so that the other weights of the font are specifically loaded with the same renderer.

```

957   \tl_if_empty:NT \l_fontspec_renderer_tl
958   {
959     \bool_if:NTF \l_fontspec_atsui_bool
960     { \tl_set:Nn \l_fontspec_renderer_tl {/AAT} }
961     {
962       \bool_if:NT \l_fontspec_icu_bool
963       { \tl_set:Nn \l_fontspec_renderer_tl {/ICU} }
964     }
965   }
966 }
967 \end{xetex}
968 {*luatex}
969 {
970   \bool_set_true:N \l_fontspec_icu_bool
971 }
972 \end{luatex}

```

```

pec_make_auto_font_shapes:nnnnn #1 : Font name prefix (in the 5-arg case)
                                #2 : Font name
                                #3 : Font series
                                #4 : Font shape
                                #5 : Font features

```

This macro eventually uses `\DeclareFontShape` to define the font shape in question.

The optional first argument is used when making the font shapes for bold, italic, and bold italic fonts using X_YTeX's auto-recognition with #2 as /B, /I, and /BI font name suffixes. If no such font is found, it falls back to the original font name, in which case this macro doesn't proceed and the font shape is not created for the NFSS.

Next, the small caps are defined. [...] is used to define the appropriate string for activating small caps in the font, if they exist. If we are defining small caps for the upright shape, then the small caps shape default is used. For an *italic* font, however, the shape parameter is overloaded and we must call italic small caps by their own identifier. See [Section 25.7 on page 107](#) for the code that enables this usage.

```

973 \cs_new:Nn \fontspec_make_auto_font_shapes:nnnnn
974 {
975   \bool_if:NF \l_fontspec_external_bool
976   {
977     \fontspec_font_set:Nnn \l_tmpa_font
978     { \fontspec_fullname:n {#1} } {\f@size pt}
979     \fontspec_font_set:Nnn \l_tmpb_font
980     { \fontspec_fullname:n {#1#2} } {\f@size pt}
981     \str_if_eq_x:nnTF { \fontname \l_tmpa_font } { \fontname \l_tmpb_font }
982     { \fontspec_info:nx {no-font-shape} {#1#2} }
983     { \fontspec_make_font_shapes:nnnn {#1#2}{#3}{#4}{#5} }
984   }
985 }
986 \cs_new:Nn \fontspec_make_font_shapes:nnnn {
987   \group_begin:
988
989   \@@_load_fontname:n {#1}
990   \fontspec_declare_shape:nnn {#2}{#3}
991   { \quark_if_no_value:NF \l_@@_fontopts_clist {\l_@@_fontopts_clist,} #4 }
992
993   \tl_if_empty:NTF \l_fontspec_fontname_sc_tl
994   {
995     \bool_if:NF \l_fontspec_nosc_bool
996     {
997       \fontspec_make_smallcaps:T
998       {
999         \fontspec_declare_shape:nnn {#2}
1000         { \tl_if_eq:NNTF #3 \itdefault \sidefault \scdefault }
1001         {
1002           \quark_if_no_value:NF \l_@@_fontopts_clist {\l_@@_fontopts_clist,}
1003           #4 , Letters=SmallCaps , \l_fontspec_fontfeat_sc_clist
1004         }
1005       }
1006     }
1007   }
1008   {
1009     \@@_load_fontname:n {\l_fontspec_fontname_sc_tl}
1010     \fontspec_declare_shape:nnn {#2}
1011     { \tl_if_eq:NNTF #3 \itdefault \sidefault \scdefault }
1012     {
1013       \quark_if_no_value:NF \l_@@_fontopts_clist {\l_@@_fontopts_clist,}
1014       #4 , \l_fontspec_fontfeat_sc_clist

```

```

1015     }
1016   }
1017   \group_end:
1018 }
1019 \cs_new:Nn \@@_load_fontname:n
1020 {
1021   \tl_set:Nx \l_fontspec_fontname_tl {#1}
1022   \@@_load_external_fontoptions:N \l_fontspec_fontname_tl
1023   \@@_sanitise_fontname:Nn \l_@@_tmp_tl {\l_fontspec_fontname_tl}
1024   \prop_get:NVN \g_@@_fontopts_prop \l_@@_tmp_tl \l_@@_fontopts_clist
1025   \fontspec_font_set:Nnn \l_fontspec_font {\fontspec_fullname:n {\l_fontspec_fontname_tl}} {\f@
1026   \font_if_null:NT \l_fontspec_font { \fontspec_error:nx {font-not-found} {#1} }
1027 }

```

Note that the test for italics to choose the \sdefault shape only works while \fontspec_select:nn passes single tokens to this macro...

```

\fontspec_declare_shape:nnn #1 : Font series
                          #2 : Font shape
                          #3 : Font features

```

Wrapper for \DeclareFontShape. And finally the actual font shape declaration using \l_fontspec_nfss_tl defined above. \l_fontspec_postadjust_tl is defined in various places to deal with things like the hyphenation character and interword spacing.

```

1028 \cs_new:Nn \fontspec_declare_shape:nnn
1029 {
1030   \clist_if_empty:NTF \l_fontspec_sizefeat_clist
1031   { \@@_declare_shape_nosizing:n {#3} }
1032   { \@@_declare_shape_withsizing:n {#3} }
1033   \use:x
1034   {
1035     \exp_not:N \DeclareFontShape {\g_fontspec_encoding_tl} {\l_fontspec_family_tl}
1036     {#1} {#2} {\l_fontspec_nfss_tl}{\l_fontspec_postadjust_tl}
1037   }
1038   \@@_declare_shape_slanted:nn {#1} {#2}
1039   \@@_declare_shape_loginfo:nnn {#1} {#2} {#3}
1040 }

```

Default code; sets things up for no optical size fonts or features.

```

1041 \cs_new:Nn \@@_declare_shape_nosizing:n
1042 {
1043   \fontspec_get_features:n {#1}
1044   \tl_set:Nx \l_fontspec_nfss_tl
1045   {
1046     <-> \l_fontspec_scale_tl
1047     \fontspec_fontwrap:n
1048     {
1049       \fontspec_fullname:n {\l_fontspec_fontname_tl} :
1050       \l_fontspec_pre_feat_sclist \l_fontspec_rawfeatures_sclist
1051     }
1052   }
1053 }

```

On the other hand, loop through SizeFeatures arguments, which are of the form

```

SizeFeatures={{<one>},{<two>},{<three>}}.
1054 \cs_new:Nn \@@_declare_shape_withsizing:n
1055 {
1056   \tl_clear:N \l_fontspec_nfss_tl
1057   \clist_map_inline:Nn \l_fontspec_sizefeat_clist
1058   {
1059     \tl_clear:N \l_fontspec_size_tl
1060     \tl_set_eq:NN \l_fontspec_sizedfont_tl \l_fontspec_fontname_tl
1061     \keys_set_known:nxN {fontspec-sizing} { \exp_after:wN \use:n ##1 }
1062     \l_fontspec_keys_leftover_clist
1063     \tl_if_empty:NT \l_fontspec_size_tl { \fontspec_error:n {no-size-info} }
1064     \fontspec_get_features:n { #1 , \l_fontspec_keys_leftover_clist }
1065     \tl_put_right:Nx \l_fontspec_nfss_tl
1066     {
1067       <\l_fontspec_size_tl> \l_fontspec_scale_tl
1068       \fontspec_fontwrap:n
1069       {
1070         \fontspec_fullname:n { \l_fontspec_sizedfont_tl }
1071         : \l_fontspec_pre_feat_sclist \l_fontspec_rawfeatures_sclist
1072       }
1073     }
1074   }
1075 }
1076 }
1077 }
1078 }
1079 }

```

This extra stuff for the slanted shape substitution is a little bit awkward.

```

1080 \cs_new:Nn \@@_declare_shape_slanted:nn
1081 {
1082   \bool_if:nT
1083   {
1084     \str_if_eq_x_p:nn {#2} {\itdefault} &&
1085     !(\str_if_eq_x_p:nn {\itdefault} {\sldefault})
1086   }
1087   {
1088     \use:x
1089     {
1090       \exp_not:N \DeclareFontShape {\g_fontspec_encoding_tl}{\l_fontspec_family_tl}{#1}{\sldefault
1091       {<->ssub*\l_fontspec_family_tl/#1/\itdefault}{\l_fontspec_postadjust_tl}
1092     }
1093   }
1094 }

```

Lastly some informative messaging.

```

1095 \cs_new:Nn \@@_declare_shape_loginfo:nnn
1096 {
1097   \tl_gput_right:Nx \l_fontspec_defined_shapes_tl
1098   {
1099     \exp_not:n { \ \ \ }
1100     *~ '\exp_not:N \str_case:nnn {#1/#2}

```

```

1101 {
1102   {\mddefault/\updefault} {normal}
1103   {\mddefault/\scdefault} {small~ caps}
1104   {\bfdefault/\updefault} {bold}
1105   {\bfdefault/\scdefault} {bold~ small~ caps}
1106   {\mddefault/\itdefault} {italic}
1107   {\mddefault/\sidefault} {italic~ small~ caps}
1108   {\bfdefault/\itdefault} {bold~ italic}
1109   {\bfdefault/\sidefault} {bold~ italic~ small~ caps}
1110 } {#2/#3}'~
1111 with~ NFSS~ spec.: \exp_not:N \\\
1112 \l_fontspec_nfss_tl
1113 \tl_if_empty:NF \l_fontspec_postadjust_tl
1114 {
1115   \exp_not:N \\\ and~ font~ adjustment~ code: \exp_not:N \\\ \l_fontspec_postadjust_tl
1116 }
1117 }
1118 }

```

`\l_fontspec_pre_feat_sclist` These are the features always applied to a font selection before other features.

```

1119 \tl_set:Nn \l_fontspec_pre_feat_sclist
1120 <*xetex>
1121 {
1122   \bool_if:NT \l_fontspec_icu_bool
1123   {
1124     \tl_if_empty:NF \l_fontspec_script_tl
1125     {
1126       script = \l_fontspec_script_tl ;
1127       language = \l_fontspec_lang_tl ;
1128     }
1129   }
1130 }
1131 </xetex>
1132 <*luatex>
1133 {
1134   mode = \l_fontspec_mode_tl ;
1135   \tl_if_empty:NF \l_fontspec_script_tl
1136   {
1137     script = \l_fontspec_script_tl ;
1138     language = \l_fontspec_lang_tl ;
1139   }
1140 }
1141 </luatex>

```

`\fontspec_update_fontid:n` This macro is used to build up a complex family name based on its features.

The *<firsttime>* boolean is set true in `\fontspec_select:nn` only the first time `\fontspec_update_featstr:n` is called, so that the family name is only created once.

```

1142 \cs_new:Nn \fontspec_update_fontid:n
1143 {
1144   \bool_if:NT \l_fontspec_firsttime_bool
1145   {
1146     \tl_gput_right:Nx \l_fontspec_fontid_tl {#1}

```

```

1147 }
1148 }

```

25.5.2 Features

`\fontspec_get_features:n` This macro is a wrapper for `\keys_set:nn` which expands and adds a default specification to the original passed options. It begins by initialising the commands used to hold font-feature specific strings. Its argument is any additional features to prepend to the default.

```

1149 \cs_set:Nn \fontspec_get_features:n
1150 {
1151   \sclist_clear:N \l_fontspec_rawfeatures_sclist
1152   \tl_clear:N \l_fontspec_scale_tl
1153   \tl_set_eq:NN \l_fontspec_opacity_tl \g_fontspec_opacity_tl
1154   \tl_set_eq:NN \l_fontspec_hexcol_tl \g_fontspec_hexcol_tl
1155   \tl_clear:N \l_fontspec_postadjust_tl
1156
1157   \keys_set_known:nxN {fontspec-renderer} {\l_fontspec_fontfeat_clist,#1}
1158   \l_fontspec_keys_leftover_clist
1159   \keys_set:nx {fontspec} {\l_fontspec_keys_leftover_clist}

   Finish the colour specification. Do not set the colour if not explicitly spec'd else \color
   (using specials) will not work.

1160   \str_if_eq:x:nnF { \l_fontspec_hexcol_tl \l_fontspec_opacity_tl }
1161                   { \g_fontspec_hexcol_tl \g_fontspec_opacity_tl }
1162   {
1163     \fontspec_update_featstr:n{color=\l_fontspec_hexcol_tl\l_fontspec_opacity_tl}
1164   }
1165 }

```

`\fontspec_init:` Initialisations that either need to occur globally: (all setting of these variables is done locally inside a group)

```

1166 \tl_clear:N \l_fontspec_fontname_bf_tl
1167 \tl_clear:N \l_fontspec_fontname_it_tl
1168 \tl_clear:N \l_fontspec_fake_slant_tl
1169 \tl_clear:N \l_fontspec_fake_embolden_tl
1170 \tl_clear:N \l_fontspec_fontname_bfit_tl
1171 \tl_clear:N \l_fontspec_fontname_sl_tl
1172 \tl_clear:N \l_fontspec_fontname_bfsl_tl
1173 \tl_clear:N \l_fontspec_fontname_sc_tl
1174 \tl_clear:N \l_fontspec_fontfeat_up_clist
1175 \tl_clear:N \l_fontspec_fontfeat_bf_clist
1176 \tl_clear:N \l_fontspec_fontfeat_it_clist
1177 \tl_clear:N \l_fontspec_fontfeat_bfit_clist
1178 \tl_clear:N \l_fontspec_fontfeat_sl_clist
1179 \tl_clear:N \l_fontspec_fontfeat_bfsl_clist
1180 \tl_clear:N \l_fontspec_fontfeat_sc_clist
1181 \tl_clear:N \l_fontspec_script_name_tl
1182 \tl_clear:N \l_fontspec_script_tl
1183 \tl_clear:N \l_fontspec_lang_name_tl
1184 \tl_clear:N \l_fontspec_lang_tl
1185 \clist_clear:N \l_fontspec_sizefeat_clist
1186 \tl_new:N \g_fontspec_hexcol_tl

```

```

1187\l_new:N \g_fontspec_opacity_tl
1188\l_set:Nn \g_fontspec_hexcol_tl {000000}
1189\l_set:Nn \g_fontspec_opacity_tl {FF~}

```

Or once per fontspec font invocation: (Some of these may be redundant. Check whether they're assigned to globally or not.)

```

1190\cs_set:Npn \fontspec_init:
1191 {
1192   \bool_set_false:N \l_fontspec_icu_bool
1193   \bool_set_true:N \l_fontspec_firsttime_bool
1194   \cs_set:Npn \fontspec_namewrap:n ##1 { ##1 }
1195   \tl_clear:N \l_fontspec_optical_size_tl
1196   \tl_clear:N \l_fontspec_renderer_tl
1197   \tl_clear:N \l_fontspec_defined_shapes_tl
1198 (*luatex)
1199   \l_set:Nn \l_fontspec_mode_tl {node}
1200   \luatexprehyphenchar = '\- % fixme
1201   \luatexposthyphenchar = 0 % fixme
1202   \luatexpreexhyphenchar = 0 % fixme
1203   \luatexpostexhyphenchar = 0 % fixme
1204 \luatex)
1205 }

```

`\fontspec_make_smallcaps:T` This macro checks if the font contains small caps.

```

1206\cs_set:Nn \fontspec_make_ot_smallcaps:T
1207 {
1208   \fontspec_check_ot_feat:nT {+smcp} { #1 }
1209 }
1210 (*xetex)
1211\cs_set:Nn \fontspec_make_smallcaps:T
1212 {
1213   \bool_if:NTF \l_fontspec_icu_bool
1214     { \fontspec_make_ot_smallcaps:T {#1} }
1215     {
1216       \bool_if:NT \l_fontspec_atsui_bool
1217         { \fontspec_make_AAT_feature_string:nnT {3}{3} { #1 } }
1218     }
1219 }
1220 \xetex)
1221 (*luatex)
1222\cs_set_eq:NN \fontspec_make_smallcaps:T \fontspec_make_ot_smallcaps:T
1223 \luatex)

```

`\sclist_put_right:Nn` I'm hardly going to write an 'sclist' module but a couple of functions are useful. Here, items in semi-colon lists are always followed by a semi-colon (as opposed to the s.-c's being placed between elements) so we can append sclists without worrying about it.

```

1224\cs_set_eq:NN \sclist_clear:N \tl_clear:N
1225\cs_new:Nn \sclist_gput_right:Nn
1226 { \tl_gput_right:Nn #1 {#2;} }
1227\cs_generate_variant:Nn \sclist_gput_right:Nn {Nx}

```

`\fontspec_update_featstr:n` `\l_fontspec_rawfeatures_sclist` is the string used to define the list of specific font features.

Each time another font feature is requested, this macro is used to add that feature to the list. Font features are separated by semicolons.

```

1228 \cs_new:Nn \fontspec_update_featstr:n
1229 {
1230   \bool_if:NF \l_fontspec_firsttime_bool
1231   {
1232     \sclist_gput_right:Nx \l_fontspec_rawfeatures_sclist {#1}
1233   }
1234 }

```

`\fontspec_make_feature:nnn` This macro is called by each feature key selected, and runs according to which type of font is selected.

```

1235 \cs_new:Nn \fontspec_make_feature:nnn
1236 <*\xetex>
1237 {
1238   \bool_if:NTF \l_fontspec_icu_bool
1239   { \fontspec_make_ICU_feature:n {#3} }
1240   {
1241     \bool_if:NT \l_fontspec_atsui_bool
1242     { \fontspec_make_AAT_feature:nn {#1}{#2} }
1243   }
1244 }
1245 </\xetex>
1246 <*\luatex>
1247 { \fontspec_make_ICU_feature:n {#3} }
1248 </\luatex>
1249 \cs_generate_variant:Nn \fontspec_make_feature:nnn {nnx}

1250 \cs_new:Nn \fontspec_make_AAT_feature:nn
1251 {
1252   \tl_if_empty:nTF {#1}
1253   { \fontspec_warning:n {aat-feature-not-exist} }
1254   {
1255     \fontspec_make_AAT_feature_string:nnTF {#1}{#2}
1256     {
1257       \fontspec_update_fontid:n {+#1,#2}
1258       \fontspec_update_featstr:n {\l_fontspec_feature_string_tl}
1259     }
1260     { \fontspec_warning:nx {aat-feature-not-exist-in-font} {#1,#2} }
1261   }
1262 }

1263 \cs_new:Nn \fontspec_make_ICU_feature:n
1264 {
1265   \tl_if_empty:nTF {#1}
1266   { \fontspec_warning:n {icu-feature-not-exist} }
1267   {
1268     \fontspec_check_ot_feat:nTF {#1}
1269     {
1270       \fontspec_update_fontid:n {#1}
1271       \fontspec_update_featstr:n{#1}
1272     }
1273     { \fontspec_warning:nx {icu-feature-not-exist-in-font} {#1} }

```

```

1274 }
1275 }
1276 \cs_new_protected:Nn \fontspec_make_numbered_feature:nn
1277 {
1278   \fontspec_check_ot_feat:nTF {#1}
1279   {
1280     \fontspec_update_fontid:n {#1=#2}
1281     \fontspec_update_featstr:n { #1 = #2 }
1282   }
1283   { \fontspec_warning:nx {icu-feature-not-exist-in-font} {#1} }
1284 }
1285 \cs_generate_variant:Nn \fontspec_make_numbered_feature:nn {xn}

```

`\fontspec_define_font_feature:n` These macros are used in order to simplify font feature definition later on.

```

\fontspec_define_feature_option:nnnnn 1286 \cs_new:Nn \fontspec_define_font_feature:n
\fontspec_define_numbered_feat:nnnn 1287 {
1288   \keys_define:nn {fontspec} { #1 .multichoice: }
1289 }
1290 \cs_new:Nn \fontspec_define_feature_option:nnnnn
1291 {
1292   \keys_define:nn {fontspec}
1293   {
1294     #1/#2 .code:n = { \fontspec_make_feature:nnn{#3}{#4}{#5} }
1295   }
1296 }
1297 \cs_new:Nn \fontspec_define_numbered_feat:nnnn
1298 {
1299   \keys_define:nn {fontspec}
1300   {
1301     #1/#2 .code:n =
1302     { \fontspec_make_numbered_feature:nn {#3}{#4} }
1303   }
1304 }

```

`\fontspec_make_AAT_feature_string:nnTF` This macro takes the numerical codes for a font feature and creates a specified macro containing the string required in the font definition to turn that feature on or off. Used primarily in [...], but also used to check if small caps exists in the requested font (see page 78).

For exclusive selectors, it's easy; just grab the string: For *non*-exclusive selectors, it's a little more complex. If the selector is even, it corresponds to switching the feature on. If the selector is *odd*, it corresponds to switching the feature off. But XeTeX doesn't return a selector string for this number, since the feature is defined for the 'switching on' value. So we need to check the selector of the previous number, and then prefix the feature string with ! to denote the switch.

Finally, save out the complete feature string in `\l_fontspec_feature_string_tl`.

```

1305 \prg_new_conditional:Nnn \fontspec_make_AAT_feature_string:nn {TF,T,F}
1306 {
1307   \tl_set:Nx \l_tmpa_tl { \XeTeXfeaturename \l_fontspec_font #1 }
1308   \tl_if_empty:NTF \l_tmpa_tl
1309   { \prg_return_false: }
1310   {
1311     \int_compare:nTF { \XeTeXisexclusivefeature\l_fontspec_font #1 > 0 }
1312     {

```



```

1313 \tl_set:Nx \l_tmpb_tl {\XeTeXselectorname\l_fontspec_font #1\space #2}
1314 }
1315 {
1316 \int_if_even:nTF {#2}
1317 {
1318 \tl_set:Nx \l_tmpb_tl {\XeTeXselectorname\l_fontspec_font #1\space #2}
1319 }
1320 {
1321 \tl_set:Nx \l_tmpb_tl
1322 {
1323 \XeTeXselectorname\l_fontspec_font #1\space \numexpr#2-1\relax
1324 }
1325 \tl_if_empty:NF \l_tmpb_tl { \tl_put_left:Nn \l_tmpb_tl {!} }
1326 }
1327 }
1328 \tl_if_empty:NTF \l_tmpb_tl
1329 { \prg_return_false: }
1330 {
1331 \tl_set:Nx \l_fontspec_feature_string_tl { \l_tmpa_tl = \l_tmpb_tl }
1332 \prg_return_true:
1333 }
1334 }
1335 }

```

`\fontspec_iv_str_to_num:Nn` This macro takes a four character string and converts it to the numerical representation required for X_YTeX OpenType script/language/feature purposes. The output is stored in `\l_fontspec_strnum_int`.

The reason it's ugly is because the input can be of the form of any of these: 'abcd', 'abc', 'abc ', 'ab', 'ab ', etc. (It is assumed the first two chars are *always* not spaces.) So this macro reads in the string, delimited by a space; this input is padded with `\@empty`s and anything beyond four chars is snipped. The `\@empty`s then are used to reconstruct the spaces in the string to number calculation.

The variant `\fontspec_v_str_to_num:n` is used when looking at features, which are passed around with prepended plus and minus signs (e.g., +liga, -dlig); it simply strips off the first char of the input before calling the normal `\fontspec_iv_str_to_num:n`.

```

1336 \cs_set:Nn \fontspec_iv_str_to_num:Nn
1337 {
1338 \fontspec_iv_str_to_num:w #1 \q_nil #2 \c_empty_tl \c_empty_tl \q_nil
1339 }
1340 \cs_set:Npn \fontspec_iv_str_to_num:w #1 \q_nil #2#3#4#5#6 \q_nil
1341 {
1342 \int_set:Nn #1
1343 {
1344 '#2 * "1000000
1345 + '#3 * "10000
1346 + \ifx \c_empty_tl #4 32 \else '#4 \fi * "100
1347 + \ifx \c_empty_tl #5 32 \else '#5 \fi
1348 }
1349 }
1350 \cs_generate_variant:Nn \fontspec_iv_str_to_num:Nn {No}
1351 \cs_set:Nn \fontspec_v_str_to_num:Nn
1352 {

```

```

1353 \bool_if:nTF
1354 {
1355   \tl_if_head_eq_charcode_p:nN {#2} {+} ||
1356   \tl_if_head_eq_charcode_p:nN {#2} {-}
1357 }
1358 { \fontspec_iv_str_to_num:No #1 { \use_none:n #2 } }
1359 { \fontspec_iv_str_to_num:Nn #1 {#2} }
1360 }

```

`\fontspec_check_script:nTF` This macro takes an OpenType script tag and checks if it exists in the current font. The output boolean is `\@tempwattrue`. `\l_fontspec_strnum_int` is used to store the number corresponding to the script tag string.

```

1361 \prg_new_conditional:Nnn \fontspec_check_script:n {TF}
1362 < *xetex >
1363 {
1364   \fontspec_iv_str_to_num:Nn \l_fontspec_strnum_int {#1}
1365   \int_set:Nn \l_tmpb_int { \XeTeXOTcountscripts \l_fontspec_font }
1366   \int_zero:N \l_tmpa_int
1367   \@tempswafalse
1368   \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1369   {
1370     \ifnum \XeTeXOTscripttag\l_fontspec_font \l_tmpa_int = \l_fontspec_strnum_int
1371       \@tempwattrue
1372       \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1373     }
1374     \int_incr:N \l_tmpa_int
1375   }
1376 }
1377 \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1378 }
1379 < /xetex >
1380 < *luatex >
1381 {
1382   \directlua{fontspec.check_ot_script("\l_fontspec_font", "#1")}
1383   \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1384 }
1385 < /luatex >

```

`\fontspec_check_lang:nTF` This macro takes an OpenType language tag and checks if it exists in the current font/script. The output boolean is `\@tempwattrue`. `\l_fontspec_strnum_int` is used to store the number corresponding to the language tag string. The script used is whatever's held in `\l_fontspec_script_int`. By default, that's the number corresponding to 'latn'.

```

1386 \prg_new_conditional:Nnn \fontspec_check_lang:n {TF}
1387 < *xetex >
1388 {
1389   \fontspec_iv_str_to_num:Nn \l_fontspec_strnum_int {#1}
1390   \int_set:Nn \l_tmpb_int
1391   { \XeTeXOTcountlanguages \l_fontspec_font \l_fontspec_script_int }
1392   \int_zero:N \l_tmpa_int
1393   \@tempswafalse
1394   \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1395   {

```

```

1396 \ifnum\XeTeXOTlanguagetag\l_fontspec_font\l_fontspec_script_int \l_tmpa_int =\l_fontspec_strnum
1397 \@tempswatrue
1398 \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1399 \else
1400 \int_incr:N \l_tmpa_int
1401 \fi
1402 }
1403 \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1404 }
1405 \</xetex>
1406 \<*/luatex>
1407 {
1408 \directlua
1409 {
1410 fontspec.check_ot_lang( "l_fontspec_font", "#1", "\l_fontspec_script_tl" )
1411 }
1412 \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1413 }
1414 \</luatex>

```

`\fontspec_check_ot_feat:nTF` This macro takes an OpenType feature tag and checks if it exists in the current font/script/language. The output boolean is `\@tempswa`. `\l_fontspec_strnum_int` is used to store the number corresponding to the feature tag string. The script used is whatever's held in `\l_fontspec_script_int`. By default, that's the number corresponding to 'latn'. The language used is `\l_fontspec_language_int`, by default 0, the 'default language'.

```

1415 \prg_new_conditional:Nnn \fontspec_check_ot_feat:n {TF,T}
1416 \<*/xetex>
1417 {
1418 \int_set:Nn \l_tmpb_int
1419 {
1420 \XeTeXOTcountfeatures \l_fontspec_font
1421 \l_fontspec_script_int
1422 \l_fontspec_language_int
1423 }
1424 \fontspec_v_str_to_num:Nn \l_fontspec_strnum_int {#1}
1425 \int_zero:N \l_tmpa_int
1426 \@tempswafalse
1427 \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1428 {
1429 \ifnum\XeTeXOTfeaturetag\l_fontspec_font\l_fontspec_script_int\l_fontspec_language_int
1430 \l_tmpa_int =\l_fontspec_strnum_int
1431 \@tempswatrue
1432 \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1433 \else
1434 \int_incr:N \l_tmpa_int
1435 \fi
1436 }
1437 \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1438 }
1439 \</xetex>
1440 \<*/luatex>
1441 {

```

```

1442 \directlua
1443 {
1444   fontspec.check_ot_feat(
1445     "l_fontspec_font", "#1",
1446     "\l_fontspec_lang_tl", "\l_fontspec_script_tl"
1447   )
1448 }
1449 \if@tempswa \prg_return_true: \else: \prg_return_false: \fi:
1450 }
1451 \</luatex>

```

25.6 keyval definitions

This is the tedious section where we correlate all possible (eventually) font feature requests with their X_YT_EX representations.

```

1452 \cs_new:Nn \@@_keys_define_code:nnn
1453 {
1454   \keys_define:nn {#1} { #2 .code:n = {#3} }
1455 }

```

25.6.1 Pre-parsing naming information

These features are extracted from the font feature list before all others.

ExternalLocation For fonts that aren't installed in the system. If no argument is given, the font is located with `kpsewhich`; it's either in the current directory or the T_EX tree. Otherwise, the argument given defines the file path of the font.

```

1456 \bool_new:N \l_fontspec_external_bool
1457 \@@_keys_define_code:nnn {fontspec-preparse-external} {ExternalLocation}
1458 {
1459   \bool_set_true:N \l_fontspec_nobf_bool
1460   \bool_set_true:N \l_fontspec_noit_bool
1461   \bool_set_true:N \l_fontspec_external_bool
1462   \cs_gset:Npn \fontspec_namewrap:n ##1 { [ #1 ##1 ] }
1463 \*xetexx
1464   \keys_set:nn {fontspec-renderer} {Renderer=ICU}
1465 \</xetexx
1466 }
1467 \aliasfontfeature{ExternalLocation}{Path}

```

Extension For fonts that aren't installed in the system. Specifies the font extension to use.

```

1468 \@@_keys_define_code:nnn {fontspec-preparse-external} {Extension}
1469 {
1470   \tl_set:Nn \l_fontspec_extension_tl {#1}
1471   \bool_if:NF \l_fontspec_external_bool
1472   {
1473     \keys_set:nn {fontspec-preparse-external} {ExternalLocation}
1474   }
1475 }
1476 \tl_clear:N \l_fontspec_extension_tl

```

25.6.2 Pre-parsed features

After the font name(s) have been sorted out, now need to extract any renderer/font configuration features that need to be processed before all other font features.

Renderer This feature must be processed before all others (the other font shape and features options are also pre-parsed for convenience) because the renderer determines the format of the features and even whether certain features are available.

```
1477 \keys_define:nn {fontspec-renderer}
1478 {
1479   Renderer .choice_code:n =
1480     {
1481       \fontspec_update_fontid:n {+rend:\l_keys_choice_tl}
1482       \int_compare:nTF {\l_keys_choice_int <= 3} {
1483         \xetexx
1484           \tl_set:Nv \l_fontspec_renderer_tl
1485             { g_fontspec_renderer_tag_ \l_keys_choice_tl }
1486         \xetexx
1487         \luatex
1488           \fontspec_warning:nx {only-xetex-feature} {Renderer=AAT/ICU/Graphite}
1489         \luatex
1490       }
1491       {
1492         \xetexx
1493           \fontspec_warning:nx {only-luatex-feature} {Renderer=Full/Basic}
1494         \xetexx
1495         \luatex
1496           \tl_set:Nv \l_fontspec_mode_tl
1497             { g_fontspec_mode_tag_ \l_keys_choice_tl }
1498         \luatex
1499       }
1500     }
1501   ,
1502   Renderer .generate_choices:n = {AAT,ICU,Graphite,Full,Basic}
1503 }
1504 \tl_set:cn {g_fontspec_renderer_tag_AAT} {/AAT}
1505 \tl_set:cn {g_fontspec_renderer_tag_ICU} {/ICU}
1506 \tl_set:cn {g_fontspec_renderer_tag_Graphite} {/GR}
1507 \tl_set:cn {g_fontspec_mode_tag_Full} {node}
1508 \tl_set:cn {g_fontspec_mode_tag_Basic} {base}
```

OpenType script/language See later for the resolutions from fontspec features to OpenType definitions.

```
1509 \@_keys_define_code:nnn {fontspec-prepare} {Script}
1510 {
1511   \xetexx \keys_set:nn {fontspec-renderer} {Renderer=ICU}
1512   \tl_set:Nn \l_fontspec_script_name_tl {#1}
1513   \fontspec_update_fontid:n {+script:#1}
1514 }
```

Exactly the same:

```
1515 \@_keys_define_code:nnn {fontspec-prepare} {Language}
```

```

1516 {
1517 \xetexx \keys_set:nn {fontspec-renderer} {Renderer=ICU}
1518 \tl_set:Nn \l_fontspec_lang_name_tl {#1}
1519 \fontspec_update_fontid:n {+language:#1}
1520 }

```

25.6.3 Bold/italic choosing options

The Bold, Italic, and BoldItalic features are for defining explicitly the bold and italic fonts used in a font family.

Fonts Upright:

```

1521 \@@_keys_define_code:nnn {fontspec-preparse-external} {UprightFont}
1522 {
1523 \fontspec_complete_fontname:Nn \l_fontspec_fontname_up_tl {#1}
1524 \fontspec_update_fontid:n {up:#1}
1525 }

```

Bold:

```

1526 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldFont}
1527 {
1528 \tl_if_empty:nTF {#1}
1529 {
1530 \bool_set_true:N \l_fontspec_nobf_bool
1531 \fontspec_update_fontid:n {nobf}
1532 }
1533 {
1534 \bool_set_false:N \l_fontspec_nobf_bool
1535 \fontspec_complete_fontname:Nn \l_fontspec_fontname_bf_tl {#1}
1536 \fontspec_update_fontid:n {bf:#1}
1537 }
1538 }

```

Same for italic:

```

1539 \@@_keys_define_code:nnn {fontspec-preparse-external} {ItalicFont}
1540 {
1541 \tl_if_empty:nTF {#1}
1542 {
1543 \bool_set_true:N \l_fontspec_noit_bool
1544 \fontspec_update_fontid:n {noit}
1545 }
1546 {
1547 \bool_set_false:N \l_fontspec_noit_bool
1548 \fontspec_complete_fontname:Nn \l_fontspec_fontname_it_tl {#1}
1549 \fontspec_update_fontid:n {it:#1}
1550 }
1551 }

```

Simpler for bold+italic & slanted:

```

1552 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldItalicFont}
1553 {
1554 \fontspec_complete_fontname:Nn \l_fontspec_fontname_bfit_tl {#1}
1555 \fontspec_update_fontid:n {bfit:#1}

```

```

1556 }
1557 \@@_keys_define_code:nnn {fontspec-preparse-external} {SlantedFont}
1558 {
1559   \fontspec_complete_fontname:Nn \l_fontspec_fontname_sl_tl {#1}
1560   \fontspec_update_fontid:n {sl:#1}
1561 }
1562 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldSlantedFont}
1563 {
1564   \fontspec_complete_fontname:Nn \l_fontspec_fontname_bfsl_tl {#1}
1565   \fontspec_update_fontid:n {bfsl:#1}
1566 }

```

Small caps isn't pre-parsed because it can vary with others above:

```

1567 \@@_keys_define_code:nnn {fontspec} {SmallCapsFont}
1568 {
1569   \tl_if_empty:nTF {#1}
1570   {
1571     \bool_set_true:N \l_fontspec_nosc_bool
1572     \fontspec_update_fontid:n {nosc}
1573   }
1574   {
1575     \bool_set_true:N \l_fontspec_nosc_bool
1576     \fontspec_complete_fontname:Nn \l_fontspec_fontname_sc_tl {#1}
1577     \fontspec_update_fontid:n {sc:#1}
1578   }
1579 }

```

`\fontspec_complete_fontname:Nn` This macro defines #1 as the input with any * tokens of its input replaced by the font name. This lets us define supplementary fonts in full ("Baskerville Semibold") or in abbreviation ("* Semibold").

```

1580 \cs_set:Nn \fontspec_complete_fontname:Nn
1581 {
1582   \tl_set:Nn #1 {#2}
1583   \tl_replace_all:Nnx #1 {*} {\l_fontspec_fontname_tl}
1584 \luatex \tl_remove_all:Nn #1 {~}
1585 }
1586 \cs_generate_variant:Nn \tl_replace_all:Nnn {Nnx}

```

Features Can't use `\clist_set:Nn` below, yet, because it would strip the leading comma and we use that implicitly to concatenate options.

```

1587 \@@_keys_define_code:nnn {fontspec-preparse} {UprightFeatures}
1588 {
1589   \tl_set:Nn \l_fontspec_fontfeat_up_clist { , #1}
1590   \fontspec_update_fontid:n {rmfeat:#1}
1591 }
1592 \@@_keys_define_code:nnn {fontspec-preparse} {BoldFeatures}
1593 {
1594   \tl_set:Nn \l_fontspec_fontfeat_bf_clist { , #1}
1595   \fontspec_update_fontid:n {bf feat:#1}
1596 }
1597 \@@_keys_define_code:nnn {fontspec-preparse} {ItalicFeatures}
1598 {

```

```

1599 \tl_set:Nn \l_fontspec_fontfeat_it_clist {, #1}
1600 \fontspec_update_fontid:n {itfeat:#1}
1601 }
1602 \@@_keys_define_code:nnn {fontspec-preparse} {BoldItalicFeatures}
1603 {
1604   \tl_set:Nn \l_fontspec_fontfeat_bfit_clist {, #1}
1605   \fontspec_update_fontid:n {bfitfeat:#1}
1606 }
1607 \@@_keys_define_code:nnn {fontspec-preparse} {SlantedFeatures}
1608 {
1609   \tl_set:Nn \l_fontspec_fontfeat_sl_clist {, #1}
1610   \fontspec_update_fontid:n {slfeat:#1}
1611 }
1612 \@@_keys_define_code:nnn {fontspec-preparse} {BoldSlantedFeatures}
1613 {
1614   \tl_set:Nn \l_fontspec_fontfeat_bfsl_clist {, #1}
1615   \fontspec_update_fontid:n {bfslfeat:#1}
1616 }

```

Note that small caps features can vary by shape, so these in fact *aren't* pre-parsed.

```

1617 \@@_keys_define_code:nnn {fontspec} {SmallCapsFeatures}
1618 {
1619   \bool_if:NF \l_fontspec_firsttime_bool
1620   {
1621     \tl_set:Nn \l_fontspec_fontfeat_sc_clist {, #1}
1622   }
1623   \fontspec_update_fontid:n {scfeat:#1}
1624 }

```

paragraphFeatures varying by size TODO: sizefeatures and italicfont (etc) don't play nice

```

1625 \@@_keys_define_code:nnn {fontspec-preparse} {SizeFeatures}
1626 {
1627   \tl_set:Nn \l_fontspec_sizefeat_clist {#1}
1628   \fontspec_update_fontid:n {sizefeat:#1}
1629 }
1630 \@@_keys_define_code:nnn {fontspec-sizing} {Size}
1631 {
1632   \tl_set:Nn \l_fontspec_size_tl {#1}
1633 }
1634 \@@_keys_define_code:nnn {fontspec-sizing} {Font}
1635 {
1636   \fontspec_complete_fontname:Nn \l_fontspec_sizedfont_tl {#1}
1637 }

```

25.6.4 Font-independent features

These features can be applied to any font.

Scale If the input isn't one of the pre-defined string options, then it's gotta be numerical. `\fontspec_calc_scale:n` does all the work in the auto-scaling cases.

```

1638 \@@_keys_define_code:nnn {fontspec} {Scale}

```



```

1639 {
1640   \str_case:nnn {#1}
1641   {
1642     {MatchLowercase} { \fontspec_calc_scale:n {5} }
1643     {MatchUppercase} { \fontspec_calc_scale:n {8} }
1644   }
1645   { \tl_set:Nx \l_fontspec_scale_tl {#1} }
1646   \fontspec_update_fontid:n {+scale:\l_fontspec_scale_tl}
1647   \tl_set:Nx \l_fontspec_scale_tl { s*[\l_fontspec_scale_tl] }
1648 }

```

`\fontspec_calc_scale:n` This macro calculates the amount of scaling between the default roman font and the (default shape of) the font being selected such that the font dimension that is input is equal for both. The only font dimensions that justify this are 5 (lowercase height) and 8 (uppercase height in X_YTeX).

This script is executed for every extra shape, which seems wasteful, but allows alternate italic shapes from a separate font, say, to be loaded and to be auto-scaled correctly. Even if this would be ugly.

```

1649 \cs_new:Nn \fontspec_calc_scale:n
1650 {
1651   \group_begin:
1652     \rmfamily
1653     \fontspec_set_font_dimen:NnN \l_fontspec_tmpa_dim {#1} \font
1654     \fontspec_set_font_dimen:NnN \l_fontspec_tmpb_dim {#1} \l_fontspec_font
1655     \fp_set_from_dim:Nn \l_fontspec_tmpa_fp { \l_fontspec_tmpa_dim }
1656     \fp_set_from_dim:Nn \l_fontspec_tmpb_fp { \l_fontspec_tmpb_dim }
1657     \fp_div:Nn \l_fontspec_tmpa_fp { \l_fontspec_tmpb_fp }
1658     \tl_gset:Nx \l_fontspec_scale_tl { \fp_use:N \l_fontspec_tmpa_fp }
1659     \fontspec_info:n {set-scale}
1660   \group_end:
1661 }

```

`\fontspec_set_font_dimen:NnN` This function sets the dimension #1 (for font #3) to ‘fontdimen’ #2 for either font dimension 5 (x-height) or 8 (cap-height). If, for some reason, these return an incorrect ‘zero’ value (as `\fontdimen8` might for a .tfm font), then we cheat and measure the height of a glyph. We assume in this case that the font contains either an ‘X’ or an ‘x’.

```

1662 \cs_new:Nn \fontspec_set_font_dimen:NnN
1663 {
1664   \dim_set:Nn #1 { \fontdimen #2 #3 }
1665   \dim_compare:nNnT #1 = {0pt}
1666   {
1667     \settoheight #1
1668     {
1669       \str_if_eq:nnTF {#3} {\font} \rmfamily #3
1670       \int_case:nnn #2
1671       {
1672         {5} {x} % x-height
1673         {8} {X} % cap-height
1674       } {?} % "else" clause; never reached.
1675     }
1676   }
1677 }

```

Inter-word space These options set the relevant \fontdimens for the font being loaded.

```
1678 \@@_keys_define_code:nnn {fontspec} {WordSpace}
1679 {
1680   \fontspec_update_fontid:n {+wordspace:#1}
1681   \bool_if:NF \l_fontspec_firsttime_bool
1682   { \_fontspec_parse_wordspace:w #1,,,\q_stop }
1683 }
```

_fontspec_parse_wordspace:w This macro determines if the input to WordSpace is of the form {X} or {X,Y,Z} and executes the font scaling. If the former input, it executes {X,X,X}.

```
1684 \cs_set:Npn \_fontspec_parse_wordspace:w #1,#2,#3,#4 \q_stop
1685 {
1686   \tl_if_empty:nTF {#4}
1687   {
1688     \tl_put_right:Nn \l_fontspec_postadjust_tl
1689     {
1690       \fontdimen 2 \font = #1 \fontdimen 2 \font
1691       \fontdimen 3 \font = #1 \fontdimen 3 \font
1692       \fontdimen 4 \font = #1 \fontdimen 4 \font
1693     }
1694   }
1695   {
1696     \tl_put_right:Nn \l_fontspec_postadjust_tl
1697     {
1698       \fontdimen 2 \font = #1 \fontdimen 2 \font
1699       \fontdimen 3 \font = #2 \fontdimen 3 \font
1700       \fontdimen 4 \font = #3 \fontdimen 4 \font
1701     }
1702   }
1703 }
```

Punctuation space Scaling factor for the nominal \fontdimen#7.

```
1704 \@@_keys_define_code:nnn {fontspec} {PunctuationSpace}
1705 {
1706   \fontspec_update_fontid:n {+punctspace:#1}
1707   \tl_put_right:Nx \l_fontspec_postadjust_tl
1708   { \fontdimen 7 \font = #1 \fontdimen 7 \font }
1709 }
```

Secret hook into the font-adjustment code

```
1710 \@@_keys_define_code:nnn {fontspec} {FontAdjustment}
1711 {
1712   \fontspec_update_fontid:n {+fontadjust:\detokenize{#1}}
1713   \tl_put_right:Nx \l_fontspec_postadjust_tl {#1}
1714 }
```

Letterspacing

```
1715 \@@_keys_define_code:nnn {fontspec} {LetterSpace}
1716 {
1717   \fontspec_update_fontid:n {+tracking:#1}
```

```

1718 \fontspec_update_featstr:n{letterspace=#1}
1719 }

```

Hyphenation character This feature takes one of three arguments: ‘None’, *<glyph>*, or *<slot>*. If the input isn’t the first, and it’s one character, then it’s the second; otherwise, it’s the third.

```

1720 \@@_keys_define_code:nnn {fontspec} {HyphenChar}
1721 {
1722   \fontspec_update_fontid:n {+hyphenchar:#1}
1723   \str_if_eq:nnTF {#1} {None}
1724   {
1725     \tl_put_right:Nn \l_fontspec_postadjust_tl
1726       { \hyphenchar \font = \c_minus_one }
1727   }
1728   {
1729     \tl_if_single:nTF {#1}
1730       { \tl_set:Nn \l_fontspec_hyphenchar_tl {'#1} }
1731       { \tl_set:Nn \l_fontspec_hyphenchar_tl { #1} }
1732     \font_glyph_if_exist:NnTF \l_fontspec_font {\l_fontspec_hyphenchar_tl}
1733     {
1734       \tl_put_right:Nn \l_fontspec_postadjust_tl
1735       (*xetexx)
1736       { \hyphenchar \font = \l_fontspec_hyphenchar_tl \scan_stop: }
1737     }
1738     (*luatex)
1739     {
1740       \hyphenchar \font = \c_zero
1741       \luatexprehyphenchar = \l_fontspec_hyphenchar_tl \scan_stop:
1742     }
1743   }
1744   { \fontspec_error:nx {no-glyph}{#1} }
1745 }
1746 }
1747 }

```

Color Hooks into `pkgxcolor`, which names its colours `\color@<name>`.

```

1748 \@@_keys_define_code:nnn {fontspec} {Color}
1749 {
1750   \fontspec_update_fontid:n {+col:#1}
1751   \cs_if_exist:cTF { \token_to_str:N \color@ #1 }
1752   {
1753     \convertcolorspec{named}{#1}{HTML}\l_fontspec_hexcol_tl
1754   }
1755   {
1756     \int_compare:nTF { \tl_count:n {#1} == 6 }
1757       { \tl_set:Nn \l_fontspec_hexcol_tl {#1} }
1758       {
1759         \int_compare:nTF { \tl_count:n {#1} == 8 }
1760           { \fontspec_parse_colour:viii #1 }
1761           {
1762             \bool_if:NF \l_fontspec_firsttime_bool

```

```

1763         { \fontspec_warning:nx {bad-colour} {#1} }
1764     }
1765 }
1766 }
1767 }
1768 \cs_set:Npn \fontspec_parse_colour:viii #1#2#3#4#5#6#7#8
1769 {
1770   \tl_set:Nn \l_fontspec_hexcol_tl {#1#2#3#4#5#6}
1771   \tl_if_eq:NNF \l_fontspec_opacity_tl \g_fontspec_opacity_tl
1772   {
1773     \bool_if:NF \l_fontspec_firsttime_bool
1774     { \fontspec_warning:nx {opa-twice-col} {#7#8} }
1775   }
1776   \tl_set:Nn \l_fontspec_opacity_tl {#7#8}
1777 }
1778 \aliasfontfeature{Color}{Colour}

1779 \int_new:N \l_fontspec_tmp_int
1780 @@_keys_define_code:nnn {fontspec} {Opacity}
1781 {
1782   \fontspec_update_fontid:n {+opac:#1}
1783   \int_set:Nn \l_fontspec_tmp_int {255}
1784   \int_mult_truncate:Nn \l_fontspec_tmp_int { #1 }
1785   \tl_if_eq:NNF \l_fontspec_opacity_tl \g_fontspec_opacity_tl
1786   {
1787     \bool_if:NF \l_fontspec_firsttime_bool
1788     { \fontspec_warning:nx {opa-twice} {#1} }
1789   }
1790   \tl_set:Nx \l_fontspec_opacity_tl
1791   {
1792     \int_compare:nT { \l_fontspec_tmp_int <= "F } {0} % zero pad
1793     \int_to_hexadecimal:n { \l_fontspec_tmp_int }
1794   }
1795 }

```

Mapping

```

1796 @@_keys_define_code:nnn {fontspec} {Mapping}
1797 <{*xetex}>
1798 {
1799   \fontspec_update_fontid:n {+map:#1}
1800   \fontspec_update_featstr:n{mapping=#1}
1801 }
1802 </xetex>
1803 <{*luatex}>
1804 {
1805   \str_if_eq:nnTF {#1} {tex-text}
1806   {
1807     \fontspec_warning:n {no-mapping-ligtex}
1808     \msg_redirect_name:nnn {fontspec} {no-mapping-ligtex} {none}
1809     \keys_set:nn {fontspec} { Ligatures=TeX }
1810   }
1811   { \fontspec_warning:n {no-mapping} }

```

```

1812 }
1813 </luatex>

```

FeatureFile

```

1814 \@@_keys_define_code:nnn {fontspec} {FeatureFile}
1815 {
1816   \fontspec_update_fontid:n {+fea:#1}
1817   \fontspec_update_featstr:n{featurefile=#1}
1818 }

```

25.6.5 Continuous font axes

```

1819 \@@_keys_define_code:nnn {fontspec} {Weight}
1820 {
1821   \fontspec_update_fontid:n {+weight:#1}
1822   \fontspec_update_featstr:n{weight=#1}
1823 }
1824 \@@_keys_define_code:nnn {fontspec} {Width}
1825 {
1826   \fontspec_update_fontid:n {+width:#1}
1827   \fontspec_update_featstr:n{width=#1}
1828 }
1829 \@@_keys_define_code:nnn {fontspec} {OpticalSize}
1830 <*xetex>
1831 {
1832   \bool_if:NTF \l_fontspec_icu_bool
1833   {
1834     \tl_set:Nn \l_fontspec_optical_size_tl {/ S = #1}
1835     \fontspec_update_fontid:n {+size:#1}
1836   }
1837   {
1838     \bool_if:NT \l_fontspec_mm_bool
1839     {
1840       \fontspec_update_fontid:n {+size:#1}
1841       \fontspec_update_featstr:n{optical size=#1}
1842     }
1843   }
1844   \bool_if:nT { !\l_fontspec_icu_bool && !\l_fontspec_mm_bool }
1845   {
1846     \bool_if:NT \l_fontspec_firsttime_bool
1847     { \fontspec_warning:n {no-opticals} }
1848   }
1849 }
1850 </xetex>
1851 <*luatex>
1852 {
1853   \tl_set:Nn \l_fontspec_optical_size_tl {/ S = #1}
1854   \fontspec_update_fontid:n {+size:#1}
1855 }
1856 </luatex>

```

25.6.6 Font transformations

These are to be specified to apply directly to a font shape:

```
1857 \keys_define:nn {fontspec}
1858 {
1859   FakeSlant .code:n =
1860   {
1861     \fontspec_update_fontid:n {+slant:#1}
1862     \fontspec_update_featstr:n{slant=#1}
1863   },
1864   FakeSlant .default:n = {0.2}
1865 }
1866 \keys_define:nn {fontspec}
1867 {
1868   FakeStretch .code:n =
1869   {
1870     \fontspec_update_fontid:n {+extend:#1}
1871     \fontspec_update_featstr:n{extend=#1}
1872   },
1873   FakeStretch .default:n = {1.2}
1874 }
1875 <*/xetex>
1876 \keys_define:nn {fontspec}
1877 {
1878   FakeBold .code:n =
1879   {
1880     \fontspec_update_fontid:n {+embolden:#1}
1881     \fontspec_update_featstr:n{embolden=#1}
1882   },
1883   FakeBold .default:n = {1.5}
1884 }
1885 </xetex>
1886 <*/luatex>
1887 \keys_define:nn {fontspec}
1888 {
1889   FakeBold .code:n = { \fontspec_warning:n {fakebold-only-xetex} }
1890 }
1891 </luatex>
```

These are to be given to a shape that has no real bold/italic to signal that fontspec should automatically create ‘fake’ shapes.

The behaviour is currently that only if both *AutoFakeSlant* and *AutoFakeBold* are specified, the bold italic is also faked.

These features presently *override* real shapes found in the font; in the future I’d like these features to be ignored in this case, instead. (This is just a bit harder to program in the current design of fontspec.)

```
1892 \keys_define:nn {fontspec}
1893 {
1894   AutoFakeSlant .code:n =
1895   {
1896     \bool_if:NT \l_fontspec_firsttime_bool
1897     {
```

```

1898     \tl_set:Nn \l_fontspec_fake_slant_tl {#1}
1899     \clist_put_right:Nn \l_fontspec_fontfeat_it_clist {FakeSlant=#1}
1900     \tl_set_eq:NN \l_fontspec_fontname_it_tl \l_fontspec_fontname_tl
1901     \bool_set_false:N \l_fontspec_noit_bool
1902
1903     \fontspec_update_fontid:n {fakeit:#1}
1904
1905     \tl_if_empty:NF \l_fontspec_fake_embolden_tl
1906     {
1907         \clist_put_right:Nx \l_fontspec_fontfeat_bfit_clist
1908             {FakeBold=\l_fontspec_fake_embolden_tl}
1909         \clist_put_right:Nx \l_fontspec_fontfeat_bfit_clist {FakeSlant=#1}
1910         \tl_set_eq:NN \l_fontspec_fontname_bfit_tl \l_fontspec_fontname_tl
1911     }
1912 }
1913 },
1914 AutoFakeSlant .default:n = {0.2}
1915 }

```

Same but reversed:

```

1916 \keys_define:nn {fontspec}
1917 {
1918     AutoFakeBold .code:n =
1919     {
1920         \bool_if:NT \l_fontspec_firsttime_bool
1921         {
1922             \tl_set:Nn \l_fontspec_fake_embolden_tl {#1}
1923             \clist_put_right:Nn \l_fontspec_fontfeat_bf_clist {FakeBold=#1}
1924             \tl_set_eq:NN \l_fontspec_fontname_bf_tl \l_fontspec_fontname_tl
1925             \bool_set_false:N \l_fontspec_nobf_bool
1926
1927             \fontspec_update_fontid:n {fakebf:#1}
1928
1929             \tl_if_empty:NF \l_fontspec_fake_slant_tl
1930             {
1931                 \clist_put_right:Nx \l_fontspec_fontfeat_bfit_clist
1932                     {FakeSlant=\l_fontspec_fake_slant_tl}
1933                 \clist_put_right:Nx \l_fontspec_fontfeat_bfit_clist {FakeBold=#1}
1934                 \tl_set_eq:NN \l_fontspec_fontname_bfit_tl \l_fontspec_fontname_tl
1935             }
1936         }
1937     },
1938     AutoFakeBold .default:n = {1.5}
1939 }

```

25.6.7 Ligatures

The call to the nested keyval family must be wrapped in braces to hide the parent list (this later requires the use of global definitions (\xdef) in [...]). Both AAT and OpenType names are offered to chose Rare/Discretionary ligatures.

```

1940 \fontspec_define_font_feature:n{Ligatures}
1941 \fontspec_define_feature_option:nnnnn{Ligatures}{Required}      {1}{0}{+rlig}

```

```

1942 \fontspec_define_feature_option:nnnnn{Ligatures}{NoRequired}      {1}{1}{-rlig}
1943 \fontspec_define_feature_option:nnnnn{Ligatures}{Common}         {1}{2}{+liga}
1944 \fontspec_define_feature_option:nnnnn{Ligatures}{NoCommon}       {1}{3}{-liga}
1945 \fontspec_define_feature_option:nnnnn{Ligatures}{Rare}           {1}{4}{+dlig}
1946 \fontspec_define_feature_option:nnnnn{Ligatures}{NoRare}         {1}{5}{-dlig}
1947 \fontspec_define_feature_option:nnnnn{Ligatures}{Discretionary}  {1}{4}{+dlig}
1948 \fontspec_define_feature_option:nnnnn{Ligatures}{NoDiscretionary}{1}{5}{-dlig}
1949 \fontspec_define_feature_option:nnnnn{Ligatures}{Contextual}     {}{} {+clig}
1950 \fontspec_define_feature_option:nnnnn{Ligatures}{NoContextual}   {}{} {-clig}
1951 \fontspec_define_feature_option:nnnnn{Ligatures}{Historic}       {}{} {+hlig}
1952 \fontspec_define_feature_option:nnnnn{Ligatures}{NoHistoric}     {}{} {-hlig}
1953 \fontspec_define_feature_option:nnnnn{Ligatures}{Logos}          {1}{6} {}
1954 \fontspec_define_feature_option:nnnnn{Ligatures}{NoLogos}        {1}{7} {}
1955 \fontspec_define_feature_option:nnnnn{Ligatures}{Rebus}          {1}{8} {}
1956 \fontspec_define_feature_option:nnnnn{Ligatures}{NoRebus}        {1}{9} {}
1957 \fontspec_define_feature_option:nnnnn{Ligatures}{Diphthong}      {1}{10}{}
1958 \fontspec_define_feature_option:nnnnn{Ligatures}{NoDiphthong}    {1}{11}{}
1959 \fontspec_define_feature_option:nnnnn{Ligatures}{Squared}        {1}{12}{}
1960 \fontspec_define_feature_option:nnnnn{Ligatures}{NoSquared}      {1}{13}{}
1961 \fontspec_define_feature_option:nnnnn{Ligatures}{AbbrevSquared}  {1}{14}{}
1962 \fontspec_define_feature_option:nnnnn{Ligatures}{NoAbbrevSquared}{1}{15}{}
1963 \fontspec_define_feature_option:nnnnn{Ligatures}{Icelandic}      {1}{32}{}
1964 \fontspec_define_feature_option:nnnnn{Ligatures}{NoIcelandic}    {1}{33}{}

```

Emulate CM extra ligatures.

```

1965 \keys_define:nn {fontspec}
1966 {
1967   Ligatures / TeX .code:n =
1968   {
1969     \xetexx\fontspec_update_fontid:n {+map:tex-text}
1970     \xetexx\fontspec_update_featstr:n{mapping=tex-text}
1971     \luatex\fontspec_update_fontid:n {+tlig+trep}
1972     \luatex\fontspec_update_featstr:n{+tlig;+trep}
1973   }
1974 }

```

25.6.8 Letters

```

1975 \fontspec_define_font_feature:n{Letters}
1976 \fontspec_define_feature_option:nnnnn{Letters}{Normal}           {3}{0}{}
1977 \fontspec_define_feature_option:nnnnn{Letters}{Uppercase}        {3}{1}{+case}
1978 \fontspec_define_feature_option:nnnnn{Letters}{Lowercase}        {3}{2}{}
1979 \fontspec_define_feature_option:nnnnn{Letters}{SmallCaps}        {3}{3}{+smcp}
1980 \fontspec_define_feature_option:nnnnn{Letters}{PetiteCaps}       {} {} {+pcap}
1981 \fontspec_define_feature_option:nnnnn{Letters}{UppercaseSmallCaps}{ } {} {+c2sc}
1982 \fontspec_define_feature_option:nnnnn{Letters}{UppercasePetiteCaps}{ } {} {+c2pc}
1983 \fontspec_define_feature_option:nnnnn{Letters}{InitialCaps}       {3}{4}{}
1984 \fontspec_define_feature_option:nnnnn{Letters}{Unicase}          {} {} {+unic}
1985 \fontspec_define_feature_option:nnnnn{Letters}{Random}           {} {} {+rand}

```

25.6.9 Numbers

These were originally separated into NumberCase and NumberSpacing following AAT, but it makes more sense to combine them.

Both naming conventions are offered to select the number case.

```
1986 \fontspec_define_font_feature:n{Numbers}
1987 \fontspec_define_feature_option:nnnn{Numbers}{Monospaced} {6} {0}{+tnum}
1988 \fontspec_define_feature_option:nnnn{Numbers}{Proportional} {6} {1}{+pnum}
1989 \fontspec_define_feature_option:nnnn{Numbers}{Lowercase} {21}{0}{+onum}
1990 \fontspec_define_feature_option:nnnn{Numbers}{OldStyle} {21}{0}{+onum}
1991 \fontspec_define_feature_option:nnnn{Numbers}{Uppercase} {21}{1}{+lnum}
1992 \fontspec_define_feature_option:nnnn{Numbers}{Lining} {21}{1}{+lnum}
1993 \fontspec_define_feature_option:nnnn{Numbers}{SlashedZero} {14}{5}{+zero}
1994 \fontspec_define_feature_option:nnnn{Numbers}{NoSlashedZero}{14}{4}{-zero}
```

luaotload provides a custom anum feature for replacing Latin (AKA Arabic) numbers with Arabic (AKA Indic-Arabic). The same feature maps to Farsi (Persian) numbers if font language is Farsi.

```
1995 \luatex_if_engine:T
1996 {
1997   \fontspec_define_feature_option:nnnn{Numbers}{Arabic}{}{}{+anum}
1998 }
```

25.6.10 Contextuals

```
1999 \fontspec_define_font_feature:n {Contextuals}
2000 \fontspec_define_feature_option:nnnn{Contextuals}{Swash} { } { } {+csw}
2001 \fontspec_define_feature_option:nnnn{Contextuals}{NoSwash} { } { } {-csw}
2002 \fontspec_define_feature_option:nnnn{Contextuals}{Alternate} { } { } {+calt}
2003 \fontspec_define_feature_option:nnnn{Contextuals}{NoAlternate} { } { } {-calt}
2004 \fontspec_define_feature_option:nnnn{Contextuals}{WordInitial} {8}{0}{+init}
2005 \fontspec_define_feature_option:nnnn{Contextuals}{NoWordInitial}{8}{1}{-init}
2006 \fontspec_define_feature_option:nnnn{Contextuals}{WordFinal} {8}{2}{+fina}
2007 \fontspec_define_feature_option:nnnn{Contextuals}{NoWordFinal} {8}{3}{-fina}
2008 \fontspec_define_feature_option:nnnn{Contextuals}{LineInitial} {8}{4}{ }
2009 \fontspec_define_feature_option:nnnn{Contextuals}{NoLineInitial}{8}{5}{ }
2010 \fontspec_define_feature_option:nnnn{Contextuals}{LineFinal} {8}{6}{+falt}
2011 \fontspec_define_feature_option:nnnn{Contextuals}{NoLineFinal} {8}{7}{-falt}
2012 \fontspec_define_feature_option:nnnn{Contextuals}{Inner} {8}{8}{+medi}
2013 \fontspec_define_feature_option:nnnn{Contextuals}{NoInner} {8}{9}{-medi}
```

25.6.11 Diacritics

```
2014 \fontspec_define_font_feature:n{Diacritics}
2015 \fontspec_define_feature_option:nnnn{Diacritics}{Show} {9}{0}{ }
2016 \fontspec_define_feature_option:nnnn{Diacritics}{Hide} {9}{1}{ }
2017 \fontspec_define_feature_option:nnnn{Diacritics}{Decompose} {9}{2}{ }
2018 \fontspec_define_feature_option:nnnn{Diacritics}{MarkToBase} { } { } {+mark}
2019 \fontspec_define_feature_option:nnnn{Diacritics}{NoMarkToBase} { } { } {-mark}
2020 \fontspec_define_feature_option:nnnn{Diacritics}{MarkToMark} { } { } {+mkmk}
2021 \fontspec_define_feature_option:nnnn{Diacritics}{NoMarkToMark} { } { } {-mkmk}
2022 \fontspec_define_feature_option:nnnn{Diacritics}{AboveBase} { } { } {+abvm}
2023 \fontspec_define_feature_option:nnnn{Diacritics}{NoAboveBase} { } { } {-abvm}
2024 \fontspec_define_feature_option:nnnn{Diacritics}{BelowBase} { } { } {+blwm}
2025 \fontspec_define_feature_option:nnnn{Diacritics}{NoBelowBase} { } { } {-blwm}
```

25.6.12 Kerning

```

2026 \fontspec_define_font_feature:n{Kerning}
2027 \fontspec_define_feature_option:nnnnn{Kerning}{Uppercase}{}{}{+csp}
2028 \fontspec_define_feature_option:nnnnn{Kerning}{On} {}{}{+kern}
2029 \fontspec_define_feature_option:nnnnn{Kerning}{Off} {}{}{-kern}
2030 %\fontspec_define_feature_option:nnnnn{Kerning}{Vertical}{}{}{+vkern}
2031 %\fontspec_define_feature_option:nnnnn{Kerning}
2032 % {VerticalAlternateProportional}{}{}{+vpal}
2033 %\fontspec_define_feature_option:nnnnn{Kerning}{VerticalAlternateHalfWidth}{}{}{+vhal}

```

25.6.13 Vertical position

```

2034 \fontspec_define_font_feature:n{VerticalPosition}
2035 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Normal} {10}{0}{}
2036 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Superior} {10}{1}{+sup}
2037 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Inferior} {10}{2}{+sub}
2038 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Ordinal} {10}{3}{+ord}
2039 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Numerator} {} {} {+num}
2040 \fontspec_define_feature_option:nnnnn{VerticalPosition}{Denominator} {} {} {+den}
2041 \fontspec_define_feature_option:nnnnn{VerticalPosition}{ScientificInferior}{}{}{+sinf}

```

25.6.14 Fractions

```

2042 \fontspec_define_font_feature:n{Fractions}
2043 \fontspec_define_feature_option:nnnnn{Fractions}{On} {11}{1}{+frac}
2044 \fontspec_define_feature_option:nnnnn{Fractions}{Off} {11}{0}{-frac}
2045 \fontspec_define_feature_option:nnnnn{Fractions}{Diagonal} {11}{2}{}
2046 \fontspec_define_feature_option:nnnnn{Fractions}{Alternate}{} {} {+afrc}

```

25.6.15 Alternates and variants

Selected numerically because they don't have standard names. Very easy to process, very annoying for the user!

```

2047 \fontspec_define_font_feature:n { Alternate }
2048 \keys_define:nn {fontspec}
2049 {
2050   Alternate .default:n = {0} ,
2051   Alternate / unknown .code:n =
2052   {
2053     \clist_map_inline:nn {#1}
2054     { \fontspec_make_feature:nx {17}{##1} { \fontspec_salt:n {##1} } }
2055   }
2056 }

2057 \cs_set:Nn \fontspec_salt:n { +salt = #1 }

2058 \fontspec_define_font_feature:n {Variant}
2059 \keys_define:nn {fontspec}
2060 {
2061   Variant .default:n = {0} ,
2062   Variant / unknown .code:n =
2063   {
2064     \clist_map_inline:nn {#1}
2065     { \fontspec_make_feature:nx {18}{##1} { +ss \two@digits {##1} } }
2066   }
2067 }
2068 \aliasfontfeature{Variant}{StylisticSet}

```

```

2069 \fontspec_define_font_feature:n { CharacterVariant }
2070 \use:x
2071 {
2072   \cs_new:Npn \exp_not:N \fontspec_parse_cv:w
2073     ##1 \c_colon_str ##2 \c_colon_str ##3 \exp_not:N \q_nil
2074   {
2075     \fontspec_make_numbered_feature:xn
2076       { +cv \exp_not:N \two@digits {##1} } {##2}
2077   }
2078   \keys_define:nn {fontspec}
2079   {
2080     CharacterVariant / unknown .code:n =
2081     {
2082       \clist_map_inline:nn {##1}
2083       {
2084         \exp_not:N \fontspec_parse_cv:w
2085         #####1 \c_colon_str 0 \c_colon_str \exp_not:N \q_nil
2086       }
2087     }
2088   }
2089 }

```

Possibilities: a:0:\q_nil or a:b:0:\q_nil.

25.6.16 OpenType maths font features

Deprecated August 2011; delete at some stage in the future.

```

2090 \keys_define:nn {fontspec}
2091 {
2092   ScriptStyle .code:n =
2093   {
2094     \fontspec_update_fontid:n {+ssty=0}
2095     \fontspec_update_featstr:n{+sstyle}
2096   },
2097   ScriptScriptStyle .code:n =
2098   {
2099     \fontspec_update_fontid:n {+ssty=1}
2100     \fontspec_update_featstr:n{+ssstyle}
2101   }
2102 }

```

25.6.17 Style

```

2103 \fontspec_define_font_feature:n{Style}
2104 \fontspec_define_feature_option:nnnn{Style}{Alternate}   {} {} {+salt}
2105 \fontspec_define_feature_option:nnnn{Style}{Italic}     {32}{2}{+ital}
2106 \fontspec_define_feature_option:nnnn{Style}{Ruby}       {28}{2}{+ruby}
2107 \fontspec_define_feature_option:nnnn{Style}{Swash}      {} {} {+swsh}
2108 \fontspec_define_feature_option:nnnn{Style}{Historic}   {} {} {+hist}
2109 \fontspec_define_feature_option:nnnn{Style}{Display}    {19}{1}{}
2110 \fontspec_define_feature_option:nnnn{Style}{Engraved}   {19}{2}{}
2111 \fontspec_define_feature_option:nnnn{Style}{TitlingCaps}{19}{4}{+titl}

```

```

2112 \fontspec_define_feature_option:nnnnn{Style}{TallCaps} {19}{5}{}
2113 \fontspec_define_feature_option:nnnnn{Style}{HorizontalKana}{} {} {} {+hkna}
2114 \fontspec_define_feature_option:nnnnn{Style}{VerticalKana} {} {} {} {+vkna}
2115 \fontspec_define_numbered_feat:nnnn {Style} {MathScript} {} {+ssty} {0}
2116 \fontspec_define_numbered_feat:nnnn {Style} {MathScriptScript} {+ssty} {1}

```

25.6.18 CJK shape

```

2117 \fontspec_define_font_feature:n{CJKShape}
2118 \fontspec_define_feature_option:nnnnn{CJKShape}{Traditional}{20}{0} {+trad}
2119 \fontspec_define_feature_option:nnnnn{CJKShape}{Simplified} {20}{1} {+smpl}
2120 \fontspec_define_feature_option:nnnnn{CJKShape}{JIS1978} {20}{2} {+jp78}
2121 \fontspec_define_feature_option:nnnnn{CJKShape}{JIS1983} {20}{3} {+jp83}
2122 \fontspec_define_feature_option:nnnnn{CJKShape}{JIS1990} {20}{4} {+jp90}
2123 \fontspec_define_feature_option:nnnnn{CJKShape}{Expert} {20}{10}{+expt}
2124 \fontspec_define_feature_option:nnnnn{CJKShape}{NLC} {20}{13}{+nlck}

```

25.6.19 Character width

```

2125 \fontspec_define_font_feature:n{CharacterWidth}
2126 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Proportional}{22}{0}{+pwid}
2127 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Full}{22}{1}{+fwid}
2128 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Half}{22}{2}{+hwid}
2129 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Third}{22}{3}{+twid}
2130 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Quarter}{22}{4}{+qwid}
2131 \fontspec_define_feature_option:nnnnn{CharacterWidth}{AlternateProportional}{22}{5}{+palt}
2132 \fontspec_define_feature_option:nnnnn{CharacterWidth}{AlternateHalf}{22}{6}{+halt}
2133 \fontspec_define_feature_option:nnnnn{CharacterWidth}{Default}{22}{7}{}

```

25.6.20 Annotation

```

2134 \fontspec_define_feature_option:nnnnn{Annotation}{Off}{24}{0}{}
2135 \fontspec_define_feature_option:nnnnn{Annotation}{Box}{24}{1}{}
2136 \fontspec_define_feature_option:nnnnn{Annotation}{RoundedBox}{24}{2}{}
2137 \fontspec_define_feature_option:nnnnn{Annotation}{Circle}{24}{3}{}
2138 \fontspec_define_feature_option:nnnnn{Annotation}{BlackCircle}{24}{4}{}
2139 \fontspec_define_feature_option:nnnnn{Annotation}{Parenthesis}{24}{5}{}
2140 \fontspec_define_feature_option:nnnnn{Annotation}{Period}{24}{6}{}
2141 \fontspec_define_feature_option:nnnnn{Annotation}{RomanNumerals}{24}{7}{d}
2142 \fontspec_define_feature_option:nnnnn{Annotation}{Diamond}{24}{8}{}
2143 \fontspec_define_feature_option:nnnnn{Annotation}{BlackSquare}{24}{9}{}
2144 \fontspec_define_feature_option:nnnnn{Annotation}{BlackRoundSquare}{24}{10}{}
2145 \fontspec_define_feature_option:nnnnn{Annotation}{DoubleCircle}{24}{11}{}

2146 \fontspec_define_font_feature:n { Annotation }
2147 \keys_define:nn {fontspec}
2148 {
2149   Annotation .default:n = {0} ,
2150   Annotation / unknown .code:n =
2151   {
2152     \fontspec_make_feature:nx {}{}{ +nalt=#1 }
2153   }
2154 }

```

25.6.21 Vertical

```

2155 \keys_define:nn {fontspec}
2156 {
2157   Vertical .choice: ,
2158   Vertical / RotatedGlyphs .code:n =
2159   {
2160     \bool_if:NTF \l_fontspec_icu_bool
2161     {
2162       \fontspec_make_feature:nnn{}{}{+vrt2}
2163       \fontspec_update_fontid:n {+vert}
2164       \fontspec_update_featstr:n{vertical}
2165     }
2166     {
2167       \fontspec_update_fontid:n {+vert}
2168       \fontspec_update_featstr:n{vertical}
2169     }
2170   }
2171 }

```

25.6.22 Script

```

2172 \newfontscript{Arabic}{arab}           \newfontscript{Armenian}{armn}
2173 \newfontscript{Balinese}{bali}         \newfontscript{Bengali}{beng}
2174 \newfontscript{Bopomofo}{bopo}        \newfontscript{Braille}{brai}
2175 \newfontscript{Buginese}{bugi}        \newfontscript{Buhid}{buhd}
2176 \newfontscript{Byzantine~Music}{byzm}
2177 \newfontscript{Canadian~Syllabics}{cans}
2178 \newfontscript{Cherokee}{cher}
2179 \newfontscript{CJK~Ideographic}{hani}  \newfontscript{Coptic}{copt}
2180 \newfontscript{Cypriot~Syllabary}{cprt} \newfontscript{Cyrillic}{cyr1}
2181 \newfontscript{Default}{DFLT}          \newfontscript{Deseret}{dsrt}
2182 \newfontscript{Devanagari}{deva}       \newfontscript{Ethiopic}{ethi}
2183 \newfontscript{Georgian}{geor}         \newfontscript{Glagolitic}{glag}
2184 \newfontscript{Gothic}{goth}          \newfontscript{Greek}{grek}
2185 \newfontscript{Gujarati}{gujr}        \newfontscript{Gurmukhi}{guru}
2186 \newfontscript{Hangul~Jamo}{jamo}     \newfontscript{Hangul}{hang}
2187 \newfontscript{Hanunoo}{hano}         \newfontscript{Hebrew}{hebr}
2188 \newfontscript{Hiragana~and~Katakana}{kana}
2189 \newfontscript{Javanese}{java}         \newfontscript{Kannada}{knda}
2190 \newfontscript{Kharosthi}{khar}       \newfontscript{Khmer}{khmr}
2191 \newfontscript{Lao}{lao~}             \newfontscript{Latin}{latn}
2192 \newfontscript{Limbu}{limb}           \newfontscript{Linear~B}{linb}
2193 \newfontscript{Malayalam}{mlym}       \newfontscript{Math}{math}
2194 \newfontscript{Mongolian}{mong}
2195 \newfontscript{Musical~Symbols}{musc}  \newfontscript{Myanmar}{mymr}
2196 \newfontscript{N'ko}{nko~}           \newfontscript{Ogham}{ogam}
2197 \newfontscript{Old~Italic}{ital}
2198 \newfontscript{Old~Persian~Cuneiform}{xpeo}
2199 \newfontscript{Oriya}{orya}           \newfontscript{Osmanya}{osma}
2200 \newfontscript{Phags-pa}{phag}        \newfontscript{Phoenician}{phnx}
2201 \newfontscript{Runic}{runr}           \newfontscript{Shavian}{shaw}
2202 \newfontscript{Sinhala}{sinh}
2203 \newfontscript{Sumero-Akkadian~Cuneiform}{xsux}
2204 \newfontscript{Syloti~Nagri}{sylo}    \newfontscript{Syriac}{syrc}

```

2205 \newfontscript{Tagalog}{tglg} \newfontscript{Tagbanwa}{tagb}
 2206 \newfontscript{Tai~Le}{tale} \newfontscript{Tai~Lu}{talu}
 2207 \newfontscript{Tamil}{taml} \newfontscript{Telugu}{telu}
 2208 \newfontscript{Thaana}{thaa} \newfontscript{Thai}{thai}
 2209 \newfontscript{Tibetan}{tib} \newfontscript{Tifinagh}{tfng}
 2210 \newfontscript{Ugaritic~Cuneiform}{ugar}\newfontscript{Yi}{yi~}

For convenience:

2211 \newfontscript{Kana}{kana}
 2212 \newfontscript{Maths}{math}
 2213 \newfontscript{CJK}{hani}

25.6.23 Language

2214 \newfontlanguage{Abaza}{ABA}\newfontlanguage{Abkhazian}{ABK}
 2215 \newfontlanguage{Adyghe}{ADY}\newfontlanguage{Afrikaans}{AFK}
 2216 \newfontlanguage{Afar}{AFR}\newfontlanguage{Agaw}{AGW}
 2217 \newfontlanguage{Altai}{ALT}\newfontlanguage{Amharic}{AMH}
 2218 \newfontlanguage{Arabic}{ARA}\newfontlanguage{Aari}{ARI}
 2219 \newfontlanguage{Arakanese}{ARK}\newfontlanguage{Assamese}{ASM}
 2220 \newfontlanguage{Athapaskan}{ATH}\newfontlanguage{Avar}{AVR}
 2221 \newfontlanguage{Awadhi}{AWA}\newfontlanguage{Aymara}{AYM}
 2222 \newfontlanguage{Azeri}{AZE}\newfontlanguage{Badaga}{BAD}
 2223 \newfontlanguage{Baghelkhandi}{BAG}\newfontlanguage{Balkar}{BAL}
 2224 \newfontlanguage{Baule}{BAU}\newfontlanguage{Berber}{BBR}
 2225 \newfontlanguage{Bench}{BCH}\newfontlanguage{Bible~Cree}{BCR}
 2226 \newfontlanguage{Belarussian}{BEL}\newfontlanguage{Bemba}{BEM}
 2227 \newfontlanguage{Bengali}{BEN}\newfontlanguage{Bulgarian}{BGR}
 2228 \newfontlanguage{Bhili}{BHI}\newfontlanguage{Bhojpuri}{BHO}
 2229 \newfontlanguage{Bikol}{BIK}\newfontlanguage{Bilen}{BIL}
 2230 \newfontlanguage{Blackfoot}{BKF}\newfontlanguage{Balochi}{BLI}
 2231 \newfontlanguage{Balante}{BLN}\newfontlanguage{Balti}{BLT}
 2232 \newfontlanguage{Bambara}{BMB}\newfontlanguage{Bamileke}{BML}
 2233 \newfontlanguage{Breton}{BRE}\newfontlanguage{Brahui}{BRH}
 2234 \newfontlanguage{Braj~Bhasha}{BRI}\newfontlanguage{Burmese}{BRM}
 2235 \newfontlanguage{Bashkir}{BSH}\newfontlanguage{Beti}{BTI}
 2236 \newfontlanguage{Catalan}{CAT}\newfontlanguage{Cebuano}{CEB}
 2237 \newfontlanguage{Chechen}{CHE}\newfontlanguage{Chaha~Gurage}{CHG}
 2238 \newfontlanguage{Chattisgarhi}{CHH}\newfontlanguage{Chichewa}{CHI}
 2239 \newfontlanguage{Chukchi}{CHK}\newfontlanguage{Chipewyan}{CHP}
 2240 \newfontlanguage{Cherokee}{CHR}\newfontlanguage{Chuvash}{CHU}
 2241 \newfontlanguage{Comorian}{CMR}\newfontlanguage{Coptic}{COP}
 2242 \newfontlanguage{Cree}{CRE}\newfontlanguage{Carrier}{CRR}
 2243 \newfontlanguage{Crimean~Tatar}{CRT}\newfontlanguage{Church~Slavonic}{CSL}
 2244 \newfontlanguage{Czech}{CSY}\newfontlanguage{Danish}{DAN}
 2245 \newfontlanguage{Dargwa}{DAR}\newfontlanguage{Woods~Cree}{DCR}
 2246 \newfontlanguage{German}{DEU}
 2247 \newfontlanguage{Dogri}{DGR}\newfontlanguage{Divehi}{DIV}
 2248 \newfontlanguage{Djerma}{DJR}\newfontlanguage{Dangme}{DNG}
 2249 \newfontlanguage{Dinka}{DNK}\newfontlanguage{Dungan}{DUN}
 2250 \newfontlanguage{Dzongkha}{DZN}\newfontlanguage{Ebirra}{EBI}
 2251 \newfontlanguage{Eastern~Cree}{ECR}\newfontlanguage{Edo}{EDO}
 2252 \newfontlanguage{Efik}{EFI}\newfontlanguage{Greek}{ELL}

2253 \newfontlanguage{English}{ENG}\newfontlanguage{Erzya}{ERZ}
 2254 \newfontlanguage{Spanish}{ESP}\newfontlanguage{Estonian}{ETI}
 2255 \newfontlanguage{Basque}{EUQ}\newfontlanguage{Evenki}{EVK}
 2256 \newfontlanguage{Even}{EVN}\newfontlanguage{Ewe}{EWE}
 2257 \newfontlanguage{French~Antillean}{FAN}
 2258 \newfontlanguage{Farsi}{FAR}
 2259 \newfontlanguage{Parsi}{FAR}
 2260 \newfontlanguage{Persian}{FAR}
 2261 \newfontlanguage{Finnish}{FIN}\newfontlanguage{Fijian}{FJI}
 2262 \newfontlanguage{Flemish}{FLE}\newfontlanguage{Forest~Nenets}{FNE}
 2263 \newfontlanguage{Fon}{FON}\newfontlanguage{Faroese}{FOS}
 2264 \newfontlanguage{French}{FRA}\newfontlanguage{Frisian}{FRI}
 2265 \newfontlanguage{Friulian}{FRL}\newfontlanguage{Futa}{FTA}
 2266 \newfontlanguage{Fulani}{FUL}\newfontlanguage{Ga}{GAD}
 2267 \newfontlanguage{Gaelic}{GAE}\newfontlanguage{Gagauz}{GAG}
 2268 \newfontlanguage{Galician}{GAL}\newfontlanguage{Garshuni}{GAR}
 2269 \newfontlanguage{Garhwali}{GAW}\newfontlanguage{Ge'ez}{GEZ}
 2270 \newfontlanguage{Gilyak}{GIL}\newfontlanguage{Gumuz}{GMZ}
 2271 \newfontlanguage{Gondi}{GON}\newfontlanguage{Greenlandic}{GRN}
 2272 \newfontlanguage{Garó}{GRO}\newfontlanguage{Guarani}{GUA}
 2273 \newfontlanguage{Gujarati}{GUJ}\newfontlanguage{Haitian}{HAI}
 2274 \newfontlanguage{Halam}{HAL}\newfontlanguage{Harauti}{HAR}
 2275 \newfontlanguage{Hausa}{HAU}\newfontlanguage{Hawaiin}{HAW}
 2276 \newfontlanguage{Hammer-Banna}{HBN}\newfontlanguage{Hiligaynon}{HIL}
 2277 \newfontlanguage{Hindi}{HIN}\newfontlanguage{High~Mari}{HMA}
 2278 \newfontlanguage{Hindko}{HND}\newfontlanguage{Ho}{HO}
 2279 \newfontlanguage{Harari}{HRI}\newfontlanguage{Croatian}{HRV}
 2280 \newfontlanguage{Hungarian}{HUN}\newfontlanguage{Armenian}{HYE}
 2281 \newfontlanguage{Igbo}{IBO}\newfontlanguage{Ijo}{IJO}
 2282 \newfontlanguage{Ilokano}{ILO}\newfontlanguage{Indonesian}{IND}
 2283 \newfontlanguage{Ingush}{ING}\newfontlanguage{Inuktitut}{INU}
 2284 \newfontlanguage{Irish}{IRI}\newfontlanguage{Irish~Traditional}{IRT}
 2285 \newfontlanguage{Icelandic}{ISL}\newfontlanguage{Inari~Sami}{ISM}
 2286 \newfontlanguage{Italian}{ITA}\newfontlanguage{Hebrew}{IWR}
 2287 \newfontlanguage{Javanese}{JAV}\newfontlanguage{Yiddish}{JII}
 2288 \newfontlanguage{Japanese}{JAN}\newfontlanguage{Judezmo}{JUD}
 2289 \newfontlanguage{Jula}{JUL}\newfontlanguage{Kabardian}{KAB}
 2290 \newfontlanguage{Kachchi}{KAC}\newfontlanguage{Kalenjin}{KAL}
 2291 \newfontlanguage{Kannada}{KAN}\newfontlanguage{Karachay}{KAR}
 2292 \newfontlanguage{Georgian}{KAT}\newfontlanguage{Kazakh}{KAZ}
 2293 \newfontlanguage{Kebena}{KEB}\newfontlanguage{Khutsuri~Georgian}{KGE}
 2294 \newfontlanguage{Khakass}{KHA}\newfontlanguage{Khanty-Kazim}{KHK}
 2295 \newfontlanguage{Khmer}{KHM}\newfontlanguage{Khanty-Shurishkar}{KHS}
 2296 \newfontlanguage{Khanty-Vakhi}{KHV}\newfontlanguage{Khowar}{KHW}
 2297 \newfontlanguage{Kikuyu}{KIK}\newfontlanguage{Kirghiz}{KIR}
 2298 \newfontlanguage{Kisii}{KIS}\newfontlanguage{Kokni}{KKN}
 2299 \newfontlanguage{Kalmyk}{KLM}\newfontlanguage{Kamba}{KMB}
 2300 \newfontlanguage{Kumaoni}{KMN}\newfontlanguage{Komo}{KMO}
 2301 \newfontlanguage{Komso}{KMS}\newfontlanguage{Kanuri}{KNR}
 2302 \newfontlanguage{Kodagu}{KOD}\newfontlanguage{Korean~Old~Hangul}{KOH}
 2303 \newfontlanguage{Konkani}{KOK}\newfontlanguage{Kikongo}{KON}

2304 \newfontlanguage{Komi-Permyak}{KOP}\newfontlanguage{Korean}{KOR}
 2305 \newfontlanguage{Komi-Zyrian}{KOZ}\newfontlanguage{Kpelle}{KPL}
 2306 \newfontlanguage{Krio}{KRI}\newfontlanguage{Karakalpak}{KPK}
 2307 \newfontlanguage{Karelian}{KRL}\newfontlanguage{Karaim}{KRM}
 2308 \newfontlanguage{Karen}{KRN}\newfontlanguage{Korete}{KRT}
 2309 \newfontlanguage{Kashmiri}{KSH}\newfontlanguage{Khasi}{KSI}
 2310 \newfontlanguage{Kildin~Sami}{KSM}\newfontlanguage{Kui}{KUI}
 2311 \newfontlanguage{Kulvi}{KUL}\newfontlanguage{Kumyk}{KUM}
 2312 \newfontlanguage{Kurdish}{KUR}\newfontlanguage{Kurukh}{KUU}
 2313 \newfontlanguage{Kuy}{KUY}\newfontlanguage{Koryak}{KYY}
 2314 \newfontlanguage{Ladin}{LAD}\newfontlanguage{Lahuli}{LAH}
 2315 \newfontlanguage{Lak}{LAK}\newfontlanguage{Lambani}{LAM}
 2316 \newfontlanguage{Lao}{LAO}\newfontlanguage{Latin}{LAT}
 2317 \newfontlanguage{Laz}{LAZ}\newfontlanguage{L-Cree}{LCR}
 2318 \newfontlanguage{Ladakhi}{LDK}\newfontlanguage{Lezgi}{LEZ}
 2319 \newfontlanguage{Lingala}{LIN}\newfontlanguage{Low~Mari}{LMA}
 2320 \newfontlanguage{Limbu}{LMB}\newfontlanguage{Lomwe}{LMW}
 2321 \newfontlanguage{Lower~Sorbian}{LSB}\newfontlanguage{Lule~Sami}{LSM}
 2322 \newfontlanguage{Lithuanian}{LTH}\newfontlanguage{Luba}{LUB}
 2323 \newfontlanguage{Luganda}{LUG}\newfontlanguage{Luhya}{LUH}
 2324 \newfontlanguage{Luo}{LUO}\newfontlanguage{Latvian}{LVI}
 2325 \newfontlanguage{Majang}{MAJ}\newfontlanguage{Makua}{MAK}
 2326 \newfontlanguage{Malayalam~Traditional}{MAL}\newfontlanguage{Mansi}{MAN}
 2327 \newfontlanguage{Marathi}{MAR}\newfontlanguage{Marwari}{MAW}
 2328 \newfontlanguage{Mbundu}{MBN}\newfontlanguage{Manchu}{MCH}
 2329 \newfontlanguage{Moose~Cree}{MCR}\newfontlanguage{Mende}{MDE}
 2330 \newfontlanguage{Me'en}{MEN}\newfontlanguage{Mizo}{MIZ}
 2331 \newfontlanguage{Macedonian}{MKD}\newfontlanguage{Male}{MLE}
 2332 \newfontlanguage{Malagasy}{MLG}\newfontlanguage{Malinke}{MLN}
 2333 \newfontlanguage{Malayalam~Reformed}{MLR}\newfontlanguage{Malay}{MLY}
 2334 \newfontlanguage{Mandinka}{MND}\newfontlanguage{Mongolian}{MNG}
 2335 \newfontlanguage{Manipuri}{MNI}\newfontlanguage{Maninka}{MNK}
 2336 \newfontlanguage{Manx~Gaelic}{MNX}\newfontlanguage{Moksha}{MOK}
 2337 \newfontlanguage{Moldavian}{MOL}\newfontlanguage{Mon}{MON}
 2338 \newfontlanguage{Moroccan}{MOR}\newfontlanguage{Maori}{MRI}
 2339 \newfontlanguage{Maithili}{MTH}\newfontlanguage{Maltese}{MTS}
 2340 \newfontlanguage{Mundari}{MUN}\newfontlanguage{Naga-Assamese}{NAG}
 2341 \newfontlanguage{Nanai}{NAN}\newfontlanguage{Naskapi}{NAS}
 2342 \newfontlanguage{N-Cree}{NCR}\newfontlanguage{Ndebele}{NDB}
 2343 \newfontlanguage{Ndonga}{NDG}\newfontlanguage{Nepali}{NEP}
 2344 \newfontlanguage{Newari}{NEW}\newfontlanguage{Nagari}{NGR}
 2345 \newfontlanguage{Norway~House~Cree}{NHC}\newfontlanguage{Nisi}{NIS}
 2346 \newfontlanguage{Niuean}{NIU}\newfontlanguage{Nkole}{NKL}
 2347 \newfontlanguage{N'ko}{NKO}\newfontlanguage{Dutch}{NLD}
 2348 \newfontlanguage{Nogai}{NOG}\newfontlanguage{Norwegian}{NOR}
 2349 \newfontlanguage{Northern~Sami}{NSM}\newfontlanguage{Northern~Tai}{NTA}
 2350 \newfontlanguage{Esperanto}{NTO}\newfontlanguage{Nynorsk}{NYN}
 2351 \newfontlanguage{Oji-Cree}{OCR}\newfontlanguage{Ojibway}{OBJ}
 2352 \newfontlanguage{Oriya}{ORI}\newfontlanguage{Oromo}{ORO}
 2353 \newfontlanguage{Ossetian}{OSS}\newfontlanguage{Palestinian~Aramaic}{PAA}
 2354 \newfontlanguage{Pali}{PAL}\newfontlanguage{Punjabi}{PAN}

2355 \newfontlanguage{Palpa}{PAP}\newfontlanguage{Pashto}{PAS}
 2356 \newfontlanguage{Polytonic~Greek}{PGR}\newfontlanguage{Pilipino}{PIL}
 2357 \newfontlanguage{Palaung}{PLG}\newfontlanguage{Polish}{PLK}
 2358 \newfontlanguage{Provençal}{PRO}\newfontlanguage{Portuguese}{PTG}
 2359 \newfontlanguage{Chin}{QIN}\newfontlanguage{Rajasthani}{RAJ}
 2360 \newfontlanguage{R-Cree}{RCR}\newfontlanguage{Russian~Buriat}{RBU}
 2361 \newfontlanguage{Riang}{RIA}\newfontlanguage{Rhaeto-Romanic}{RMS}
 2362 \newfontlanguage{Romanian}{ROM}\newfontlanguage{Romany}{ROY}
 2363 \newfontlanguage{Rusyn}{RSY}\newfontlanguage{Ruanda}{RUA}
 2364 \newfontlanguage{Russian}{RUS}\newfontlanguage{Sadri}{SAD}
 2365 \newfontlanguage{Sanskrit}{SAN}\newfontlanguage{Santali}{SAT}
 2366 \newfontlanguage{Sayisi}{SAY}\newfontlanguage{Sekota}{SEK}
 2367 \newfontlanguage{Selkup}{SEL}\newfontlanguage{Sango}{SGO}
 2368 \newfontlanguage{Shan}{SHN}\newfontlanguage{Sibe}{SIB}
 2369 \newfontlanguage{Sidamo}{SID}\newfontlanguage{Silte~Gurage}{SIG}
 2370 \newfontlanguage{Skolt~Sami}{SKS}\newfontlanguage{Slovak}{SKY}
 2371 \newfontlanguage{Slavey}{SLA}\newfontlanguage{Slovenian}{SLV}
 2372 \newfontlanguage{Somali}{SML}\newfontlanguage{Samoan}{SMO}
 2373 \newfontlanguage{Sena}{SNA}\newfontlanguage{Sindhi}{SND}
 2374 \newfontlanguage{Sinhalese}{SNH}\newfontlanguage{Soninke}{SNK}
 2375 \newfontlanguage{Sodo~Gurage}{SOG}\newfontlanguage{Sotho}{SOT}
 2376 \newfontlanguage{Albanian}{SQI}\newfontlanguage{Serbian}{SRB}
 2377 \newfontlanguage{Saraiki}{SRK}\newfontlanguage{Serer}{SRR}
 2378 \newfontlanguage{South~Slavey}{SSL}\newfontlanguage{Southern~Sami}{SSM}
 2379 \newfontlanguage{Suri}{SUR}\newfontlanguage{Svan}{SVA}
 2380 \newfontlanguage{Swedish}{SVE}\newfontlanguage{Swadaya~Aramaic}{SWA}
 2381 \newfontlanguage{Swahili}{SWK}\newfontlanguage{Swazi}{SWZ}
 2382 \newfontlanguage{Sutu}{SXT}\newfontlanguage{Syriac}{SYR}
 2383 \newfontlanguage{Tabasaran}{TAB}\newfontlanguage{Tajiki}{TAJ}
 2384 \newfontlanguage{Tamil}{TAM}\newfontlanguage{Tatar}{TAT}
 2385 \newfontlanguage{TH-Cree}{TCR}\newfontlanguage{Telugu}{TEL}
 2386 \newfontlanguage{Tongan}{TGN}\newfontlanguage{Tigre}{TGR}
 2387 \newfontlanguage{Tigrinya}{TGY}\newfontlanguage{Thai}{THA}
 2388 \newfontlanguage{Tahitian}{THT}\newfontlanguage{Tibetan}{TIB}
 2389 \newfontlanguage{Turkmen}{TKM}\newfontlanguage{Temne}{TMN}
 2390 \newfontlanguage{Tswana}{TNA}\newfontlanguage{Tundra~Nenets}{TNE}
 2391 \newfontlanguage{Tonga}{TNG}\newfontlanguage{Todo}{TOD}
 2392 \newfontlanguage{Tsonga}{TSG}\newfontlanguage{Turoyo~Aramaic}{TUA}
 2393 \newfontlanguage{Tulu}{TUL}\newfontlanguage{Tuvina}{TUV}
 2394 \newfontlanguage{Twi}{TWI}\newfontlanguage{Udmurt}{UDM}
 2395 \newfontlanguage{Ukrainian}{UKR}\newfontlanguage{Urdu}{URD}
 2396 \newfontlanguage{Upper~Sorbian}{USB}\newfontlanguage{Uyghur}{UYG}
 2397 \newfontlanguage{Uzbek}{UZB}\newfontlanguage{Venda}{VEN}
 2398 \newfontlanguage{Vietnamese}{VIT}\newfontlanguage{Wa}{WA}
 2399 \newfontlanguage{Wagdi}{WAG}\newfontlanguage{West-Cree}{WCR}
 2400 \newfontlanguage{Welsh}{WEL}\newfontlanguage{Wolof}{WLF}
 2401 \newfontlanguage{Tai~Lue}{XBD}\newfontlanguage{Xhosa}{XHS}
 2402 \newfontlanguage{Yakut}{YAK}\newfontlanguage{Yoruba}{YBA}
 2403 \newfontlanguage{Y-Cree}{YCR}\newfontlanguage{Yi~Classic}{YIC}
 2404 \newfontlanguage{Yi~Modern}{YIM}\newfontlanguage{Chinese~Hong~Kong}{ZHH}
 2405 \newfontlanguage{Chinese~Phonetic}{ZHP}

```

2406 \newfontlanguage{Chinese~Simplified}{ZHS}
2407 \newfontlanguage{Chinese~Traditional}{ZHT}\newfontlanguage{Zande}{ZND}
2408 \newfontlanguage{Zulu}{ZUL}

```

Turkish Turns out that many fonts use ‘TUR’ as their Turkish language tag rather than the specified ‘TRK’. So we check for both:

```

2409 \keys_define:nn {fontspec}
2410 {
2411   Language / Turkish .code:n =
2412   {
2413     \fontspec_check_lang:nTF {TRK}
2414     {
2415       \int_set:Nn \l_fontspec_language_int {\l_fontspec_strnum_int}
2416       \fontspec_update_fontid:n {+lang=Turkish}
2417       \tl_set:Nn \l_fontspec_lang_tl {TRK}
2418     }
2419     {
2420       \fontspec_check_lang:nTF {TUR}
2421       {
2422         \int_set:Nn \l_fontspec_language_int {\l_fontspec_strnum_int}
2423         \fontspec_update_fontid:n {+lang=Turkish}
2424         \tl_set:Nn \l_fontspec_lang_tl {TUR}
2425       }
2426       {
2427         \fontspec_warning:nx {language-not-exist} {Turkish}
2428         \keys_set:nn {fontspec} {Language=Default}
2429       }
2430     }
2431   }
2432 }

```

Default

```

2433 \@_keys_define_code:nnn {fontspec}{ Language / Default }
2434 {
2435   \fontspec_update_fontid:n {+lang=dfmt}
2436   \tl_set:Nn \l_fontspec_lang_tl {DFLT}
2437   \int_zero:N \l_fontspec_language_int
2438 }

```

25.6.24 Raw feature string

This allows savvy Xe_{La}TeX-ers to input font features manually if they have already memorised the OpenType abbreviations and don’t mind not having error checking.

```

2439 \@_keys_define_code:nnn {fontspec} {RawFeature}
2440 {
2441   \fontspec_update_fontid:n {+Raw:#1}
2442   \fontspec_update_featstr:n{#1}
2443 }

```

25.7 Italic small caps

The following code for utilising italic small caps sensibly is inspired from Philip Lehman's *The Font Installation Guide*. Note that `\upshape` needs to be used *twice* to get from italic small caps to regular upright (it always goes to small caps, then regular upright).

`\sishape` First, the commands for actually selecting italic small caps are defined. I use `si` as the NFSS
`\textsi` shape for italic small caps, but I have seen `itsc` and `slsc` also used. `\sidefault` may be redefined to one of these if required for compatibility.

```
2444 \providecommand*{\sidefault}{si}
2445 \DeclareRobustCommand{\sishape}
2446 {
2447   \not@math@alphabet\sishape\relax
2448   \fontshape\sidefault\selectfont
2449 }
2450 \DeclareTextFontCommand{\textsi}{\sishape}
```

`\fontspec_blend_shape:nnn` This is the macro which enables the overload on the `\. . shape` commands. It takes three such arguments. In essence, the macro selects the first argument, unless the second argument is already selected, in which case it selects the third.

```
2451 \cs_new:Nn \fontspec_blend_shape:nnn
2452 {
2453   \bool_if:nTF
2454   {
2455     \str_if_eq_x_p:nn {\f@shape} {#2} &&
2456     \cs_if_exist_p:c {\f@encoding/\f@family/\f@series/#3}
2457   }
2458   { \fontshape{#3}\selectfont }
2459   { \fontshape{#1}\selectfont }
2460 }
```

`\itshape` Here the original `\. . shape` commands are redefined to use the merge shape macro.

```
\scshape 2461 \DeclareRobustCommand \itshape
\upshape 2462 {
2463   \not@math@alphabet\itshape\mathit
2464   \fontspec_blend_shape:nnn\itdefault\scdefault\sidefault
2465 }
2466 \DeclareRobustCommand \slshape
2467 {
2468   \not@math@alphabet\slshape\relax
2469   \fontspec_blend_shape:nnn\sldefault\scdefault\sidefault
2470 }
2471 \DeclareRobustCommand \scshape
2472 {
2473   \not@math@alphabet\scshape\relax
2474   \fontspec_blend_shape:nnn\scdefault\itdefault\sidefault
2475 }
2476 \DeclareRobustCommand \upshape
2477 {
2478   \not@math@alphabet\upshape\relax
2479   \fontspec_blend_shape:nnn\updefault\sidefault\scdefault
2480 }
```

25.8 Selecting maths fonts

Here, the fonts used in math mode are redefined to correspond to the default roman, sans serif and typewriter fonts. Unfortunately, you can only define maths fonts in the preamble, otherwise I'd run this code whenever `\setmainfont` and friends was run.

`\fontspec_setup_maths:` Everything here is performed `\AtBeginDocument` in order to overwrite euler's attempt. This means `fontspec` must be loaded *after* euler. We set up a conditional to return an error if this rule is violated.

Since every maths setup is slightly different, we also take different paths for defining various math glyphs depending which maths font package has been loaded.

```

2481 \ifpackageloaded{euler}
2482 {
2483   \bool_set_true:N \g_fontspec_package_euler_loaded_bool
2484 }
2485 {
2486   \bool_set_false:N \g_fontspec_package_euler_loaded_bool
2487 }
2488 \cs_set:Nn \fontspec_setup_maths:
2489 {
2490   \ifpackageloaded{euler}
2491   {
2492     \bool_if:NTF \g_fontspec_package_euler_loaded_bool
2493     { \bool_set_true:N \g_fontspec_math_euler_bool }
2494     { \fontspec_error:n {euler-too-late} }
2495   }
2496   {}
2497   \ifpackageloaded{lucbmath}{\bool_set_true:N \g_fontspec_math_lucida_bool}{}
2498   \ifpackageloaded{lucidabr}{\bool_set_true:N \g_fontspec_math_lucida_bool}{}
2499   \ifpackageloaded{lucimatx}{\bool_set_true:N \g_fontspec_math_lucida_bool}{}

```

Knuth's CM fonts are all squashed together, combining letters, accents, text symbols and maths symbols all in the one font, `cmr`, plus other things in other fonts. Because we are changing the roman font in the document, we need to redefine all of the maths glyphs in L^AT_EX's operators maths font to still go back to the legacy `cmr` font for all these random glyphs, unless a separate maths font package has been loaded instead.

In every case, the maths accents are always taken from the operators font, which is generally the main text font. (Actually, there is a `\hat` accent in `EulerFraktur`, but it's *ugly*. So I ignore it. Sorry if this causes inconvenience.)

```

2500 \DeclareSymbolFont{legacymaths}{OT1}{cmr}{m}{n}
2501 \SetSymbolFont{legacymaths}{bold}{OT1}{cmr}{bx}{n}
2502 \DeclareMathAccent{\acute}{\mathalpha}{legacymaths}{19}
2503 \DeclareMathAccent{\grave}{\mathalpha}{legacymaths}{18}
2504 \DeclareMathAccent{\ddot}{\mathalpha}{legacymaths}{127}
2505 \DeclareMathAccent{\tilde}{\mathalpha}{legacymaths}{126}
2506 \DeclareMathAccent{\bar}{\mathalpha}{legacymaths}{22}
2507 \DeclareMathAccent{\breve}{\mathalpha}{legacymaths}{21}
2508 \DeclareMathAccent{\check}{\mathalpha}{legacymaths}{20}
2509 \DeclareMathAccent{\hat}{\mathalpha}{legacymaths}{94} % too bad, euler
2510 \DeclareMathAccent{\dot}{\mathalpha}{legacymaths}{95}
2511 \DeclareMathAccent{\mathring}{\mathalpha}{legacymaths}{23}

```

\colon: what’s going on? Okay, so : and \colon in maths mode are defined in a few places, so I need to work out what does what. Respectively, we have:

```
% fontmath.ltx:
\DeclareMathSymbol{\colon}{\mathpunct}{operators}{"3A}
\DeclareMathSymbol{:}{\mathrel}{operators}{"3A}

% amsmath.sty:
\renewcommand{\colon}{\nobreak\mskip2mu\mathpunct{}\nonscript
\mkern-\thinmuskip{:}\mskip6mu\plus1mu\relax}

% euler.sty:
\DeclareMathSymbol{:}{\mathrel}{EulerFraktur}{"3A}
```

```
% lucbmath.sty:
\DeclareMathSymbol{\@tempb}{\mathpunct}{operators}{58}
\ifx\colon\@tempb
\DeclareMathSymbol{\colon}{\mathpunct}{operators}{58}
\fi
\DeclareMathSymbol{:}{\mathrel}{operators}{58}
```

(3A_16 = 58_10) So I think, based on this summary, that it is fair to tell fontspec to ‘replace’ the operators font with legacymaths for this symbol, except when amsmath is loaded since we want to keep its definition.

```
2512 \group_begin:
2513 \mathchardef\@tempa="603A \relax
2514 \ifx\colon\@tempa
2515 \DeclareMathSymbol{\colon}{\mathpunct}{legacymaths}{58}
2516 \fi
2517 \group_end:
```

The following symbols are only defined specifically in euler, so skip them if that package is loaded.

```
2518 \bool_if:NF \g_fontspec_math_euler_bool
2519 {
2520 \DeclareMathSymbol{!}{\mathclose}{legacymaths}{33}
2521 \DeclareMathSymbol{:}{\mathrel}{legacymaths}{58}
2522 \DeclareMathSymbol{;}{\mathpunct}{legacymaths}{59}
2523 \DeclareMathSymbol{?}{\mathclose}{legacymaths}{63}
```

And these ones are defined both in euler and lucbmath, so we only need to run this code if no extra maths package has been loaded.

```
2524 \bool_if:NF \g_fontspec_math_lucida_bool
2525 {
2526 \DeclareMathSymbol{0}{\mathalpha}{legacymaths}{‘0}
2527 \DeclareMathSymbol{1}{\mathalpha}{legacymaths}{‘1}
2528 \DeclareMathSymbol{2}{\mathalpha}{legacymaths}{‘2}
2529 \DeclareMathSymbol{3}{\mathalpha}{legacymaths}{‘3}
2530 \DeclareMathSymbol{4}{\mathalpha}{legacymaths}{‘4}
2531 \DeclareMathSymbol{5}{\mathalpha}{legacymaths}{‘5}
2532 \DeclareMathSymbol{6}{\mathalpha}{legacymaths}{‘6}
2533 \DeclareMathSymbol{7}{\mathalpha}{legacymaths}{‘7}
2534 \DeclareMathSymbol{8}{\mathalpha}{legacymaths}{‘8}
```

```

2535 \DeclareMathSymbol{9}{\mathalpha}{legacymaths}{‘9}
2536 \DeclareMathSymbol{\Gamma}{\mathalpha}{legacymaths}{0}
2537 \DeclareMathSymbol{\Delta}{\mathalpha}{legacymaths}{1}
2538 \DeclareMathSymbol{\Theta}{\mathalpha}{legacymaths}{2}
2539 \DeclareMathSymbol{\Lambda}{\mathalpha}{legacymaths}{3}
2540 \DeclareMathSymbol{\Xi}{\mathalpha}{legacymaths}{4}
2541 \DeclareMathSymbol{\Pi}{\mathalpha}{legacymaths}{5}
2542 \DeclareMathSymbol{\Sigma}{\mathalpha}{legacymaths}{6}
2543 \DeclareMathSymbol{\Upsilon}{\mathalpha}{legacymaths}{7}
2544 \DeclareMathSymbol{\Phi}{\mathalpha}{legacymaths}{8}
2545 \DeclareMathSymbol{\Psi}{\mathalpha}{legacymaths}{9}
2546 \DeclareMathSymbol{\Omega}{\mathalpha}{legacymaths}{10}
2547 \DeclareMathSymbol{+}{\mathbin}{legacymaths}{43}
2548 \DeclareMathSymbol{=}{\mathrel}{legacymaths}{61}
2549 \DeclareMathDelimiter{({\mathopen}{legacymaths}{40}{largesymbols}{0}
2550 \DeclareMathDelimiter{)}{\mathclose}{legacymaths}{41}{largesymbols}{1}
2551 \DeclareMathDelimiter{[}{\mathopen}{legacymaths}{91}{largesymbols}{2}
2552 \DeclareMathDelimiter{]}\mathclose}{legacymaths}{93}{largesymbols}{3}
2553 \DeclareMathDelimiter{/}{\mathord}{legacymaths}{47}{largesymbols}{14}
2554 \DeclareMathSymbol{\mathdollar}{\mathord}{legacymaths}{36}
2555 }
2556 }

```

Finally, we change the font definitions for `\mathrm` and so on. These are defined using the `\g_fontspec_mathrm_tl(...)` macros, which default to `\rmdefault` but may be specified with the `\setmathrm(...)` commands in the preamble.

Since \LaTeX only generally defines one level of boldness, we omit `\mathbf` in the bold maths series. It can be specified as per usual with `\setboldmathrm`, which stores the appropriate family name in `\g_fontspec_bfmathrm_tl`.

```

2557 \DeclareSymbolFont{operators}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\mddefault\updefault
2558 \SetSymbolFont{operators}{normal}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\mddefault\updefault
2559 \SetMathAlphabet\mathrm{normal}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\mddefault\updefault
2560 \SetMathAlphabet\mathit{normal}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\mddefault\itdefault
2561 \SetMathAlphabet\mathbf{normal}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\bfdefault\updefault
2562 \SetMathAlphabet\mathsf{normal}\g_fontspec_encoding_tl\g_fontspec_mathsf_tl\mddefault\updefault
2563 \SetMathAlphabet\mathtt{normal}\g_fontspec_encoding_tl\g_fontspec_mathtt_tl\mddefault\updefault
2564 \SetSymbolFont{operators}{bold}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\bfdefault\updefault
2565 \tl_if_empty:NTF \g_fontspec_bfmathrm_tl
2566 {
2567   \SetMathAlphabet\mathrm{bold}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\bfdefault\updefault
2568   \SetMathAlphabet\mathit{bold}\g_fontspec_encoding_tl\g_fontspec_mathrm_tl\bfdefault\itdefault
2569 }
2570 {
2571   \SetMathAlphabet\mathrm{bold}\g_fontspec_encoding_tl\g_fontspec_bfmathrm_tl\mddefault\updefault
2572   \SetMathAlphabet\mathbf{bold}\g_fontspec_encoding_tl\g_fontspec_bfmathrm_tl\bfdefault\updefault
2573   \SetMathAlphabet\mathit{bold}\g_fontspec_encoding_tl\g_fontspec_bfmathrm_tl\mddefault\itdefault
2574 }
2575 \SetMathAlphabet\mathsf{bold}\g_fontspec_encoding_tl\g_fontspec_mathsf_tl\bfdefault\updefault
2576 \SetMathAlphabet\mathtt{bold}\g_fontspec_encoding_tl\g_fontspec_mathtt_tl\bfdefault\updefault
2577 }

```

`\fontspec_maybe_setup_maths:` We’re a little less sophisticated about not executing the maths setup if various other maths font packages are loaded. This list is based on the wonderful ‘ \LaTeX Font Catalogue’: <http://www.ctan.org/ctan/fonts/latex-font-catalogue/>

[//www.tug.dk/FontCatalogue/mathfonts.html](http://www.tug.dk/FontCatalogue/mathfonts.html). I'm sure there are more I've missed. Do the T_EX Gyre fonts have maths support yet?

Untested: would `\unless\ifnum\Gamma=28672\relax\bool_set_false:N \g_fontspec_math_bool\fi` be a better test? This needs more cooperation with euler and lucida, I think.

```
2578 \cs_new:Nn \fontspec_maybe_setup_maths:
2579 {
2580   \ifpackageloaded{anttor}
2581   {
2582     \ifx\define@antt@mathversions a\bool_set_false:N \g_fontspec_math_bool\fi
2583   }{}
2584   \ifpackageloaded{arev}{\bool_set_false:N \g_fontspec_math_bool}{}
2585   \ifpackageloaded{eulervm}{\bool_set_false:N \g_fontspec_math_bool}{}
2586   \ifpackageloaded{mathdesign}{\bool_set_false:N \g_fontspec_math_bool}{}
2587   \ifpackageloaded{concmath}{\bool_set_false:N \g_fontspec_math_bool}{}
2588   \ifpackageloaded{cmbright}{\bool_set_false:N \g_fontspec_math_bool}{}
2589   \ifpackageloaded{mathesf}{\bool_set_false:N \g_fontspec_math_bool}{}
2590   \ifpackageloaded{gfsartemis}{\bool_set_false:N \g_fontspec_math_bool}{}
2591   \ifpackageloaded{gfsneohellenic}{\bool_set_false:N \g_fontspec_math_bool}{}
2592   \ifpackageloaded{iwona}
2593   {
2594     \ifx\define@iwona@mathversions a\bool_set_false:N \g_fontspec_math_bool\fi
2595   }{}
2596   \ifpackageloaded{kpfonts}{\bool_set_false:N \g_fontspec_math_bool}{}
2597   \ifpackageloaded{kmath}{\bool_set_false:N \g_fontspec_math_bool}{}
2598   \ifpackageloaded{kurier}
2599   {
2600     \ifx\define@kurier@mathversions a\bool_set_false:N \g_fontspec_math_bool\fi
2601   }{}
2602   \ifpackageloaded{fouriernc}{\bool_set_false:N \g_fontspec_math_bool}{}
2603   \ifpackageloaded{fourier}{\bool_set_false:N \g_fontspec_math_bool}{}
2604   \ifpackageloaded{lmodern}{\bool_set_false:N \g_fontspec_math_bool}{}
2605   \ifpackageloaded{mathpazo}{\bool_set_false:N \g_fontspec_math_bool}{}
2606   \ifpackageloaded{mathptmx}{\bool_set_false:N \g_fontspec_math_bool}{}
2607   \ifpackageloaded{MinionPro}{\bool_set_false:N \g_fontspec_math_bool}{}
2608   \ifpackageloaded{unicode-math}{\bool_set_false:N \g_fontspec_math_bool}{}
2609   \ifpackageloaded{breqn}{\bool_set_false:N \g_fontspec_math_bool}{}
2610   \bool_if:NT \g_fontspec_math_bool
2611   {
2612     \fontspec_info:n {setup-math}
2613     \fontspec_setup_maths:
2614   }
2615 }
2616 \AtBeginDocument{\fontspec_maybe_setup_maths:}
```

25.9 Finishing up

Now we just want to set up loading the .cfg file, if it exists.

```
2617 \bool_if:NT \g_fontspec_cfg_bool
2618 {
2619   \InputIfFileExists{fontspec.cfg}
2620   {}
```

```

2621   {\typeout{No~ fontspec.cfg~ file~ found;~ no~ configuration~ loaded.}}
2622 }

```

25.10 Compatibility

```

\zf@enc   Old interfaces. These are needed by, at least, the mathspec package.
\zf@family 2623 \tl_set:Nn \zf@enc { \g_fontspec_encoding_tl }
\zf@basefont 2624 \cs_set:Npn \zf@fontspec #1 #2
\zf@fontspec 2625 {
2626   \fontspec_select:nn {#1} {#2}
2627   \tl_set:Nn \zf@family { \l_fontspec_family_tl }
2628   \tl_set:Nn \zf@basefont { \l_fontspec_font }
2629 }

```

The end! Thanks for coming.

```

2630 \ExplSyntaxOff
2631 \</fontspec & (xetex| luatex)

```


Part VIII

fontspec.lua

```
1  $\langle$ *lua $\rangle$ 
```

First we define some metadata.

```
2 fontspec      = fontspec or {}
3 local fontspec = fontspec
4 fontspec.module = {
5   name      = "fontspec",
6   version   = "2.3c",
7   date      = "2013/05/20",
8   description = "Advanced font selection for LuaLaTeX.",
9   author    = "Khaled Hosny, Philipp Gesang",
10  copyright  = "Khaled Hosny, Philipp Gesang",
11  license    = "LPPL"
12 }
13
14 local err, warn, info, log = luatexbase.provides_module(fontspec.module)
15
```

Some utility functions

```
16 fontspec.log      = log
17 fontspec.warning  = warn
18 fontspec.error    = err
19
20 function fontspec.sprint (...)
21   tex.sprint(luatexbase.catcodetables['latex-package'], ...)
22 end
```

The following lines check for existence of a certain script, language or feature in a given font.

```
23 local check_script  = luaotfload.aux.provides_script
24 local check_language = luaotfload.aux.provides_language
25 local check_feature  = luaotfload.aux.provides_feature
```

The following are the function that get called from T_EX end.

```
26 local function tempswattrue() fontspec.sprint([[ \@tempwattrue]]) end
27 local function tempswafalse() fontspec.sprint([[ \@tempwafalse]]) end

28 function fontspec.check_ot_script(fnt, script)
29   if check_script(font.id(fnt), script) then
30     tempswattrue()
31   else
32     tempswafalse()
33   end
34 end

35 function fontspec.check_ot_lang(fnt, lang, script)
36   if check_language(font.id(fnt), script, lang) then
37     tempswattrue()
38   else
39     tempswafalse()
40   end
```

```

41 end
42 function fontspec.check_ot_feat(fnt, feat, lang, script)
43   for _, f in ipairs { "+trep", "+tlig", "+anum" } do
44     if feat == f then
45       tempswattrue()
46       return
47     end
48   end
49   if check_feature(font.id(fnt), script, lang, feat) then
50     tempswattrue()
51   else
52     tempswafalse()
53   end
54 end
55 local get_math_dimension = luaotfload.aux.get_math_dimension
56 function fontspec.mathfontdimen(fnt, str)
57   local mathdimens = get_math_dimension(fnt, str)
58   if mathdimens then
59     fontspec.sprint(mathdimens)
60     fontspec.sprint("sp")
61   else
62     fontspec.sprint("0pt")
63   end
64 end
65  $\langle$ /lua $\rangle$ 

```

Part IX

fontspec-patches.sty

```
1 ⟨*patches⟩
```

25.11 Unicode footnote symbols

```
2 \RequirePackage{fixltx2e}[2006/03/24]
3 \ExplSyntaxOn
```

25.12 Emph

```
\em Redefinition of {\em ...} and \emph{...} to use NFSS info to detect when the inner shape
\emph should be used.
\emshape 4 \DeclareRobustCommand \em
\eminnershape 5 {
6 \nomath\em
7 \str_if_eq_x:nnTF \f@shape \itdefault \eminnershape
8 {
9 \str_if_eq_x:nnTF \f@shape \sldefault \eminnershape \emshape
10 }
11 }
12 \DeclareTextFontCommand{\emph}{\em}
13 \cs_set_eq:NN \emshape \itshape
14 \cs_set_eq:NN \eminnershape \upshape
```

25.13 \-

\- This macro is courtesy of Frank Mittelbach and the L^AT_EX 2_ε source code.

```
15 \DeclareRobustCommand{\-}
16 {
17 \discretionary
18 {
19 \char\ifnum\hyphenchar\font<\z@
20 \xlx@defaultthyphenchar
21 \else
22 \hyphenchar\font
23 \fi
24 }{}{}
25 }
26 \def\xlx@defaultthyphenchar{'\-
```

25.14 Verbatims

Many thanks to Apostolos Syropoulos for discovering this problem and writing the redefinition of L^AT_EX's verbatim environment and \verb* command.

\fontspec_visible_space: Print U+2434: OPEN BOX, which is used to visibly display a space character.

```
27 \cs_new:Nn \fontspec_visible_space:
28 {
29 \font_glyph_if_exist:NnTF \font {"2423}
```

```

30 { \char"2423\scan_stop: }
31 { \fontspec_visible_space_fallback: }
32 }

fontspec_visible_space:@fallback If the current font doesn't have U+2434: OPEN BOX, use Latin Modern Mono instead.
33 \cs_new:Nn \fontspec_visible_space_fallback:
34 {
35 {
36 \usefont{\g_fontspec_encoding_tl}{lmtt}{\f@series}{\f@shape}
37 \textvisiblespace
38 }
39 }

fontspec_print_visible_spaces: Helper macro to turn spaces (^ ^20) active and print visible space instead.
40 \group_begin:
41 \char_set_catcode_active:n{"20}%
42 \cs_gset:Npn \fontspec_print_visible_spaces:{%
43 \char_set_catcode_active:n{"20}%
44 \cs_set_eq:NN ^ ^20 \fontspec_visible_space:%
45 }%
46 \group_end:

\verb Redefine \verb to use \fontspec_print_visible_spaces:.
\verb*
47 \def\verb
48 {
49 \relax\ifmmode\hbox\else\leavevmode\null\fi
50 \bgroup
51 \verb@eol@error \let\do\@makeother \dospecials
52 \verbatim@font\@noligs
53 \@ifstar\@sverb\@verb
54 }
55 \def\@sverb{\fontspec_print_visible_spaces:\sverb}

It's better to put small things into \AtBeginDocument, so here we go:
56 \AtBeginDocument
57 {
58 \fontspec_patch_verbatim:
59 \fontspec_patch_moreverb:
60 \fontspec_patch_fancyvrb:
61 \fontspec_patch_listings:
62 }

verbatim* With the verbatim package.
63 \cs_set:Npn \fontspec_patch_verbatim:
64 {
65 \@ifpackageloaded{verbatim}
66 {
67 \cs_set:cpn {verbatim*}
68 {
69 \group_begin: \@verbatim \fontspec_print_visible_spaces: \verbatim@start
70 }
71 }

```

This is for vanilla L^AT_EX.

```
72 {
73   \cs_set:cpn {verbatim*}
74   {
75     \verbatim \fontspec_print_visible_spaces: \@sxverbatim
76   }
77 }
78 }
```

listingcont* This is for moreverb. The main listing* environment inherits this definition.

```
79 \cs_set:Npn \fontspec_patch_moreverb:
80 {
81   \@ifpackageloaded{moreverb}{
82     \cs_set:cpn {listingcont*}
83     {
84       \cs_set:Npn \verbatim@processline
85       {
86         \thelisting@line \global\advance\listing@line\c_one
87         \the\verbatim@line\par
88       }
89       \verbatim \fontspec_print_visible_spaces: \verbatim@start
90     }
91   }{}
92 }
```

listings and fancvrb make things nice and easy:

```
93 \cs_set:Npn \fontspec_patch_fancyvrb:
94 {
95   \@ifpackageloaded{fancyvrb}
96   {
97     \cs_set_eq:NN \FancyVerbSpace \fontspec_visible_space:
98   }{}
99 }
100 \cs_set:Npn \fontspec_patch_listings:
101 {
102   \@ifpackageloaded{listings}
103   {
104     \cs_set_eq:NN \lst@visiblespace \fontspec_visible_space:
105   }{}
106 }
```

25.15 \oldstylenums

\oldstylenums This command obviously needs a redefinition. And we may as well provide the reverse command.

```
\liningnums
107 \RenewDocumentCommand \oldstylenums {m}
108 {
109   { \addfontfeature{Numbers=OldStyle} #1 }
110 }
111 \NewDocumentCommand \liningnums {m}
112 {
```

```
113 { \addfontfeature{Numbers=Lining} #1 }  
114 }  
  
115 </patches>
```

Part X

fontspec.cfg

```
1 <*cfg>
2
3 %%%%%%%%%%
4 %%% FOR BACKWARDS COMPATIBILITY WITH PREVIOUS VERSIONS %%%
5
6 % Please note that most of the entries here from fontspec v1.x are
7 % no longer present. Please advise of any serious problems this causes.
8
9 \aliasfontfeatureoption{Ligatures}{Historic}{Historical}
10 \let\newfontinstance\newfontfamily
11
12 </cfg>
```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\-	<u>15</u> , 1200
\@@_declare_shape_loginfo:nnn	1039, 1095
\@@_declare_shape_nosizing:n	1031, 1041
\@@_declare_shape_slanted:nn	1038, 1080
\@@_declare_shape_withsizing:n	1032, 1054
\@@_keys_define_code:nnn	1452,
	1457, 1468, 1509, 1515, 1521, 1526,
	1539, 1552, 1557, 1562, 1567, 1587,
	1592, 1597, 1602, 1607, 1612, 1617,
	1625, 1630, 1634, 1638, 1678, 1704,
	1710, 1715, 1720, 1748, 1780, 1796,
	1814, 1819, 1824, 1829, 2433, 2439
\@@_load_external_fontoptions:N	713, <u>737</u> , 1022
\@@_load_fontname:n	989, 1009, 1019
\@@_sanitise_fontname:Nn	362, 367, 739, 751, 1023
\@@_set_default_features:n	353, 356
\@@_set_font_default_features:nn	354, 360
\@@sverb	53, 55
\@ifpackageloaded	65, 81, 95,
	102, 2481, 2490, 2497–2499, 2580,
	2584–2592, 2596–2598, 2602–2609
\@ifstar	53
\@makeother	51
\@noligs	52
\@nomath	6
\@onlypreamble	325–328
\@sverb	55
\@sxverbatim	75
\@tempa	2513, 2514
\@tempswafalse	27, 1367, 1393, 1426
\@tempswattrue	26, 1371, 1397, 1431
\@verb	53
\@verbatim	69, 75, 89
\\	9, 11, 70,
	78, 79, 130, 166, 183, 192, 198, 199,
	221, 226, 232–234, 1099, 1111, 1115
_fontspec_parse_wordspace:w	1682, <u>1684</u>
_int_mult_truncate:Nn	<u>55</u> , 1784
A	
\acute	2502
\addfontfeature	109, 113, 121, 392
\addfontfeatures	<u>374</u>
\advance	86
\aliasfontfeature	<u>421</u> , 1467, 1778, 2068
\aliasfontfeatureoption	9, <u>421</u>
\AtBeginDocument	56, 2616
B	
\bar	2506
\bfdefault	871, 875, 921, 931,
	936, 1104, 1105, 1108, 1109, 2561,
	2564, 2567, 2568, 2572, 2575, 2576
\bgroup	50
\bool_if:NF	866,
	881, 975, 995, 1230, 1471, 1619,
	1681, 1762, 1773, 1787, 2518, 2524
\bool_if:nF	900
\bool_if:NT	802, 962, 1122, 1144, 1216, 1241,
	1838, 1846, 1896, 1920, 2610, 2617
\bool_if:nT	1082, 1844
\bool_if:NTF	514, 533,
	545, 567, 583, 597, 613, 629, 644,
	774, 959, 1213, 1238, 1832, 2160, 2492
\bool_if:nTF	1353, 2453
\bool_new:N	25–38, 1456
\bool_set_false:N	240, 242, 722,
	770, 942–946, 1192, 1534, 1547,
	1901, 1925, 2486, 2582, 2584–2591,
	2594, 2596, 2597, 2600, 2602–2609
\bool_set_true:N	239, 241, 772, 948, 950, 952, 955,
	970, 1193, 1459–1461, 1530, 1543,
	1571, 1575, 2483, 2493, 2497–2499
\bool_until_do:nn	1368, 1394, 1427
\breve	2507
C	
\c_colon_str	47, 2073, 2085
\c_empty_tl	1338, 1346, 1347
\c_minus_one	1726
\c_one	86
\c_zero	951, 1740
\char	19, 30
\char_set_catcode_active:n	41, 43
\check	2508

\f@family . 285, 376, 382, 383, 507, 513, 531, 543, 547–550, 565, 581, 595, 599, 600, 611, 627, 631, 642, 646, 2456	1941–1964, 1976–1985, 1987–1994, 1997, 2000–2013, 2015–2025, 2027– 2031, 2033, 2035–2041, 2043–2046, 2104–2114, 2118–2124, 2126–2145
\f@series 36, 2456	
\f@shape 7, 9, 36, 2455	\fontspec_define_font_feature:n
\f@size . . . 513, 531, 543, 565, 581, 595, 611, 627, 642, 715, 718, 978, 980, 1025	407, 415, <u>1286</u> , 1940, 1975, 1986, 1999, 2014, 2026, 2034, 2042, 2047, 2058, 2069, 2103, 2117, 2125, 2146
\FancyVerbSpace 97	\fontspec_define_numbered_feat:nnnn <u>1286</u> , 2115, 2116
\fi 23, 49, 389, 685, 953, 956, 1346, 1347, 1375, 1401, 1435, 2516, 2582, 2594, 2600	\fontspec_error:n 59, 1066, 2494
\fi: 702, 1377, 1383, 1403, 1412, 1437, 1449	\fontspec_error:nx . . 60, 716, 1026, 1745
\file_if_exist:nT 742	\fontspec_font_gset:Nnn 692, 718
\file_input:n 743	\fontspec_font_set:Nnn
\font 19, 22, 29, 670, 674, 1653, 1669, 1690–1692, 1698–1700, 1708, 1726, 1736, 1740	. . . 513, 531, 543, 565, 581, 595, 611, 627, 642, 688, 715, 977, 979, 1025
\font_glyph_if_exist:Nn 696	\fontspec_fontwrap:n
\font_glyph_if_exist:NnTF . 29, <u>696</u> , 1732 664, 690, 694, 1047, 1072
\font_gset:Nnn 672, 694	\fontspec_fullname:n . . 715, 718, <u>776</u> , 839, 851, 978, 980, 1025, 1049, 1074
\font_if_null:N 679	\fontspec_get_features:n
\font_if_null:NT 716, 1026 721, 1043, 1067, <u>1149</u>
\font_set:Nnn 668, 690	\fontspec_if_aat_feature:nn 509
\font_set_eq:NN 665, 667	\fontspec_if_aat_feature:nnTF . . <u>1</u> , <u>509</u>
\font_suppress_not_found_error: 676, 707	\fontspec_if_current_language:n . . . 638
\fontdimen 1664, 1690–1692, 1698–1700, 1708	\fontspec_if_current_language:nTF <u>1</u> , <u>638</u>
\fontencoding 284, 339	\fontspec_if_current_script:n 623
\fontfamily 340, 386	\fontspec_if_current_script:nTF . <u>1</u> , <u>623</u>
\fontname 981	\fontspec_if_detect_external:n . . . 766
\fontshape 2448, 2458, 2459	\fontspec_if_detect_external:nT 748, <u>766</u>
\fontspec <u>282</u>	\fontspec_if_feature:n 539
\fontspec_blend_shape:nnn	\fontspec_if_feature:nnn 561
. <u>2451</u> , 2464, 2469, 2474, 2479	\fontspec_if_feature:nnnTF <u>1</u> , <u>561</u>
\fontspec_calc_scale:n 1642, 1643, <u>1649</u>	\fontspec_if_feature:nTF <u>1</u> , <u>539</u>
\fontspec_check_lang:n 1386	\fontspec_if_fontspec_font: 505
\fontspec_check_lang:nTF	\fontspec_if_fontspec_font:TF
. . . . 487, 601, 617, <u>1386</u> , 2413, 2420 <u>1</u> , <u>505</u> , 511, 529, 541, 563, 579, 593, 609, 625, 640
\fontspec_check_ot_feat:n 1415	\fontspec_if_language:n 591
\fontspec_check_ot_feat:nT . . 1208, <u>1415</u>	\fontspec_if_language:nn 607
\fontspec_check_ot_feat:nTF	\fontspec_if_language:nnTF <u>1</u> , <u>607</u>
. 551, 571, 1268, 1278, <u>1415</u>	\fontspec_if_language:nTF <u>1</u> , <u>591</u>
\fontspec_check_script:n 1361	\fontspec_if_opentype: 527
\fontspec_check_script:nTF	\fontspec_if_opentype:TF <u>1</u> , <u>527</u>
. 460, 467, 585, 806, <u>1361</u>	\fontspec_if_script:n 577
\fontspec_complete_fontname:Nn	\fontspec_if_script:nTF <u>1</u> , <u>577</u>
. 1523, 1535, 1548, 1554, 1559, 1564, 1576, <u>1580</u> , 1636	\fontspec_info:n 64, 817, 1659, 2612
\fontspec_declare_shape:nnn	\fontspec_info:nx 65, 982
. 990, 999, 1010, <u>1028</u>	\fontspec_info:nxx 66, 734
\fontspec_define_feature_option:nnnn 410, 418, <u>1286</u> ,	\fontspec_init: 708, <u>1166</u>

\fontspec_iv_str_to_num:Nn	\fontspec_set_bold_italic: . . . 731, <u>898</u>
. . . . 569, 570, 616, <u>1336</u> , 1364, 1389	\fontspec_set_bold_slanted: . . 732, <u>924</u>
\fontspec_iv_str_to_num:No 1358	\fontspec_set_family:Nnn . . . 1, 285,
\fontspec_iv_str_to_num:w . . . 1338, 1340	291, 296, 301, 311, 315, 319, 323, <u>653</u>
\fontspec_make_AAT_feature:nn 1242, 1250	\fontspec_set_font_dimen:NnN
\fontspec_make_AAT_feature_string:nn 1653, 1654, <u>1662</u>
. 1305	\fontspec_set_font_type: . . 532, 544,
\fontspec_make_AAT_feature_string:nnT	566, 582, 596, 612, 628, 643, 717, <u>939</u>
. 1217	\fontspec_set_fontface:Nnn . . . 1, <u>658</u>
\fontspec_make_AAT_feature_string:nnTF	\fontspec_set_italic: 729, <u>879</u>
. 516, 1255, <u>1305</u>	\fontspec_set_scriptlang: . . . 720, <u>800</u>
\fontspec_make_auto_font_shapes:nnnn	\fontspec_set_slanted: 730, <u>889</u>
. 870, 884, 908, 911, 915, 930	\fontspec_set_upright: 727, <u>859</u>
\fontspec_make_feature:nnn	\fontspec_setup_maths: <u>2481</u> , 2613
. <u>1235</u> , 1294, 2162	\fontspec_tmp: 277, 280
\fontspec_make_feature:nnx	\fontspec_trace:n 67
. 2054, 2065, 2152	\fontspec_update_featstr:n
\fontspec_make_font_shapes:nnnn 400, 1163, <u>1228</u> , 1258,
. 861, 874, 885, 893, 919, 935	1271, 1281, 1718, 1800, 1817, 1822,
\fontspec_make_font_shapes:nnnn, \fontspec_make_auto_font_shapes:nnnn	1827, 1841, 1862, 1871, 1881, 1970,
. <u>973</u>	1972, 2095, 2100, 2164, 2168, <u>2442</u>
\fontspec_make_ICU_feature:n	\fontspec_update_fontid:n
. 1239, 1247, 1263 399, 462, 489, <u>1142</u> ,
\fontspec_make_numbered_feature:nn	1257, 1270, 1280, 1481, 1513, 1519,
. 1276, 1285, 1302	1524, 1531, 1536, 1544, 1549, 1555,
\fontspec_make_numbered_feature:xn 2075	1560, 1565, 1572, 1577, 1590, 1595,
\fontspec_make_ot_smallcaps:T	1600, 1605, 1610, 1615, 1623, 1628,
. 1206, 1214, 1222	1646, 1680, 1706, 1712, 1717, 1722,
\fontspec_make_smallcaps:T . . 997, 1206	1750, 1782, 1799, 1816, 1821, 1826,
\fontspec_maybe_setup_maths: . . . <u>2578</u>	1835, 1840, 1854, 1861, 1870, 1880,
\fontspec_namewrap:n . . . 778, 1194, 1462	1903, 1927, 1969, 1971, 2094, 2099,
\fontspec_new_lang:nn . . . 480, 481, 484	2163, 2167, 2416, 2423, 2435, <u>2441</u>
\fontspec_new_script:nn . . 453, 454, 457	\fontspec_v_str_to_num:Nn . . . <u>1336</u> , 1424
\fontspec_parse_colour:viii . 1760, 1768	\fontspec_visible_space: 27, 44, 97, 104
\fontspec_parse_cv:w 2072, 2084	\fontspec_visible_space:@fallback . <u>33</u>
\fontspec_patch_fancyvrb: 60, 93	\fontspec_visible_space_fallback: .
\fontspec_patch_listings: 61, 100 31, 33
\fontspec_patch_moreverb: 59, 79	\fontspec_warning:n 61, 238,
\fontspec_patch_verbatim: 58, 63	388, 1253, 1266, 1807, 1811, 1847, 1889
\fontspec_preparse_features:nN 714, <u>746</u>	\fontspec_warning:nx 62, 444,
\fontspec_print_visible_spaces: . . .	469, 473, 494, 1260, 1273, 1283,
. <u>40</u> , 55, 69, 75, 89	1488, 1493, 1763, 1774, 1788, <u>2427</u>
\fontspec_salt:n 2054, 2057	\fontspec_warning:nxx 63, 409, 417
\fontspec_save_family:n 782	\fp_div:Nn 1657
\fontspec_save_family:nT 723, <u>782</u>	\fp_new:N 42, 43
\fontspec_save_fontinfo:nn . . . 725, <u>830</u>	\fp_set_from_dim:Nn 1655, 1656
\fontspec_select:nn	\fp_use:N 1658
. 334, 381, 655, 660, <u>704</u> , 2626	
\fontspec_set:Nnn, \fontspec_gset:Nnn	
. <u>688</u>	
\fontspec_set_bold: 728, <u>864</u>	

G

\g_@_fontopts_prop	
. 349, 364, 365, 740, 752, 1024	

\g_fontspec_bfmathrm_tl	\int_compare:nT 1792
. 306, 315, 2565, 2571–2573	\int_compare:nTF . . . 1311, 1482, 1756, 1759
\g_fontspec_cfg_bool . . 37, 241, 242, 2617	\int_compare_p:nNn . . . 1368, 1394, 1427
\g_fontspec_default_fontopts_tl . . .	\int_gincr:c 787
. . . 198, 348, 358, 378, 755, 836, 848	\int_if_even:nTF 1316
\g_fontspec_encoding_tl . . . 36, 261,	\int_incr:N 1374, 1400, 1434
262, 266–269, 272, 273, 284, 339,	\int_new:c 788
726, 1035, 1090, 2557–2564, 2567,	\int_new:N 39–41, 1779
2568, 2571–2573, 2575, 2576, 2623	\int_set:Nn 51, 57,
\g_fontspec_hexcol_tl	464, 491, 1342, 1365, 1372, 1390,
. 1154, 1161, 1186, 1188	1398, 1418, 1432, 1783, 2415, 2422
\g_fontspec_math_bool	\int_set:Nv 547, 548, 600
. . 38, 239, 240, 2582, 2584–2591,	\int_to_hexadecimal:n 1793
2594, 2596, 2597, 2600, 2602–2610	\int_use:c 793
\g_fontspec_math_euler_bool	\int_zero:N 1366, 1392, 1425, 2437
. 34, 2493, 2518	\itdefault 7, 886, 921,
\g_fontspec_math_lucida_bool	1000, 1011, 1084, 1085, 1091, 1106,
. 35, 2497–2499, 2524	1108, 2464, 2474, 2560, 2568, 2573
\g_fontspec_mathrm_tl 305,	\itshape 13, <u>2461</u>
311, 329, 2557–2561, 2564, 2567, 2568	
\g_fontspec_mathsf_tl	K
. 307, 319, 330, 2562, 2575	\keys_define:nn 395, 425, 431,
\g_fontspec_mathtt_tl	437, 450, 456, 459, 483, 486, 1288,
. 308, 323, 331, 2563, 2576	1292, 1299, 1454, 1477, 1857, 1866,
\g_fontspec_opacity_tl	1876, 1887, 1892, 1916, 1965, 2048,
. . 1153, 1161, 1187, 1189, 1771, 1785	2059, 2078, 2090, 2147, 2155, 2409
\g_fontspec_package_euler_loaded_bool	\keys_if_choice_exist:nnnT . . . 408, 416
. 36, 2483, 2486, 2492	\keys_if_exist:nnF 406, 414
\Gamma 2536	\keys_if_exist:nnTF 423, 429, 435
\global 86, 674	\keys_set:nn 53, 426, 432, 440, 470, 495,
\grave 2503	749, 1464, 1473, 1511, 1517, 1809, 2428
\group_begin:	\keys_set:nx . . . 813, 814, 825, 826, 1159
. . . 40, 69, 377, 706, 987, 1651, 2512	\keys_set_known:nnN 54
\group_end: 46, 385, 735, 1017, 1660, 2517	\keys_set_known:nxN
 753, 761, 763, 1063, 1157
H	
\hat 2509	L
\hbox 49	\l_@@_fontopts_clist
\hyphenchar 19, 22, 1726, 1736, 1740 752, 756, 991, 1002, 1013, 1024
I	\l_@@_tmp_tl 362, 364, 365,
\if@tempswa	739, 740, 742, 743, 751, 752, 1023, 1024
. . 1377, 1383, 1403, 1412, 1437, 1449	\l_fontspec_atsui_bool
\ifcase 947	. . 30, 514, 943, 950, 959, 1216, 1241
\ifcsname 376	\l_fontspec_defined_shapes_tl
\ifmmode 49 201, 1097, 1197
\IfNoValueTF 352	\l_fontspec_extension_tl 778, 1470, 1476
\ifnum 19, 951, 1370, 1396, 1429	\l_fontspec_extensions_clist
\ifx 681, 1346, 1347, 2514, 2582, 2594, 2600 371, 501, 502, 768
\ignorespaces 287, 390	\l_fontspec_external_bool
\InputIfFileExists 2619 975, 1456, 1461, 1471
\int_case:nnn 1670	\l_fontspec_fake_embolden_tl
 1169, 1905, 1908, 1922

\l_fontspec_fake_slant_tl	\l_fontspec_fontname_up_tl
. 1168, 1898, 1929, 1932 712, 715, 716, 718, 760, 1523
\l_fontspec_family_tl	\l_fontspec_graphite_bool 33, 946
. 197, 340, 386, 656, 662, 726,	\l_fontspec_hexcol_tl
796, 797, 834–837, 842–845, 847– 1154, 1160, 1163, 1753, 1757, 1770
849, 854–857, 1035, 1090, 1091, 2627	\l_fontspec_hyphenchar_tl
\l_fontspec_feature_string_tl 1258, 1331 1730–1732, 1736, 1741
\l_fontspec_firsttime_bool . 25, 722,	\l_fontspec_icu_bool
802, 1144, 1193, 1230, 1619, 1681, 31, 533, 545, 567, 583, 597, 613,
1762, 1773, 1787, 1846, 1896, 1920	629, 644, 944, 955, 962, 970, 1122,
\l_fontspec_font	1192, 1213, 1238, 1832, 1844, 2160
. 513, 531, 543, 565, 581, 595, 611,	\l_fontspec_keys_leftover_clist . . .
627, 642, 661, 715, 716, 718, 719, 759, 761–763, 1064, 1067, 1158, 1159
947, 951, 1025, 1026, 1307, 1311,	\l_fontspec_lang_name_tl 156,
1313, 1318, 1323, 1365, 1370, 1391, 809, 811, 814, 821, 823, 826, 1183, 1518
1396, 1420, 1429, 1654, 1732, 2628	\l_fontspec_lang_tl
\l_fontspec_fontfeat_bf_clist 490, 550, 845, 857, 1127,
. 871, 875, 1175, 1594, 1923	1138, 1184, 1446, 2417, 2424, 2436
\l_fontspec_fontfeat_bfit_clist 921,	\l_fontspec_language_int
1177, 1604, 1907, 1909, 1931, 1933 40, 491, 548, 570,
\l_fontspec_fontfeat_bfsl_clist . . .	843, 855, 1422, 1429, 2415, 2422, 2437
. 931, 936, 1179, 1614	\l_fontspec_mm_bool 32, 945, 952, 1838, 1844
\l_fontspec_fontfeat_clist . . 764, 1157	\l_fontspec_mode_tl . . . 1134, 1199, 1496
\l_fontspec_fontfeat_it_clist	\l_fontspec_nfss_tl
. 886, 1176, 1599, 1899 1036, 1044, 1056, 1069, 1112
\l_fontspec_fontfeat_sc_clist	\l_fontspec_nobf_bool
. 1003, 1014, 1180, 1621 26, 866, 900, 1459, 1530, 1534, 1925
\l_fontspec_fontfeat_sl_clist	\l_fontspec_noit_bool
. 895, 1178, 1609 27, 881, 900, 1460, 1543, 1547, 1901
\l_fontspec_fontfeat_up_clist	\l_fontspec_nosc_bool 28, 995, 1571, 1575
. 862, 1174, 1589	\l_fontspec_opacity_tl 1153,
\l_fontspec_fontid_tl 1160, 1163, 1771, 1776, 1785, 1790
. 711, 784, 791, 796, 1146	\l_fontspec_optical_size_tl
\l_fontspec_fontname_bf_tl 780, 1195, 1834, 1853
. 868, 874, 904, 915, 1166, 1535, 1924	\l_fontspec_postadjust_tl
\l_fontspec_fontname_bfit_tl 1036, 1091, 1113, 1115, 1155,
. 902, 919, 1170, 1554, 1910, 1934	1688, 1696, 1707, 1713, 1725, 1734
\l_fontspec_fontname_bfsl_tl	\l_fontspec_pre_feat_sclist
. 926, 935, 1172, 1564 840, 852, 1050, 1075, 1119
\l_fontspec_fontname_it_tl	\l_fontspec_rawfeatures_sclist . . .
. 883, 885, 906, 911, 1167, 1548, 1900 840, 852, 1050, 1075, 1151, 1232
\l_fontspec_fontname_sc_tl	\l_fontspec_renderer_tl
. 993, 1009, 1173, 1576 779, 957, 960, 963, 1196, 1484
\l_fontspec_fontname_sl_tl	\l_fontspec_scale_tl 209,
. 891, 894, 928, 930, 1171, 1559 1046, 1071, 1152, 1645–1647, 1658
\l_fontspec_fontname_tl	\l_fontspec_script_int
. 91, 130, 135, 140, 145, 39, 464, 547, 569, 600,
150, 155, 160, 165, 209, 217, 709–	616, 842, 854, 1391, 1396, 1421, 1429
714, 751, 760, 839, 851, 861, 870,	\l_fontspec_script_name_tl 156,
884, 908, 1021–1023, 1025, 1049, 166, 804, 808, 813, 825, 1181, 1512
1061, 1583, 1900, 1910, 1924, 1934	

O	
\oldstylenums	107
\Omega	2546
\or	949, 954
P	
\par	87
\Phi	2544
\Pi	2541
\prg_new_conditional:Nnn	505, 509, 527, 539, 561, 577, 591, 607, 623, 638, 696, 766, 782, 1305, 1361, 1386, 1415
\prg_return_false:	507, 517, 520, 524, 533, 536, 551, 554, 558, 571, 573, 575, 585, 587, 589, 601, 603, 605, 617, 619, 621, 632, 634, 636, 647, 649, 651, 684, 701, 774, 798, 1309, 1329, 1377, 1383, 1403, 1412, 1437, 1449
\prg_return_true:	507, 517, 533, 551, 571, 585, 601, 617, 632, 647, 682, 699, 774, 798, 1332, 1377, 1383, 1403, 1412, 1437, 1449
\prg_set_conditional:Nnn	679
\ProcessOptions	254
\prop_get:NVN	752, 1024
\prop_gput:cnV	842–845
\prop_gput:cnx	835–837
\prop_gput:Nnn	830, 831
\prop_gput:NVn	365
\prop_gremove:NV	364
\prop_if_in:NVF	740
\prop_new:c	834
\prop_new:N	349
\providecommand	2444
\Psi	2545
Q	
\q_nil	1338, 1340, 2073, 2085
\q_stop	1682, 1684
\quark_if_no_value:NF	756, 991, 1002, 1013
R	
\relax	49, 1323, 2447, 2468, 2473, 2478, 2513
\RenewDocumentCommand	107
\RequireLuaModule	19
\RequirePackage	2–4, 18, 255–257, 266, 275, 279
\rmdefault	263, 291, 329
\rmfamily	1652, 1669
S	
\scan_stop: .	30, 670, 674, 698, 1736, 1741
\scdefault	1000, 1011, 1103, 1105, 2464, 2469, 2474, 2479
\sclist_clear:N	1151, 1224
\sclist_gput_right:Nn	1225, 1227
\sclist_gput_right:Nx	1232
\sclist_put_right:Nn	1224
\scshape	2461
\selectfont	286, 340, 386, 2448, 2458, 2459
\setboldmathrm	305
\setmainfont	289, 304
\SetMathAlphabet	2559–2563, 2567, 2568, 2571–2573, 2575, 2576
\setmathrm	305
\setmathsf	305
\setmathtt	305
\setmonofont	289
\setromanfont	304
\setsansfont	289
\SetSymbolFont	2501, 2558, 2564
\settoheight	1667
\sfdefault	264, 296, 330
\sidefont	1000, 1011, 1107, 1109, 2444, 2448, 2464, 2469, 2474, 2479
\Sigma	2542
\sishape	2444
\sldefault	9, 894, 931, 936, 1085, 1090, 2469
\slshape	2466, 2468
\space	209, 217, 1313, 1318, 1323
\str_case:nnn	1100, 1640
\str_if_eq:nnTF	50, 1669, 1723, 1805
\str_if_eq:nvTF	631, 646
\str_if_eq_x:nnF	1160
\str_if_eq_x:nnTF	7, 9, 981
\str_if_eq_x_p:nn	1084, 1085, 2455
\string	101, 121
\suppressfontnotfounderror	677
T	
\tex_let:D	667
\textsi	2444
\textvisiblespace	37
\the	87
\thelisting@line	86
\Theta	2538
\tilde	2505
\tl_clear:N	378, 1056, 1060, 1152, 1155, 1166–1184, 1195–1197, 1224, 1476
\tl_count:n	1756, 1759
\tl_gput_right:Nn	1226
\tl_gput_right:Nx	1097, 1146
\tl_gset:cV	854, 855
\tl_gset:cx	791, 847–849

\tl_gset:Nn	52	U	
\tl_gset:Nv	796	\updefault	862, 871, 875, 1102, 1104, 2479, 2557–2559, 2561– 2564, 2567, 2571, 2572, 2575, 2576
\tl_gset:Nx	1658	\upshape	14, <u>2461</u>
\tl_gset_eq:cN	856, 857	\Upsilon	2543
\tl_if_empty:NF	891, 928, 1113, 1124, 1135, 1325, 1905, 1929	\use:c	513
\tl_if_empty:NT	809, 821, 957, 1066	\use:n	1063
\tl_if_empty:NTF	804, 868, 883, 902, 904, 906, 926, 993, 1308, 1328, 2565	\use:x	335, 369, 379, 1033, 1088, 2070
\tl_if_empty:nTF	363, 1252, 1265, 1528, 1541, 1569, 1686	\use_iv:nnnnn	49
\tl_if_eq:NNF	1771, 1785	\use_none:n	1358
\tl_if_eq:NNTF	1000, 1011	\use_v:nnnnn	48
\tl_if_head_eq_charcode_p:nN	1355, 1356	\usefont	36
\tl_if_in:nnT	771	\UTFencname	267
\tl_if_single:nTF	1729	V	
\tl_new:N	305–308, 348, 1186, 1187	\verb	47
\tl_put_left:Nn	1325	\verb*	47
\tl_put_right:Nn	270, 1688, 1696, 1725, 1734	\verb@eol@error	51
\tl_put_right:Nx	1069, 1707, 1713	verbatim* (environment)	<u>63</u>
\tl_remove_all:Nn	370, 502, 710, 790, 1584	\verbatim@font	52
\tl_remove_once:Nn	372	\verbatim@line	87
\tl_replace_all:Nnn	1586	\verbatim@processline	84
\tl_replace_all:Nnx	1583	\verbatim@start	69, 89
\tl_set:cn	1504–1508	X	
\tl_set:Nn	261–265, 329–331, 358, 463, 490, 501, 615, 808, 811, 823, 960, 963, 1119, 1188, 1189, 1199, 1470, 1512, 1518, 1582, 1589, 1594, 1599, 1604, 1609, 1614, 1621, 1627, 1632, 1730, 1731, 1757, 1770, 1776, 1834, 1853, 1898, 1922, 2417, 2424, 2436, 2623, 2627, 2628	\xetex_if_engine:F	14
\tl_set:Nv	549, 550, 599, 1484, 1496	\xetex_if_engine:T	257
\tl_set:Nx	47, 369, 709, 789, 1021, 1044, 1307, 1313, 1318, 1321, 1331, 1645, 1647, 1790	\XeTeXcountvariations	951
\tl_set_eq:NN	267–269, 272, 273, 656, 661, 662, 711, 712, 760, 1061, 1153, 1154, 1900, 1910, 1924, 1934	\XeTeXfeaturename	1307
\tl_to_lowercase:n	369	\XeTeXfonttype	947
\tl_to_str:N	47	\XeTeXisexclusivefeature	1311
\token_to_str:N	1751	\XeTeXOTcountfeatures	1420
\ttdefault	265, 301, 331	\XeTeXOTcountlanguages	1391
\two@digits	2065, 2076	\XeTeXOTcountscripts	1365
\typeout	2621	\XeTeXOTfeaturetag	1429
		\XeTeXOTlanguagetag	1396
		\XeTeXOTscripttag	1370
		\XeTeXpicfile	277, 278, 280
		\XeTeXselectorname	1313, 1318, 1323
		\Xi	2540
		\xlx@defaultthyphenchar	20, 26
		Z	
		\z@	19
		\zf@basefont	<u>2623</u>
		\zf@enc	<u>2623</u>
		\zf@family	<u>2623</u>
		\zf@fontspec	<u>2623</u>